

**PRENTOX PYRONYL(R) DRY CONCENTRATE**

<b>ACTIVE INGREDIENTS:</b>	
Pyrethrins.....	2.2%
Petroleum Distillates .....	37.8%
<b>INERT INGREDIENTS.....</b>	<b>60.0%</b>
<b>TOTAL</b>	<b>100.0%</b>

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

- If swallowed** - Contact a physician immediately.
- If inhaled** - Remove person to fresh air.
- If on skin** - Remove contaminated clothing and wash affected area with soap and water.
- If in Eyes** - Flush eyes with plenty of water.

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

EPA Reg. No. 655-347

EPA Est. No. 655-GA-1

NET CONTENTS \_\_\_\_\_

LOT No. \_\_\_\_\_



Manufactured by

**prentiss**

Drug & Chemical Co., Inc.

Plant: Kaolin Road  
Sandersville, GA. 31082

Office: C.B. 2000  
Floral Park, N.Y. 11001

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**LEFT PANEL**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Keep out of reach of children. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking. Do not allow dust to contact food, feedstuffs or water supplies.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with the pesticide and wear protective gear. Sweep the spill into a salvage drum. Dispose of wastes as below.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**RIGHT PANEL**

**DIRECTIONS FOR USE**

Mix with pyrophyllite or talc. A pH of 6.5 to 7.0 is desirable. Not compatible with alkaline materials. Mix with carrier to give a Pyrethrin content of 0.1%, 0.15%, 0.2% and 0.3% (Equivalent to 5%, 7-1/2%, 10% or 15% of PYRONYL DRY CONCENTRATE).

**SEE ATTACHED SHEETS**

# PRENTISS BEST TESTED PRODUCT



The following dosage rates are recommended as guidelines, with variations on different types of crops, their age and locality.

<u>CROP</u>	<u>INSECTS</u>	<u>FRONT DRY CONTENT OF DUST</u>	<u>POUNDS PER ACRE</u>
Asparagus	Asparagus Beetle	5%	20-30 lbs.
Beans	Aphids	5%	30 lbs.
	Leaf Hopper (White Fly or Bean Jassid)	5%	20-30 lbs.
	Mexican Bean Beetle	5-10%	25-35 lbs.
	Thrips	5-10%	30 lbs.
	Twelve Spotted Beetle	10%	35 lbs.
Beets	Hawaiian Beet Webworm	5-7-1/2%	20-30 lbs.
	Webworm	5-10%	20 lbs.
Broccoli	(See Cabbage)		
Brussel Sprouts	(See Cabbage)		
Cabbage	Cabbage Looper	7-1/2-10%	20 lbs.
	Diamond-Back Moth Larvae	7-1/2-10%	20 lbs.
	Flea Beetle	10%	20 lbs.
	Harlequin Bug	15%	30 lbs.
	Imported Cabbage Worm	7-1/2-10%	20 lbs.
Cantaloupe	(See Melons)		
Cellar	(See Cabbage)		



BEST DOCUMENT AVAILABLE



## Prentiss Drug & Chemical Co., Inc.

101 WEST HUNTER STREET, NEW YORK, N. Y.

3 SO. CLINTON STREET, CHICAGO, ILL.

# A PRENTISS TEST-TESTED PRODUCT

<u>CROP</u>	<u>INSECTS</u>	<u>PYRONTL DRY CONTENT OF JUICE</u>	<u>POUNDS PER ACRE</u>
Celery	Flea Hopper	7-1/2%	25-50 lbs.
	Celery Leaf Tier	10%	25-50 lbs.
	Celery Looper	7-1/2%	25-50 lbs.
Collard	(See Cabbage)		
Cranberries	Fire Horn	12-1/2-15%	50 lbs.
	Leaf Hopper	12-1/2-15%	50 lbs.
Cucumbers	Flea Beetle	10%	20-30 lbs.
	Spotted Cucumber Beetle	7-1/2-10%	15-30 lbs.
	Squash Bug Nymphs	10%	20-30 lbs.
	Striped Cucumber Beetle	7-1/2-10%	15-30 lbs.
Grapes	Leaf Hopper - Nymphs	5-7-1/2%	25 lbs.
	Adults	7-1/2-10%	25 lbs.
Grass (Lawn)	Sod Webworm	10%	25 lbs. per 1000 sq. feet
Lettuce	(See Cabbage)		
Melons	Squash Bug Nymphs	10%	20-30 lbs.
	Spotted Cucumber Beetle	7-1/2-10%	20-30 lbs.
	Striped Cucumber Beetle	7-1/2-10%	20-30 lbs.
	Thrips	5-10%	20-30 lbs.





BEST DOCUMENT AVAILABLE

**Prentiss Drug & Chemical Co., Inc.**

# PRENTISS PEST TESTED PRODUCTS

<u>CROP</u>	<u>INSECTS</u>	<u>PYRONYL PY CONCENTR OF MIST</u>	<u>POUNDS PER ACRE</u>
Peppermint	Flea Beetle	10%	25 lbs.
	Western Twelve Spotted Cucumber Beetle	10%	25 lbs.
Potatoes	Aphids	5-10%	20-25 lbs.
	Colorado Potato Beetle	10%	20-25 lbs.
	Flea Beetle	6%	20-25 lbs.
	Leaf Hopper	5%	20-25 lbs.
	Psyllid	5%	20-25 lbs.
Radish	Flea Beetle	10%	12-25 lbs.
Spinach	Aphids	5%	20-30 lbs.
	Cabbage Looper	7-1/2-10%	25-45 lbs.
	Webworm	7-1/2-10%	25-45 lbs.
Squash	Mexican Leaf Beetle	5-10%	20-30 lbs.
	Colorado Potato Beetle	10-15%	20-30 lbs.
	Squash Bug Nymphs	10-15%	20-30 lbs.
	Striped Cucumber Beetle	10%	20-30 lbs.
Tomatoes	Aphids	7-1/2-10%	20-30 lbs.
	Flea Beetle	10%	20-30 lbs.
	Psyllid	5-7-1/2%	20-30 lbs.
	Thrips	10%	20-30 lbs.
Watermelon	(See Malware)		



## Prentiss Drug & Chemical Co., Inc.

101 WEST 11th STREET, NEW YORK 1, N. Y.

9 SO. CLINTON STREET, CHICAGO, ILL.

300 / 10422-0  
17 / 3

Prentiss Drug and Chemical  
Co., Inc.  
363 Seventh Avenue  
New York, NY 10001

Gentlemen:

Subject: ~~Seentox~~ Pyronyl Dry Concentrate  
EPA Registration No. 655-347  
Application Dated July 8, 1983

Your proposed amendment to bring the labeling for this product into compliance with FR Notice 83-3 is acceptable. A stamped copy of the draft labeling is enclosed for your records. Submit five (5) copies of the finished printed labeling before the product is released for shipment under the amended labeling. When the finished label is prepared the following correction must be made.

Change "Keep out of any body of water" to read "Do not apply directly to lakes, ponds or streams."

Sincerely yours,

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

TS-767: ~~TS-767~~DCR-12110:WANG-1231C:lra:Raven:479-2013:11/9/83

CONCURRENCES							
SYMBOL	TS767						
SUBNAME	T. Gardner						
DATE	11/16/83						

EPA Form 1320-1 (4-81) OFFICIAL FILE COPY