
A PRENTISS PEST-TESTED PRODUCT



READY-TO-USE MOSQUITO FOG

FOR USE ONLY BY TRAINED PERSONNEL

Contains BAYTEX(R)



ACTIVE INGREDIENTS:

Fenthion (0, 0-Dimethyl 0-(4-(methylthio)-m-tolyl)

phosphorothicate) * ... 0.93%

Aromatic Petroleum Distillates INERT INGREDIENTS:

99.00% 0.07%

TOTAL:

* U.S. Patent No. 3,042,703 - Canadian Patent No. 631,472

BAYTEX (R) is a Registered Trademark of Farbenfabriken Bayer, A.G., Chemagro Corp. Licensee.

WARNING

KEEP OUT OF REACH OF CHILDREN

DC NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING, AND BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

Manufactured by:

SEE OTHER PRECAUTIONS ON THE BACK/SIDE PANEL

E.P.A. Reg. No. 655-348

Prentiss Drug & Chemical Co., Inc.

PLANT 338 WILSON AVENUE NEWARK, N J 07105 . CES CE 163 SEVENTH AVEN E NOW YORK N.

A PRINTISS PASSES FOR PRODUCT



This product is recommended for use wherever mosquitoes are a problem. It provides long residual control and is as effective against DDT-resistant strains as against non-resistant strains.

DIRECTIONS FOR USE: Fogging: Read the entire label before using the product. For thermal fog application use this product undiluted in standard fogging machines which are calibrated to deliver 40 gallons per hour at a machine speed of 5 miles per hour to cover a swath width up to 350 feet. Repeat as becessary. Airplane Application: Apply undiluted at 3 quarts per acre for larva control, 6 quarts per acre for adult control. Allow at least three weeks between applications. Larva Control: Apply 3 quarts per acre undiluted or in sufficient oil* (1 part product / 1 part oil or a total volume of 1-1/2 gallons of diluted spray per acre) to obtain uniform coverage as a light spray. Allow at least 3 weeks

between applications.

*Kerosene-type oils, fuel oil, diesel oil or other base oils suitable for insecticides.

MIXING: To mix with oil pour the required amount of this product into full amount of oil and then gitate FISH & WILDLIFE CAUTION: This product is highly toxic to some aquatic animal life. Shrimp, crayfish and crabs may be killed at the listed rates of application. Do not apply where these are important resources OTHER USE RESTMICTIONS: Do not allow spray treatment or drift on pasternelland, cropland, poultry ranges, or water supplies. Do not use inside homes, in dairy barns, poultry houses or in buildings where food is processed. Do not apply directly to animals. Do not use on crops used for food, forage or pasture. WARNING: This product may be fatal if swallowed, inhaled or absorbed through the skin. It is rapidly absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse. In case of skin contact, wash immediately with soap and water.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING

AND BURYING IN A SAFE PLACE, AWAY FROM WATER SUPPLIES.


NOTE TO PHYSICIAN:

AVOID CONTAMINATION OF FEED OR FOOD.

Antidote - Administer atropine sulfate in large theropeutic doses. Repeat as necessary to the point of tolerance.

2-PAM is also antidotal and may be administered in conjunction with atropine.

KEEP OUT OF REACH OF CHILDREN



Prentiss Drug & Chemical Co., Inc.

101 WEST 31st STREIGH, NEW YORK I, N.Y.

9 SO, CLINTON STREAT, CHICAGO, III.