

A PRENTISS PEST-TESTED PRODUCT

Prentox

RESIDUAL SPRAY
Contains BAYGON (R)

For Industrial and Institutional Use

PRENTOX RESIDUAL SPRAY is a highly effective ready to use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbons and phosphates insecticides. This product drives insects from their hiding places, gives rapid kill and long residual activity.

ACTIVE INGREDIENTS:

O-isopropoxyphenyl methylcarbamate *	1.00%
Petroleum Distillates	81.75%
INERT INGREDIENTS:	15.25%
TOTAL:	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

* U.S. Patent No. 3,111,139

BAYGON (R) is the registered trademark of Farbenfabriken Bayer A.G., Chemagro Corp. Licensee.

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Flies, Flies, Gnats, Millipedes, Mosquitoes, Paperlice, Fleas, Pupae, Sand-flies, Scorpions, Silverfish, Sowbugs and Spiders. Exposed stages of Caddisflies, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Saw-toothed Grain Beetles and Weevils.

NET CONTENTS _____ GAL.

Manufactured by:



Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10001

E.P.A. Reg. No. 655-351

655-351

11/17/71

71134

Noted

A PRENTISS PEST-TESTED PRODUCT

Prentox

DIRECTIONS FOR USE:

GENERAL: Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborage. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

CROCKERY: Thoroughly treat the infested area. Spray baseboard, cracks and crevices; around window and door frames, under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest.

WALLS: Apply to trails and places where ants enter premises, such as window and door sills, spray sills and runways outdoors.

SPIDER: Apply to localized areas infested by these insects. Apply to sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

FLIES: Apply to interior and exterior perimeter of the infested premises. For HOUSE FLIES, give special attention to window sills.

WASPS: Apply to exterior surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.




Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105 • OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10001

374

484



ACCEPTED
NOV 17 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR REGISTERED UNL
ED UNL SUBJECT
TO ATTACHED COMMENTS.

655-351

Handwritten scribble or signature in the bottom right corner.