


# A PRENTISS PEST-TESTED PRODUCT



RESIDUAL SPRAY

Contains BYAGON (R)

FOR PROFESSIONAL, INDUSTRIAL AND INSTITUTIONAL USE

PRENTOX RESIDUAL SPRAY is a highly effective ready-to-use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives residual control and rapid kill of insects specified below.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate* .....	1.00%
Petroleum Distillates .....	83.75%

INERT INGREDIENTS: .....	15.25%
--------------------------	--------

TOTAL: 100.00%

\*U.S. Patent No. 3,111,539

Canadian Patent No. 725,204

BYAGON<sup>(R)</sup> is the registered trademark of the Parent Co. of Farbenfabriken Bayer GmbH, Leverkusen.

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Paperlice, Punkies, Sandflies, Scorpions, Silverfish, Sowbugs and Spiders. Exposed stages of Caddisflies, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, and Saw-toothed Grain Beetles.

NET CONTENTS

GALLONS

SEE OTHER CAUTIONS ON THE SIDE PANELS

WARNING - FLAMMABLE!

KEEP AWAY FROM HEAT  
OR OPEN FLAME.



Mfg. by:

E.P.A. EST. NO. 655-NJ-1

E.P.A. Reg. No. 655-351

## Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10014

# A PRENTISS PEST-TESTED PRODUCT

*Prentox*

## DIRECTIONS FOR USE:

GENERAL: For use in and around buildings, dwelling areas and similar structures. Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Not to be used as a mosquito larvacide. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES - Thoroughly treat the infested area. Spray baseboard, cracks and crevices; around window and door frames, under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes and floor drains.

ANTS - Apply to trails and places where ants enter premises, such as window and door frames, spray hills and runways outdoors.

CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGES) - Thoroughly treat floors and walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

SILVERFISH, FIREBRATS AND PAPERLICE - Apply to localized areas infested by these insects.

BROWN DOG TICKS - Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS AND SPIDERS - Thoroughly spray the interior and exterior perimeter of the infested premises. For CLOVER MITES, give special attention to window frames.

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SANDFLIES (outdoors only) - Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.



Continued.

# Prentox

DIRECTIONS FOR USE: (Cont.)

FOOD HANDLING ESTABLISHMENTS - Places other than private residences in which cooked food is sold, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving Areas (where food is exposed and facility is in operation also would be considered a food area).

Apply Prentox Residual Spray in small amounts directly into cracks and crevices using equipment capable of delivering a thin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in wall, equipment legs and bases, in conduits, motor housings, junction or switch boxes where Resistant and Non-Resistant Cockroaches, Ants, Silverfish, Silverfish, Silverfish, Crickets, Centipedes and Millipedes live. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED. Non-Wood Areas - Includes garbage rooms, lavatories floor drains (to sewers, siphons and ventikules), offices, locker rooms, machine rooms, boiler rooms, general storage (after canning or bottling). Apply to unexposed areas, around water pipes, surface behind and beneath sinks, lockers, tables, walls and similar areas where insects can enter through which they may enter.

USE IN INDUSTRIAL FACILITIES: The use of PRENTOX RESIDUAL in all industrial areas for insect control will not increase or cause insect activity.

PRECAUTIONS: Do not use in areas where food is exposed. Provide adequate ventilation of areas treated. Do not allow children to contact treated areas until surfaces are completely dry. Do not use near food or food product. Avoid contact with food.



## Prentiss Drug & Chemical Co., Inc.

PLANT 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE 363 SEVENTH AVENUE, NEW YORK, N. Y. 10014

# A PRENTISS PEST-TESTED PRODUCT



## DIRECTIONS FOR USE: (Cont.)

food, food processing equipment, and food handling surfaces. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

## CAUTION:


MAY BE HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. AVOID BREATHING SPRAY MIST. IN CASE OF CONTACT, WASH IMMEDIATELY WITH SOAP AND WARM WATER. WASH HANDS, ARMS, AND FACE THOROUGHLY WITH SOAP AND WATER BEFORE EATING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE.

SHOULD POISONING OCCUR, GET PROMPT MEDICAL AID.

IF SWALLOWED DO NOT INDUCE VOMITING, CALL A PHYSICIAN IMMEDIATELY

TO PHYSICIAN: Atropine sulfate is antidotal.

This product is toxic to birds and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning or equipment, or disposal of wastes. Apply this product only as specified on this label.



## Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10014