

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans  
(and Domestic Animals)**

**DANGER.** Poisonous if swallowed inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin wear natural rubber gloves waterproof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

**Environmental Hazards**

This product is toxic to fish birds and other wildlife. Do not discharge into lakes streams ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

**Physical or Chemical Hazards**

Do not use or store near heat or open flame.

**prentox<sup>®</sup>**

**DDVP 2 LB.  
EMULSIFIABLE  
CONCENTRATE**

**AN INSECTICIDE FOR  
FORMULATING USE ONLY.**

**BEST DOCUMENT AVAILABLE**

**ACTIVE INGREDIENTS:**

Xylene Range Aromatic Petroleum Distillate	70.20%
2,2-Dichlorovinyl dimethyl phosphate	23.06%
Related Compounds	1.74%
<b>INERT INGREDIENTS:</b>	<u>5.00%</u>
<b>TOTAL:</b>	<b>100.00%</b>

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed** - Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomit or give anything by mouth to an unconscious person.

**If inhaled** - Move victim to fresh air. Apply respiration indicated. Call a physician immediately.

**If on skin** - Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.

**If in eyes** - Flush eyes for at least 15 minutes with water. Call a physician immediately.

**Instructions for Formulation**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

**NOTE TO FORMULATORS**

Certain organo-phosphate insecticides have been shown to cause staining and color changes of carpet dyed with certain sensitive carpet dyes. Products made from this concentrate should carry warnings to prevent contact with carpeting by spray, spray mist or drift.

**Note to Physician**

**Symptoms:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**Treatment:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

**KEEP OUT OF REACH OF CHILDREN**



EPA REG NO 655-358

EPA EST NO 655-GA-1

LOT # \_\_\_\_\_

NET CONTENTS \_\_\_\_\_

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE DISPOSAL**

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedure under Subtitle C of the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a metal landfill or by other approved state and local procedure.

*see attachment sheet*

**ACCEPTED**  
NOV 16 1983  
655-358



Manufactured by

**prentiss**

Drug & Chemical Co., Inc.

Plant: Kauln Road  
Sandersville, GA. 31082  
Office: C.B. 2000

*cb*

- MASTER

PESTICIDE A  
Container (4)

655-308

(2)

STORAGE

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE - If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.