prentox®

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful it swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash. thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs, or water supplies. thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

it is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open duniping is prohibited

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise. repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. De not store, use, pour or spill near heat or open flame

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal famility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities

SPRAY CONCENTRATE NO. 625

FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY ESTABLISHMENTS FOR CONTROL OF ROACHES, WATERBUGS AND SILVERFISH

ACTIVE INGREDIENTS:		
Pyrethrins		123
Piperonyi Butoxide, Technical*		339
Petroleum Distillates	<i></i>	35
	TOTAL 100.0	201

*Equivalent to 4.02% (Butylcarbityl) (6-propylpiperonyl) ether and 1.01% related compounds PRENTOX® -- Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swellowed - Call a physician or Poison Control Center immediately, DONOTINDUCE VOMITING, Vomiting may cause aspiration pneumonia

It Inhaled — Remove victim to fresh air

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

> SEE SIDE PANEL FUR **ADDITIONAL PRECAUTIONARY STATEMENTS**

E.P.A. REG. NO. 655-363

E.P.A. 38T. NO. 655-GA-1

LOT NO. ____

NET CONTENTS

DIRECTIONS FOR USE (cont'd)

Befüre using this compound, exposed food products and pachaging majerials must be rombled from the room or protested. After using this compound, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed. Application confined to time periods when plant is not in operation. CONTACT SPRAY: Dilute with Deodorized Kerosene on a 1 to 6 basis to be used as a surface spray for control of roaches, waterbugs and silverfish in the edible products areas of Federally inspected Meat and Poultry Processing Plants: For control of roaches, waterbugs and silverfish, thorough and repeated apraying of the infested area, working the spray into cracks and other hiding places is recommended. Emphasis should be placed on hitti: q the insects directly and on repeated applications. Direct the spray to insect hiding places.

FOGGING

Close windows and doors and shut off ventilating system. Use a fogger or vaporizer adjusted to deliver an aerosol apray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 oz. per 1000 cuft. of space. Direct the spray toward the ceiling and upper corners of area and behind obstructions. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. Contact Spray treatment for crawling insects. should be used in combination with the fogging treatment

The above described application will kill accessible. exposed stages of flies, fruit flies, mosquitoes, silverfish, flying moths, gnats, crickets, roaches, spiders, scorpions, wasp, hornet, clover mites, che. se mites, cheese skippers and these common stored product pests, granary weevils, rice weevils, confused flour beetles, sawtoothed grain beetles, spider beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worms and grain mites.

655-33

Plant: Kaolin Road Sandersville. Drug & Chemical Co., Inc.

_Sandersville, GA. 31082 Floral Park, N.Y. 11001