

pm 17 REG# 655-364

prentox® Pyronyl 1575 O.C. (OR) PRENTOX SPRAY CONCENTRATE #1575

AUTHORIZED BY U.S.D.A. FOR USE IN FEDERALLY
INSPECTED MEAT AND POULTRY PLANTS

ACTIVE INGREDIENTS:

Pyrethrins	1.5%
Piperonyl Butoxide, Technical*	7.5%
Petroleum Distillates	91.0%
TOTAL	100.0%

*Equivalent to 6.0% (Butylcarbityl) (6-propylpiperonyl) Ether and 1.5% related compounds.

PRENTOX®—Registered Trademark of Prentiss Drug & Chemical Co., Inc

For Indoor Application to Surfaces
 Mix at a rate of 2 1/2 to 5 gallons of Concentrate with 50 gallons of odorless Petroleum Distillate. Apply to wet the surface using a coarse fog spray.

- To control roaches, ants, spiders, silverfish, centipedes, crickets, border bugs, scorpions, and clover mites: Direct spray into hiding places, cracks, crevices, behind baseboards and moldings, behind and under stoves, sinks, refrigerators, shelving and openings around electrical connections or plumbing. Spray ant traps, nests and points of entry. Spray insects directly whenever possible. Repeat application when reinfestation occurs.
- To control fleas and ticks: Spray infested areas thoroughly with particular attention to cracks, crevices, behind baseboards and moldings and under edges of rugs. Pet bedding should be thoroughly cleaned and sprayed or destroyed and replaced. Pets should be treated using an approved insecticide to prevent reinfestation. Repeat treatment as needed.
- To control brown dog ticks indoors: Apply spray carefully to all observable crevices, behind baseboards, pictures, furniture and draperies and under furniture and edges of rugs. Dogs should be treated with an approved insecticide to reduce reinfestation. Repeat treatment as needed.
- To control carpet beetles: Spray edges of carpeting and under carpet and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat if reinfestation occurs.
- To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.
- To control bedbugs: Spray all surfaces of mattresses thoroughly with particular attention to tufts, seams, and folds. Spray bedsteads, springs and other bedroom furnishings, walls, floors, baseboards, moldings, with special attention to hiding places.

AS IN INDOOR SPACE SPRAY
 Mix at a rate of 1 1/2 to 2 1/2 gallons of Concentrate with 50 gallons of odorless Petroleum Distillate. Apply using good conventional equipment adjusted to deliver a fine mist.

- To control flies, fruit flies, mosquitoes, gnats, small flying moths, wasps, and hornets: Close doors and windows and shut off ventilating systems. Direct spray toward upper portions of room and toward light sources, filling the entire area with mist. Use 2 to 3 ounces per 1,000 cubic feet of space. Keep area closed for 10 minutes. Vacate treated area. Ventilate and sweep up dead insects before reoccupying. Repeat when necessary.

OUTDOOR APPLICATION
 To control adult mosquitoes, mix 1 gallon of Concentrate with 4 gallons of fuel oil and apply using conventional mechanical, thermal or compressed air misting equipment. For best results, treat in the evening or early morning when the wind velocity does not exceed 5 miles per hour. Treat area thoroughly with particular attention to breeding and resting areas, low marshy areas and vegetation. Apply at a rate of 0.6 gallons per acre (1.8 fluid ounces per 1,000 cubic feet). Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Application of this product to any body of water is prohibited.

- To kill wasps and hornets: Mix at a rate of 2 1/2 to 5 gallons of Concentrate in 50 gallons of Petroleum Distillate or fuel oil. Spray nests and surrounding surfaces using a jet spray pattern, if possible. Treatment at dusk is recommended when the air is calm and insects have returned to the nest.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION
 Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.
 Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS
 Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

CAUTION: COMBUSTIBLE MIXTURE
 N.Y.F.D. C of A. 4146

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
 Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
STORAGE: If container is damaged: Stop any leaks by re-positioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTION FOR USE (Cont'd)
Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when the facility is not in operation. When used in a federally inspected meat and poultry plant, the plant must not be in operation, even if a wet spray is applied.

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT
 If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
 If inhaled — Remove victim to fresh air.
 If on skin — Remove contaminated clothing and wash affected areas with soap and water.
 If in eyes — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

SEE SIDE PANEL FOR
 ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-364 E.P.A. EST. NO. 655-GA-1

NET CONTENTS

LOT NO.

ACCEPTED
 5 FEB 1988
 655-364



Manufactured by
prentiss
 Drug & Chemical Co., Inc.

Plant: Kaolin Road
 Sandersville, GA. 31062
 Office: C.B. 2000
 Floral Park N.Y. 11001