

prentox

PRENTOX SPRAY CONCENTRATE #1575

AUTHORIZED BY U.S.D.A. FOR USE IN FEDERALLY
INSPECTED MEAT AND POULTRY PLANTS

ACTIVE INGREDIENTS:	
Pyrethrins	1.5%
Piperonyl Butoxide, Technical*	7.5%
Petroleum Distillates	91.0%
TOTAL	100.0%

*Equivalent to 6.0% (Butylcarbityl) (6-propylpiperonyl)
Ether and 1.5% related compounds.

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately if irritation persists.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-364

E.P.A. EST. NO. 655-GA-1

NET CONTENTS

LOT NO.

Manufactured by



prentiss
Drug & Chemical Co., Inc.

655-364
Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

CAUTION: COMBUSTIBLE MIXTURE
N.Y.D. C of A. 4148

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

DIRECTION FOR USE (Cont'd)

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when the facility is not in operation. When used in a federally inspected meat and poultry plant, the plant must not be in operation, even if a wet spray is applied.

For Indoor Application to Surfaces

Mix at a rate of 2 to 5 gallons of Concentrate with 50 gallons of Petroleum Distillate. Apply to wet the surface using a coarse droplet spray.

To control roaches, ants, spiders, silverfish, centipedes, crickets, boxelder bugs, scorpions, and clover mites: Direct spray into hiding places, cracks, crevices behind baseboards and moldings, behind and under stoves, sinks, refrigerators, shelving and coverings and electrical connections or plumbing. Spray ant trails, nests and points of entry. Spray insects directly whenever possible. Repeat application when reinfestation occurs.

To control flea infestations: Spray infested areas thoroughly with particular attention to cracks, crevices, behind baseboards and moldings and under edges of rugs. Pet bedding should be thoroughly cleaned and sprayed or destroyed and replaced. Pets should be treated using an approved insecticide to prevent reinfestation. Repeat treatment as needed.

To control brown dog ticks indoors: Apply spray carefully to all observable crevices, behind baseboards, pictures, furniture and draperies and under furniture and edges of rugs. Dogs should be treated with an approved insecticide to reduce reinfestation. Repeat treatment as needed.

To control carpet beetles: Spray edges of carpeting and under carpet and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat if reinfestation occurs.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, bureaus and other storages, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To control bedbugs: Spray all surfaces of mattresses thoroughly with particular attention to tufts, seams and folds. Spray bedsteads, springs and other bedroom furnishings, walls, floors, baseboards, moldings with special attention to hiding places.

AS IN INDOOR SPACE SPRAY

Mix at a rate of 1 to 2 gallons of Concentrate with 50 gallons of odorless Petroleum Distillate. Apply using good conventional equipment adjusted to deliver a fine mist.

To control flies, fruit flies, mosquitoes, gnats, small flying moths, wasps, and hornets:

Close doors and windows and shut off ventilating systems. Direct spray toward upper portions of room and toward light sources, filling the entire area with mist. Use 2 to 3 ounces per 1,000 cubic feet of space. Keep area closed for 10 minutes. Ventilate treated area. Ventilate and sweep up dead insects before reoccupying. Repeat when necessary.

OUTDOOR APPLICATION

To control adult mosquitoes, mix 1 gallon of Concentrate with 4 gallons of fuel oil and apply using conventional mechanical, thermal or compressed air misting equipment. For best results, treat in the evening or early morning when the wind velocity does not exceed 5 miles per hour. Treat area thoroughly with particular attention to breeding and resting areas, low marshy areas and vegetation. Apply at a rate of 0.6 gallons per acre (1.8 fluid ounces per 1,000 cubic feet). Treat shrubbery and vegetation where mosquitoes may rest. Shrubbery and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Application of this product to any body of water is prohibited.

To kill wasps and hornets: Mix at a rate of 2 to 5 gallons of Concentrate in 50 gallons of Petroleum Distillate or fuel oil. Spray nests and surrounding surfaces using a jet spray pattern, if possible. Treatment at dusk is recommended when the air is calm and insects have returned to the nest.