

L(17)

21 SEP 1984

Mr. Nick Sanchez
Prentiss Drug & Chemical Co., Inc.
C.B. 2000
Floral Park, NY 11001

345 / 125224
17 / 4

Dear Mr. Sanchez:

DDVP, Update Label

Subject: Amendments - Additional Supplier of
Perentox DDVP-Carbamate Concentrate
EPA Registration No. 655-338
Your Applications Dated July 2 and .

July 5, 1984

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), are acceptable; the updated formula has been added to this product's label for your records. It should be noted, however, that there is a problem in accepting the label and formula at this time since they match that submitted by the Agency May 28, 1980. July 18, 1979, and May 5, 1980, and accepted

Our records indicate that you are using 94% Baygon technical, thus your label ingredient statement should declare 9.8% the label should indicate 1.99% two of the DDVP technicals used are only 93%, I wish to change the label DDVP and 0.15% related compounds. You may not wish to change the label statement showing use of 21.6 lbs. percentages; in that case a revised formula Baygon, as had appeared on your (2.16%) of DDVP and 106.4 lbs (10.64%) of Baygon, result in supporting the present previous formulas dated 1971 and 1974, would for not bringing these items to label percentage declarations. We apologize for not bringing these items to your attention earlier.

Sincerely yours,

LaRocca
George T. Lager (15)
Product Manager - Rodenticide Branch
Insecticide Division (75-767)
Registration

9-2013:910//84

EPA:LaRocca:DCR-50419:WANG-0193L:wec:Raven:47

CONCURRENCES				
SYMBOL ▶				
SURNAME ▶				
DATE ▶				

--	--	--	--

OFFICIAL FILE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING — May be fatal if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

PHYSICAL HAZARDS OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

NOTE TO PHYSICIAN

Symptoms: Symptoms include weakness, headache, lightheadedness, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

prentox[®]

DDVP- CARBAMATE CONCENTRATE

(Contains 10% PROPOXUR & 2% DDVP)

AN INSECTICIDE FOR FORMULATING USE ONLY

ACTIVE INGREDIENTS:

O-isopropoxyphenyl Methylcarbamate*	10.00%
2,2-dichlorovinyl dimethyl phosphate	2.00%
Related Compounds	0.14%
2-Butoxyethanol	87.36%
INERT INGREDIENTS	0.50%

TOTAL: 100.00%

PRENTOX[®] — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Move person to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately if symptoms of poisoning occur.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.**

STORAGE

Do not contaminate disposal. Open

STORAGE — If repositioning the repairing the le pesticide and w liquids wear pr vent contact w spilled area w terial, such as dust. Sweep the e. Put the swe wastes as below or open the

PESTICIDE DIS hazardous liq mixture or res wastes cannot b instructions, co mental Control tentative at the dance

CONTAINER DI Then offer for re and dispose o procedures app

EPA REG. NO.

EPA EST. NO.

NET CONTENT

LOT #



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Karlin Road
Sandersville, GA. 31082
Office: C.B. 2003
Floral Park, N.Y. 11001