

# A PRENTISS PEST-TESTED PRODUCT

**ACCEPTED**  
  
 JUN 17 1971  
  
UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTRATION  
 ED UNDER NO. 655-402



SODIUM FLUORIDE TECHNICAL

FOR MANUFACTURING PURPOSES ONLY - NOT FOR RESALE UNDER THIS LABEL



**POISON**



**ACTIVE INGREDIENTS:**

Sodium Fluoride (minimum) .....	97%	
Related Compounds .....	3%	
<b>TOTAL:</b>	100%	

**DANGER**

KEEP OUT OF REACH OF CHILDREN

**ANTIDOTE:** The antidote for Sodium Fluoride poisoning is the prompt administration of Sodium Nitrite, which together with hemoglobin forms a non-toxic complex with fluoride. A Physician should be called in attendance in case of ingestion. Prompt and prolonged washing of body parts in contact with the material will aid its removal and overcome the irritating reaction. Application of soothing antiseptic ointments to exposed parts has sometimes been beneficial.

SODIUM FLUORIDE IS POISONOUS WHEN TAKEN INTERNALLY. DUSTS ARE VERY NOXIOUS AND WILL CAUSE SNEEZING AND IRRITATION TO THE NOSE AND THROAT. CARE SHOULD BE TAKEN TO AVOID INGESTION OF THE DUSTS. DUST-TYPE RESPIRATORS SHOULD BE WORN WHENEVER SUBSTANTIAL QUANTITIES ARE TO BE HANDLED, PARTICULARLY IN DUST-PRODUCING SITUATIONS.

SODIUM FLUORIDE IS IRRITATING TO THE SKIN, ESPECIALLY IN THE PRESENCE OF PERSPIRATION. PROLONGED CONTACT MAY CAUSE FORMATION OF LARGE OPEN BOIL-LIKE SORES WHICH CAN PROVIDE A SOURCE FOR INFECTION. IN SOME CASES PROLONGED EXPOSURE MAY PRODUCE ALLERGIC REACTIONS. RUBBER OR VINYL GLOVES SHOULD BE WORN WHEN HANDLING THE MATERIAL, AND CONTACT WITH THE BARE SKIN SHOULD BE AVOIDED.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.



NET CONTENTS \_\_\_\_\_ LBS.

SOLD BY: