

49

prentox RESIDUAL SPRAY

(Contains 0.5% Diazinon*)

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
 HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH THE SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID CONTAMINATION OF FOOD AND FEED.
PHYSICAL OR CHEMICAL HAZARDS
 DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE
 IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.
 Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.
CONTAINER DISPOSAL: 30 & 55 GALLON DRUMS: a) Reseal container and offer for reconditioning or b) Triple rinse, then offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.
SMALLER CONTAINERS: As in (a) above.
GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

NOTE: PRENTOX RESIDUAL SPRAY is not recommended for use in conduits, motor housings, junction or switch boxes because of shock hazard.
NON-FOOD AREAS - Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

DIRECTIONS FOR USE: (Cont'd.)
 Apply 1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.
NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used on wallings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils.

COCKROACHES (WATERBUGS), ANTS, AND SILVERFISH:
 Make spot applications of 1% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, crack and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stove, and similar areas where these insects hide.

CARPET BEETLES:
 Apply a 1% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelves, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS:
 Apply a 1% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS - EXPOSED STAGES (SAW-TOOTHED GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN-MEAL MOTH):
 Apply a 1% Diazinon spray to shelves and baseboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects' breeding within food packages. Infested food packages should be destroyed.

BROWN DOG TICKS IN BUILDINGS:
 Make thorough application of a 1% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

ACTIVE INGREDIENTS

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	0.5%
Petroleum Distillates	99.5%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: If swallowed, give milk or water to drink. If vomiting occurs, vomit. Do not use emetics. Get medical attention.

IF INHALED: If inhaled, remove to fresh air. If symptoms persist, get medical attention.

IF ON SKIN: Wash with plenty of water. If symptoms persist, get medical attention.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: This product contains 0.5% Diazinon. See separate leaflet for full prescribing information.

EPA Reg No 655-465 EPA EST NO 655-NJ-1

NET CONTENTS _____ GAL LOT # _____



Manufactured by
prentiss
 Drug & Chemical Co., Inc.
 Plant: 338 Wilson Avenue
 Newark, N.J. 07105
 Office: 363 7th Avenue
 New York, N.Y. 10001