

PRENTOX^(R)

RESIDUAL
SPRAY

(Contains 0.5% Diazion)

For Indoor Use Only

ACCEPTED
SEP 21 1984
655-406

ACTIVE INGREDIENTS:

Diazion (O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate).....	0.5%
Petroleum Distillates	99.4%

INERT INGREDIENTS

TOTAL:

00.1%
100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

E.P.A. Reg. No. 655-405

E.P.A. EST NO. 655-GA-1

NET CONTENTS _____ Gal. LOT # _____



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Keolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001

PRENTOX^(R)

RESIDUAL
SPRAY

(Contains 0.5% Diazion)

For Indoor Use Only

ACTIVE INGREDIENTS:

Diazion (0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate).....	0.5%
Petroleum Distillates	99.4%

INERT INGREDIENTS		00.1%
	TOTAL:	<u>100.00%</u>

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

E.P.A. Reg. No. 655-405

E.P.A. EST NO. 655-GA-1

NET CONTENTS _____ Gal. LOT # _____



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Keolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Mark the container with name of product, ingredient statement, precautionary statements, and signal word. Contact us for replacement label. Do not store, use pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Do not reuse empty container.

PLASTIC CONTAINERS ONLY: DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

CONSUMER STORAGE AND DISPOSAL STATEMENTS

STORAGE: Store in original container only. Place in a locked storage area.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

