

# prentox<sup>®</sup>

## DDVP 2 LB. OIL SOLUBLE CONCENTRATE

### AN INSECTICIDE FOR FORMULATING USE ONLY.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans (and Domestic Animals)

**DANGER.** Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

##### Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Do not discharge into lakes, streams, ponds, or other waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

##### Physical or Chemical Hazards

Do not use or store near heat or open flames.

ACCEPTED  
COMMENTS  
Letter Dated:

6 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, registered under EPA Reg. No. 655-432

#### STATEMENT OF PRACTICAL TREATMENT

**If swallowed** — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled** — Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

**If on skin** — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.

**If in eyes** — Flush eyes for at least 15 minutes with water. Call a physician immediately.

#### Instructions for Formulation

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

#### Note to Physician

**Symptoms:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**Treatment:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

*XYLENE BASE PROMITIC RETARDER IN CONCENTRATE*  
75.10%

#### ACTIVE INGREDIENTS:

Heavy Aromatic Naphtha	75.10%
2,2-Dichlorovinyl dimethyl phosphate (DDVP)	22.60%
Related Compounds	1.71%
<b>TOTAL:</b>	<b>100.00%</b>

#### STORAGE AND DISPOSAL

##### PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD, OR FEED. STORAGE OR DISPOSAL OPEN DUMPING IS PROHIBITED.

##### PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

##### CONTAINER DISPOSAL

(a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE IF LESS THAN 30 GALLONS; TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

##### GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

KEEP OUT OF REACH OF CHILDREN



E.P.A. REG. NO. 655-432

E.P.A. EST. NO. 655-NJ-1

LOT # \_\_\_\_\_

NET CONTENTS \_\_\_\_\_

Manufactured by

# prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
Newark, N.J. 07105

Office: 363 7th Avenue  
New York, N.Y. 10001



BEST DOCUMENT AVAILABLE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

345/76184  
17/3

DEC 6 1982

OFFICE OF  
PESTICIDES AND TOXIC SUBSTANCES

Prentiss Drug & Chemical Co., Inc.  
363 7th Ave.  
New York, NY 10001

Attn: Mr. Nick Sanchez

Dear Mr. Sanchez:

Subject: Amendment - Change Solvent  
Prentox DDVP 2 lb. Oil Soluble Concentrate  
EPA Reg. No: 655-432  
Your Letter: July 29, 1982

The change in solvent for the product registration referred to above is acceptable and the submitted Confidential Statement of Formula has been added to the file on the subject registration.

The labeling for the above referenced product is acceptable, subject to the following comments, and a stamped copy is enclosed for your records.

Before releasing the product for shipment make the following revisions to the labeling and submit five copies for our records.

1. Revise the STORAGE AND DISPOSAL statement in accordance with the enclosure.
2. Revise the first sentence of the "If swallowed" STATEMENT OF PRACTICAL TREATMENT to read as follows: "Call a physician or Poison Control Center immediately."

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)