

A PRENTISS PEST-TESTED PRODUCT



RESIDUAL CONCENTRATE DV-ONE
Contains DURSAN(R) & DDVP

FOR PROFESSIONAL USE BY LICENSED PEST CONTROL OPERATORS

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-3,5,6-trichloro-2-pyridyl phosphorothioate) -----	13.00%
2,2-dichlorovinyl dimethyl phosphate -----	4.82%
Related compounds -----	0.37%
Xylene -----	76.81%

INERT INGREDIENTS: ----- 5.00%

TOTAL: 100.00%



POISON

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN OR EYES. DO NOT GET IN EYES OR ON SKIN OR CLOTHING. IF MATERIAL GETS INTO THE EYES, WASH IMMEDIATELY WITH RUNNING WATER FOR AT LEAST 10 MINUTES. DO NOT BREATHE FUMES. RAPIDLY ABSORBED THROUGH SKIN. IN CASE OF CONTACT, WASH IMMEDIATELY WITH SOAP AND WATER. DO NOT CONTAMINATE FEED AND/OR FOODSTUFFS. WASH HANDS, ARMS AND FACE THOROUGHLY WITH SOAP AND WATER BEFORE EATING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE. WEAR NATURAL RUBBER GLOVES, PROTECTIVE CLOTHING AND GOGGLES. KEEP ALL UNPROTECTED PERSONS OUT OF OPERATIONAL AREA. WEAR A MASK OR REPIRATOR OF A TYPE APPROVED BY THE U.S. BUREAU OF MINES FOR PROTECTION AGAINST DICHLOROVINYL DIMETHYL PHOSPHATE.

ANTIDOTE: If swallowed, give a tablespoon of salt in a glass of warm ater and repeat until vomit fluid is clear. Have victim lie down and keep warm and quiet. Call a Physician immediately. In case of skin contact, remove contaminated clothing and immediately wash with soap and water.

E.P.A. Reg. No. 655-441



Prentiss Drug & Chemical Co., Inc.

PLANT 338 WILSON AVENUE NEWARK, N. J. 07105

OFFICE 363 W. CENTRAL AVE. NEW YORK, N.Y.

A PRENTISS PEST-TESTED PRODUCT

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

THIS PRODUCT IS TOXIC TO FISH, WILDLIFE AND BIRDS. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

NET CONTENTS _____ GALLONS

USE DIRECTIONS:

COCKROACHES: PRETOX RESIDUAL CONCENTRATE DV-ONE controls both non-resistant and resistant cockroaches in and around residential and commercial buildings, including homes, apartment buildings, stores, warehouses and similar structures. Dilute required amount in water or Deodorized Kerosene to obtain the desired concentration, as outlined in the following table.

<u>DILUTION RATES TO USE TO CONTROL COCKROACHES</u>		<u>DURS BAN</u>	
<u>Gallons of Spray, Mixture Desired</u>	<u>Fluid Ounces to Use*</u>	<u>0.25% Spray</u>	<u>0.50% Spray</u>
<u>FOR WATER BASE</u>			
1		2-2/3	5-1/3
3		8	16
5		13-1/3	26-2/3



Prentiss Drug & Chemical Co., Inc.

PLANT 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE 363 SEVENTH AVENUE, NEW YORK, N. Y.

A PRENTISS PEST-TESTED PRODUCT

DILUTION RATES (Cont.)



DORSBAN

<u>Gallons of Spray Mixture Desired</u>	<u>FLUID OUNCES TO USE*</u>	<u>0.25% Spray</u>	<u>0.50% Spray</u>
10		26-2/3	53-1/3
<u>FOR OIL BASE **</u>			
1		2	4
3		6	12
5		10	20
10		20	40

* NOTE:: 1 fluid ounce equals 2 tablespoonfuls equals 6 teaspoonfuls.

** Calculated on basis of Deodorized Kerosene.

Use the lower concentration (0.25%) to control light cockroach infestations and the higher concentration (0.50%) to quickly reduce heavy cockroach infestations. A period of 4-7 days after treatment is normally required for maximum effect on cockroaches. Apply as a spot treatment with a paint brush or as a coarse spray to areas where cockroaches normally are found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets and around drain pipes. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they have become contaminated by the application of this product. Repeat treatment as needed.

DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.

USE OF THIS PRODUCT IN RESIDENTIAL AND COMMERCIAL BUILDINGS IS LIMITED TO SPOT TREATMENT FOR CONTROL OF COCKROACHES.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

