


ACORP
655-443

prentox[®] RESIDUAL CONCENTRATE DV-TWO


Contains Dursban* & DDVP
ONLY FOR SALE TO, USE AND STORAGE BY
PEST CONTROL OPERATORS

ACTIVE INGREDIENTS:	
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	24.00%
2,2-dichlorovinyl dimethyl phosphate	8.32%
Related Compounds	0.68%
Xylene Range Aromatic Solvent	13.44%
Xylene	47.00%
INERT INGREDIENTS:	6.56%
TOTAL:	100.00%



KEEP OUT OF REACH OF CHILDREN

**POISON
DANGER**



STATEMENT OF PRACTICAL TREATMENT

If swallowed: — Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of the throat with finger or by giving syrup of ipecac. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: — Remove victim to fresh air. Apply artificial respiration if symptoms indicate (see side panel). Call a physician immediately.

If on skin: — Remove contaminated clothing. Wash affected areas with soap and water. Call a physician if symptoms of poisoning occur.

If in eyes: — Wash immediately with running water for at least 10 minutes. Call a physician immediately.

NOTE TO PHYSICIAN: Active ingredients contain cholinesterase inhibitor. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

*Dursban — Trademark of the Dow Chemical Co. U.S. Patent No. 3,244,586



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin and face thoroughly with soap and water before reuse. Wash all contaminated clothing before reuse. Wear natural rubber gloves, goggles or face shield. Keep all unprotected persons out of the operational area. Wear a pesticide respirator (approved by the Mining Enforcement and Safety Administration, the National Institute for Occupational Safety and Health, and by the National Institute for Environmental Health Safety) and by the National Institute for Environmental Health Safety, under the provisions of 301 CFR 101.11. Do not allow children or pets to enter the area until spray has dried.

NOTE TO PHYSICIAN —
DANGER SYMPTOMS: Symptoms include tightness in chest, blurred vision, non-rapid salivation, sweating, nausea, vomiting, diarrhea, and cramps.

ENVIRONMENTAL HAZARDS: This product is highly toxic to bees exposed to residues remaining on the treated area. Do not apply directly to water. Do not apply to areas where weather conditions favor drift from area. Applications should be timed to prevent possible interval between treatment and activity.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE TO APPLICATOR — This product is not to be used in a manner that may allow spray mist, drift or runoff to contact humans or animals.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide spray that cannot be used according to label should be disposed of according to Federal or appropriate State or local regulations under Subtitle C of the Resource Conservation and Recovery Act.
CONTAINER DISPOSAL: Triple rinse (or equivalent) and recycle where available. For recycling or reconditioning, or puncture and dispose in an approved sanitary landfill, or by other approved procedures.

E.P.A. EST. NO. 655-GA-1 E.P.A.

LOT # _____

NET CONTENTS _____ GAL.

b,
c
to
a

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin or clothing. Do not breathe fumes. Rapidly absorbed through skin. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, protective clothing and goggles or face shield. Keep all unprotected persons out of operational area. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety & Health, under the provisions of 30CFR Part II, for DDVP protection. Do not allow children or pets to contact treated areas until spray has dried.

NOTE TO PHYSICIAN —
DANGER SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting vegetation or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE TO APPLICATOR — This product may stain carpeting. Do not allow spray mist, drift or runoff to contact carpeting as staining may occur.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

E.P.A. EST. NO. 655-GA-1 E.P.A. REG. NO. 655-442

LOT # _____

NET CONTENTS _____ GAL. 11/82

DIRECTIONS FOR USE: (Cont'd.)

DILUTION RATES FOR USE:

Gallons of Spray Mixture Desired	Fluid Ounces to Use*: RESIDUAL CONC. DV TWO	
	Low Rate*	High Rate
FOR WATER BASE		
1	1-1/3 oz	2-2/3 oz
3	4 oz	8 oz
5	6-2/3 oz	13-1/3 oz
10	13-2/3 oz	26-2/3 oz
FOR OIL BASE**		
1	1 oz	2 oz
3	3 oz	6 oz
5	5 oz	10 oz
10	10 oz	20 oz

* NOTE: 1 fluid ounce equals 2 tablespoons, equals 6 teaspoons.
** Calculated on basis of Deodorized Kerosene.

GENERAL: Apply as a dilute spray. Mix as per Dilution Chart. Use a 0.50% Chlorpyrifos solution for heavy infestations. Use a 0.25% Chlorpyrifos spray for light infestations.

Application within residential buildings including homes and apartment buildings and in non-food areas of industrial, institutional and commercial buildings including non-food areas of hospitals, stores, manufacturing plants and warehouses. For spot treatment only — Apply as a coarse spray or with a paint brush to localized areas where cockroaches, ants, crickets, firebrats, silverfish, and spiders are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

For control of Brown Dog Ticks, thoroughly apply a Concentrate Spray as a spot treatment to infested areas, such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering, where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

Flies and Mosquitoes: Use only out-of-doors as an aid in reducing annoyance from these insects. Thoroughly apply a Concentrate Spray to outside surfaces of window and door frames as well as other areas where these pests may find entrance into structures. Also spray dark corners and localized resting areas (such as under eaves) where flies and mosquitoes may congregate. Repeat treatment when effectiveness diminishes.

DOSEAGES AND DIRECTION FOR USE ON TURF

PEST	Dosage Residual Conc. DV-TWO per 1000 sq. ft.	REMARKS
Ants, armyworms, brown dog ticks, chiggers, chinch bugs, clover mites, crickets, cutworms, earwigs, fleas, grasshoppers, sod webworms	1 1/2 fl. ozs.	Spray when pests first appear, retreat when needed. For sod webworms delay watering or mowing the treated area for 12 to 24 hours after treatment.
Turfgrass weevil (Hyperodes)	3 fl. ozs.	Spray suspected problem areas in mid-April and again in mid-May or as recommended by your Agricultural Extension Service specialist for your area.

311/86475
18/4

DRT
1/6/83

Mr. Nick Sanchez
Prentiss Drug & Chemicals, Inc.
363 7th Avenue
New York, NY 10001

Dear Mr. Sanchez:

Subject: Amendment - Add Turf Use and Add Crack & Crevice Use
Prentox Residual DV-Two
EPA Registration No. 655-442
Your Application Date: December 10, 1982

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. The comments in the "GENERAL" section of the right panel (under the Dilution Rates for Use) should be revised to appear as on the draft labeling submitted June 8, 1982.

Specifically, replace "Use a 0.50% Chlorpyrifos solution for heavy infestation. Use a 0.25% Chlorpyrifos spray for light infestation." with "Use a high rate solution for heavy infestations. Use a low rate spray for light infestation. Low rate yields 0.09% DDVP 0.25% chlorpyrifos.

*High rate yields 0.18% DDVP & 0.50% chlorpyrifos."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

-2-

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

RD:LARocca:DCR-39872:WANG-1829C:CBP:Raven:479-2013:01/05/83