

STORAGE AND DISPOSAL

STORAGE Store in original container in a cool, dry place. Do not store in areas where food is stored. Do not store in areas where children or pets can access. Do not store in areas where food is stored. Do not store in areas where children or pets can access.

PESTICIDE DISPOSAL Do not discharge into the environment. Do not discharge into the environment.

CONTAINER DISPOSAL Do not reuse. Do not reuse.

DIRECTIONS FOR USE (cont'd)

AS A SURFACE SPRAY For control of ROACHES, ANTS, SILVERFISH SPIDERS, CRICKETS, CLOVERMITES, CHEESEMITES, GRAMARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, SPIDER BEETLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, MEAL WORMS, GRAIN MITES, SCORPIONS, BOX ELDER BUGS, SPIDERS AND CADELLES. Use as directed. Do not use on food surfaces.

AS A SPACE SPRAY For control of MOSQUITOES, SKIPPER FLIES, WASPS, HORNETS, ANGOUMOIS, GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, SMALL FLYING MOTHS AND TOBACCO MOTHS. Use as directed. Do not use on food surfaces.

L.V. APPLICATION For control of MOTILE STAGES OF (BITING) YELLOW LICE AND (SUCKING) BLUE LICE on cattle, horses, sheep, goats and hogs. Use as directed. Do not use on food surfaces.

FOR USE ON LIVESTOCK To control HORN FLIES, HOUSE FLIES, MOSQUITOES, AND GNATS. Use as directed. Do not use on food surfaces.

To control STABLE FLIES, HORSE FLIES AND DEER FLIES Use as directed. Do not use on food surfaces.

To control FACE FLIES Use as directed. Do not use on food surfaces.

For effective control of MOTILE STAGES OF (BITING) YELLOW LICE AND (SUCKING) BLUE LICE on cattle, horses, sheep, goats and hogs Use as directed. Do not use on food surfaces.

To control POULTRY LICE Use as directed. Do not use on food surfaces.

prentox

EMULSIFIABLE SPRAY CONCENTRATE #101

Authorized by U.S.D.A. for use in federally inspected meat and poultry plants

ACTIVE INGREDIENTS	
Pyrethrins	1.20%
Piperonyl Butoxide Technical*	9.60%
Petroleum Distillates	81.20%
INERT INGREDIENTS	8.00%
TOTAL	100.0%

PRENTOX E.P.A. REG. NO. 655-452 E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____ **LOT #** _____

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Do not induce vomiting. If on skin — Wash with soap and water. If in eyes — Flush with water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

ENVIRONMENTAL HAZARDS

PHYSICAL HAZARDS


DIRECTIONS FOR USE

USE PRECAUTIONS

Manufacturers

Plant: Kaolin Road Sandersville, GA. 31082

Office: C.B. 2000 Floral Park, N.Y. 11001



DIRECTIONS FOR USE

For control of **BEDBUGS AND MITES**

To control **SHEEP TICK**

To kill **FLEAS ON LIVESTOCK AND PETS** and to obtain insecticide
resistance

To control **SPINOSE EAR TICK**

In barns, milking parlors, milk rooms and dairies To control **FLIES**
MOSQUITOES AND GNATS

MOSQUITO CONTROL OUTDOORS To control **ADULT MOSQUITOES**

To control **MOSQUITO LARVAE**

ON GROWING CROPS

ASPARAGUS **BEANS**

BROCCOLI CABBAGE BRUSSELS SPROUTS CAULIFLOWER

CELERY **CRANBERRIES**

EGGPLANTS **LETTUCE**

MUSTARD GREENS KALE COLLARDS TURNIPS

PEPPERS **POTATOES**

SPINACH **TOMATOES**

ORNAMENTALS

DROSOPHILA OR FRUIT FLY CONTROL

Prentiss Drug & Chemical Co., Inc.
C. B. 2000
Floral Park, NY 11001

Attention: Mr. Nick Sanchez

Gentlemen:

Subject: Prentox Emulsifiable Spray #101
EPA Registration No. 655-452
Your Letter of January 10, 1984

The labeling submitted to fulfill the requirements of PR Notice 83-3
is acceptable. A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy J. Cardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DCR-12138:Tavano, 1/26/84:IP-01:017.557-2800:del.2/11/84:pac

CONCURRENCES							
SYMBOL ▶	TS 767						
SURNAME ▶	Tavano						
DATE ▶	2/3/84						

EPA Form 1320 1-4-81 OFFICIAL FILE COPY