



DIRECTIONS FOR USE CONTINUED:

GENERAL INFORMATION

Diazinon 4E is an emulsifiable solution containing 4 lbs. of Diazinon per gallon. It is intended for use by pest control operators after dilution with water for the control of those insects listed below.

Diazinon 4E is not intended for use in preparing oil base sprays. Pest control operators who prefer oil base sprays should use Diazinon 4S.

Note: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber and asphalt materials such as tiles and floor coverings. Do not treat such materials. Care should also be taken to avoid spotting of wallpaper and fabrics. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers or cooking utensils.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Fire Ants

To aid in the control of fire ants in lawns and other recreation areas, apply 1/2 fl oz (1 tbsp) in a minimum of 1 gal of water as a drench. Apply over and 6 inches around each mound. Apply gently to avoid disturbing ants. Reapply as necessary. Larger quantities of solution can be prepared for multiple mound treatments. Use equipment capable of delivering the diluted product as a gentle rain at the rate of 1 gal per mound. High pressure sprays may disturb the ants and cause migration, reducing product effectiveness.

NOTE: For best results, apply in cool weather, 65-80°F or in early morning or late evening hours. Treat new mounds as they appear.

CAUTION COMBUSTIBLE MIXTURE

N.Y.F.D. C. of A. No. 4146

HOUSEHOLD INSECTS

Dilute Diazinon 4E with water to make a 1/4% or 1% Diazinon spray and apply as indicated below.

Gals. of Diluted	Amount Diazinon 4E to use
1	1.25 fl oz
2	2.5 fl oz
3	3.75 fl oz
10	12.5 fl oz
25	32.0 fl oz (4.0 pts)

*2 1/2 tablespoons = 1.25 fl oz.

Cockroaches (Waterbugs), Ants, and Silverfish — Make spot applications of 1/4% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide. For heavy cockroach infestations, make the first application at a strength of 1% Diazinon, followed by monthly applications of 1/4% Diazinon.

prentox®
DIAZINON 4E INSECTICIDE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turt and Ornamental Pests.

ACTIVE INGREDIENTS:

Diazinon (0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate) 47.5%
Xylene Range Aromatic Solvent 30.0%

INERT INGREDIENTS:

TOTAL: 100.0%

DIAZINON 4E contains 4lbs. Diazinon Per Gallon.

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

E.P.A. REG. NO. 655-457
E.P.A. EST. NO. 655-GA-1

KEEP OUT OF REACH OF CHILDREN
WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. **If inhaled** — Remove victim to fresh air. Apply respiration if indicated. **If on skin** — Remove contaminated clothing and wash affected areas with soap and water. **If in eyes** — Flush eyes with plenty of water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Keep children and pets off treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues remaining on crops. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Minimum flash point 105°F.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOOD AND FEED HANDLING ESTABLISHMENTS — Places other than private residences in which exposed food is held, processed, prepared or served. **NON-FOOD AREAS** — Includes garbage rooms, lavatories, floor drains (to sewer, entries and vestibules, office, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). **FOOD AND FEED AREAS — APPLICATION LIMITED TO CRACK AND CREVICE & SPOT TREATMENT ONLY** — Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing, etc.) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Apply Diazinon 4E as either a spot or crack and crevice treatment as directed below. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20 percent of the floor and wall surface. Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air. **FOOD AND NON-FOOD AREAS — Spot Treatment** — As a spot treatment, apply 1/4-1% as a coarse, low pressure fan spray to floor surface areas around water pipes, health cabinets, refrigerators, sinks, stoves, storage areas, and similar areas where cockroaches, ants, spiders and silverfish hide. Crack and Crevice Treatment — As a crack and crevice treatment, use equipment capable of delivering a pin stream of insecticide and apply 1/4-1% directly into such locations (pantry joints between different elements of construction and between equipment bases and the floor, wall boards or in hollow equipment legs. The area to be treated in the control of pantry pests (exposed stages of sawtoothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth) which come into contact with treated surfaces. Do not use this product in conduits, motor housings, and electrical switch boxes. Repeat applications as necessary.

NET CONTENTS


LOT #



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: Kaulin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001



BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE
Carpet Beetles — Apply a baseboard and edges of furniture, in closets and on or suspected.

Spiders and Scorpions — doors and along baseboard which these pests may crawl.

Pantry Pests — exposed rice, flour, cereal, etc. Apply a 1/4% spray to any suspected of being infested paper before spraying. Do dried. Cover shelves with a good housekeeping, air within food packages. Info.

Brown Dog Ticks in Bulk Diazinon spray to infested frames, wall cracks, sleeping areas of floors and floor animal quarters following formulation.

ORNAMENTAL INSECTS To control listed insects: Boxwood, Camelia, Calliandra, Hawthorn, Holly, Poplar, Rhododendron, recommended rates indicate Do not use on certain plants: Gardenia, since injury to it. **Missouri Webworms** — Mix in 100 gals water) and appear. Make a second an.

RATES OF APPLICATION:

INSECTS	
Aphids	O
Bagworms	O
Carnation Bud Mites	O
Carnation Shoot Mites	S
Cyclamen Mites	S
Detritus Leaf Miners	S
European Pine Shoot Moths	S
European Red Mites	T
Flea Beetles	T
Holly Bud Moths	W
Leafhoppers	W
Apple-Thorn Skeletonizers	O
Colorado Webworms	P
Fall Webworms	P
Hemlock Chermes	T

LAWN INSECTS

To control insects listed, a Ticks, Clover Mites, Cuck, Colletes (Springtails) will enter the house, spray a 5-house foundation wall to a 1-tablespoons) in 1 gal of water foundation, windows, door where the insects hide.

Insects

Lawn Chinch Bugs

Use higher rate for longer such as St. Augustine law. Ants, Armyworms, Clover Colletes (Springtails), Cutworms, Digger Wasp, Earwigs, Fireflies, Lawn Sod Webworms (Lawn M), Sowbugs. Spot spray Ant Hills and For Lawn Bugs, imitate For Fireflies, mow grass application until grass is a Brown Dog Ticks, Berm, Chiggers, Fleas, Leafhoppers. Do not apply to animals For Brown Dog Ticks, apply near house.

Mites
Rhodes-Grass Scales
Apply when Crawlers are

prentox®

DIAZINON 4E INSECTICIDE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turt and Ornamental Pests.

ACTIVE INGREDIENTS:

- Diazinon (0,0-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate) 47.5%
Xylene Range Aromatic Solvent 30.0%

INERT INGREDIENTS:

TOTAL: 100.0%

DIAZINON 4E contains 4lbs. Diazinon Per Gallon.

PRENTOX® - Registered Trademark of Prentiss Drug & Chemical Co., Inc.

E.P.A. REG. NO. 655-457

E.P.A. EST. NO. 655-GA-1

KEEP OUT OF REACH OF CHILDREN
WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled - Remove victim to fresh air. Apply respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues remaining on crops. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Minimum flash point 105°F

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOOD AND FEED HANDLING ESTABLISHMENTS - Places other than private residences in which exposed food is held, processed, prepared or served. NON FOOD AREAS - Includes garbage rooms, lavatories, floor drains (to sewer, entries and vestibules), office, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). FOOD AND FEED AREAS - APPLICATION LIMITED TO CRACK AND CREVICE & SPOT TREATMENT ONLY - Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing etc.) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Apply Diazinon 4E as either a spot or crack and crevice treatment as directed below. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20 percent of the floor and wall surface. Do not apply to areas, surfaces or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air. FOOD AND NON-FOOD AREAS - Spot Treatment - As a spot treatment, apply 1/2-1% as a coarse, low pressure fan spray to floor surface areas around water pipes, health cabinets, refrigerators, sinks, stoves, storage areas and similar areas where cockroaches, ants, spiders and silverfish hide. Crack and Crevice Treatment - As a crack and crevice treatment, use equipment capable of delivering a pin stream of insecticide and apply 1/2-1% directly into such spaces. Spot treatments on different elements of construction and between equipment bases and the floor, wallboards or in hollow equipment legs. This treatment is used in the control of pantry pests (exposed stages of sawtoothed grain beetle, flour beetle, rice weevil, cigarette beetle, drug store beetle and Indian meal moth) which come into contact with treated surfaces. Do not use this product in conduits, motor housings, and electrical switch boxes. Repeat applications as necessary.

NET CONTENTS

LOT #



Manufactured by

prentiss Drug & Chemical Co., Inc.

Plant: Kaulin Road Sandersville, GA. 31082

Office: C.B. 2000 Floral Park, N.Y. 11001

DIRECTIONS FOR USE (cont'd)

Carpet Beetles - Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

Spiders and Scorpions - Apply a 1/2% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests - exposed stages (saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth) - Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

Brown Dog Ticks in Buildings - Make thorough application of a 1/2% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in areas quarters following treatment. Do not treat animals with this formulation.

ORNAMENTAL INSECTS

To control listed insects on ornamentals, - Arborvitae, Azalea, Birch, Boxwood, Camellia, Carnation, Chrysanthemum, Douglas Fir, Elm, Gladiolus, Hawthorn, Holly, Juniper, Lilac, Locust, Maple, Oak, Pine, Plum, Poplar, Rhododendron, Rose, Spruce, and Willow apply the recommended rates indicated below. Do not use on certain Ferns, Poinsettia, Hibiscus, Papaya, Pilea, and Gardenia, since injury to the plants may occur. Mistletoe Webworms - Mix 1/2 fl oz (1 1/2 tablespoons) in 3 gals water (or 1 pt in 100 gal water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals.

RATES OF APPLICATION

Table with columns for INSECTS, Amount Diazinon 4E to use per 3 gal water, and per 100 gal water. Lists various insects like Aphids, Bagworms, Carnation Bud Mites, etc.

LAWN INSECTS

To control insects listed apply recommended rates. For Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Fleas, Milkpedes, Sowbugs, and Collembole (Springtails), which are commonly found near the house and may enter the house, spray a 5-ft band of soil around the house, as well as the house foundation wall to a height of 2-3 ft. Repeat application if necessary. Flea Beetle Bugs - Spray bugs outside the home with 1 1/2-2 1/2 fl oz (2 1/2-3 1/2 tablespoons) in 1 gal of water. At the same time, spray thoroughly around foundation, windows, doors, tree trunks, and into cracks and other places where the insects hide.

Table with columns for Insects and Rate/per 1,000 sq. ft. Lists lawn insects like Lawn Chinch Bugs, Fleas, Earwigs, etc.

Use higher rate for longer residual control and in lawns of dense growth, such as St. Augustine lawns. For Fleas, mow grass and water well before treatment but delay application until grass is dry. Do not water again until necessary.

Spot spray Ant Hills and Wasp ground nest openings. For Flea Beetles, irrigate the lawn thoroughly immediately after treatment. Do not apply to animals. For Brown Dog Ticks spray grass and under shrubbery particularly near house.

Milkpedes 8 fl oz 3 gals. Rhodes-Grass Scales 5 fl oz 25 gals. Apply when Crawlers first emerge.

BEST DOCUMENT AVAILABLE

ACCEPTED DEC 21 1983 Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 655-457

n containing 4 lbs. of Diazinon per control operators after dilution with listed below

n preparing oil base sprays. Pest sprays should use Diazinon 4E

ation is a petroleum distillate which asphalt materials such as tiles and enials. Care should also be taken to cs. When used in dwellings, care ch could be frequently contacted by ed areas until surfaces are dry. Do s or cooking utensils

DISPOSAL

ed by storage or disposal. Open

top any leaks by repositioning the r repairing the leaks. Take care to ir protective gear. On cleanup of ent as required to prevent contact r the spilled areas with generous clay, diatomaceous earth, sand or rborient on to a shovel and put the ee of wastes as below. Place any r glass container. Do not store, use,

tes are toxic. Improper disposal of ate is a violation of Federal Law. If use according to label instructions, nmental Control Agency, or the e nearest EPA regional office for

n (or equivalent). Then offer for ure and dispose of in a sanitary ed by state and local authorities

s and other recreation areas, apply of water as a drench. Apply over and r gently to avoid disturbing ants es of solution can be prepared for pment capable of delivering the e rate of 1 gal per mound. High s and cause migration, reducing

weather 65-80°F or in early ew mounds as they appear

STABLE MIXTURE

A. No. 4146

1/2% or 1% Diazinon spray and apply

to use

Table with 1% spray and amounts: 2.5 fl oz, 5.0 fl oz, 7.5 fl oz, 25.0 fl oz (1.6 pts), 64.0 fl oz (4.0 pts)

Silverfish - Make spot applications or apply with a paint brush to es cracks and crevices, surfaces etators, sinks, stoves, and similar ke the first application at a strength applications of 1/2% Diazinon

prentox[®]
 prentox
 prentox
 prentox
 prentox
 prentox
 prentox



prentox

DIAZINON 4E

INSECTICIDE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:

Diazinon (0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)..... 47.5%
 Xylene Range Aromatic Solvent 30.0%

INERT INGREDIENTS:

DIAZINON 4E contains 4lbs. Diazinon Per Gallon.

TOTAL: 100.0%
 E.P.A. REG. NO. 655-457
 E.P.A. EST. NO. 666-GA-1

PRENTOX[®] — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

NET CONTENTS 1 GAL.

**KEEP OUT OF REACH OF CHILDREN
 WARNING**

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled — Remove victim to fresh air. Apply respiration if indicated. If on skin — Remove contaminated clothing and wash affected areas with soap and water. If in eyes — Flush eyes with plenty of water. Call a physician if irritation persists.

*SEE ENCLOSED BOOKLET FOR COMPLETE INSTRUCTIONS AND ADDITIONAL PRECAUTIONS.
 IF BOOKLET IS MISSING WRITE TO MFR. FOR COPY.

9/83

ACCEPTED
DEC 21 1983
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticides
 registered under
 EPA Reg. No. 655-457


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Mark the container with name of product, ingredient statement, precautionary statements, and signal word. Contact us for replacement label. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Do not reuse empty container.



prentiss

Drug & Chemical Co., Inc.

Plant: Keolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, NY 11001

BEST DOCUMENT AVAILABLE

