


PM04 055-466

6/17/98

117

B

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number 227038
--	---	---	--

Application for Pesticide - Section I

1. Company/Product Number 655-466	2. EPA Product Manager Margery Exton	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Prentox ^R Dursban ^R 2E Insecticide		PM# 04
5. Name and Address of Applicant (Include ZIP Code) Prentiss Incorporated C.B. 2000 Floral Park, NY 11002-2000 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(ii), my product is similar or identical in composition and labeling to: <div style="text-align: center; font-weight: bold; font-size: 1.2em;">NOTIFICATION</div> EPA Reg. No. _____ Product Name _____ <div style="text-align: right; font-weight: bold; font-size: 1.2em;">JUN 17 1998</div>

Section - II

<input checked="" type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Amendment in order to change product name to:
 Prentox^R Chlorpyrifos 2E Insecticide



Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt. _____ No. per container _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Richard A. Miller	Title President	Telephone No. (Include Area Code) (516) 326-1919
---------------------------	--------------------	---

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) 
2. Signature 	3. Title President	
4. Typed Name Richard A. Miller	5. Date 6/3/98	

2/7

Front Panel

KEEP THIS BOOKLET WITH CONTAINER AT ALL TIMES

PRENTOX® DURSBAN® CHLORPYRIFOS 2E INSECTICIDE

To be applied only by or under the direct supervision of commercial applicators responsible for insect control programs. Sale to or use by persons owning or occupying a dwelling is strictly prohibited.

Contains 2 lbs. Chlorpyrifos per Gal.

ACTIVE INGREDIENT:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothionate] 24.6%

INERT INGREDIENTS¹: 75.4%

TOTAL: 100.0%

¹ Contains Xylene Range Aromatic Solvent

PRENTOX® - Registered Trademark of Prentiss Incorporated

DURSBAN® - Registered Trademark of DowElsaco

KEEP OUT OF REACH OF CHILDREN

WARNING — AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail)

SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE INSIDE THIS BOOKLET

EPA REG. NO. 655-466

EPA EST. NO. 655-GA-1


Manufactured by:

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000 Floral Park, NY 11002-2000

NOTIFICATION

JUN 17 1998



Prentox Dursban Chlorpyrifos 2E Insecticide
EPA Registration No. 655-466

317

KEEP THIS BOOKLET WITH CONTAINER AT ALL TIMES

PRENTOX® DURSBAN® CHLORPYRIFOS 2E INSECTICIDE

To be applied only by or under the direct supervision of commercial applicators responsible for insect control programs. Sale to or use by persons owning or occupying a dwelling is strictly prohibited.

CONTAINS 2 LBS. OF CHLORPYRIFOS PER GAL.

ACTIVE INGREDIENT:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate] 24.6%

INERT INGREDIENTS¹: 75.4%

TOTAL: 100.0%

¹ Contains Xylene Range Aromatic Solvent

PRENTOX® - Registered Trademark of Prentiss Incorporated

DURSBAN® - Registered Trademark of DowElanco

EPA REG. NO. 655-466

EPA EST. NO. 655-GA-1

KEEP OUT OF REACH OF CHILDREN

WARNING — AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail)

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person. If on skin: Immediately wash with plenty of soap and water. Get medical attention. If in eyes: Flush with plenty of water for 15 minutes. Get medical attention. If inhaled: Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately. Note to physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING — AVISO

May Be Fatal If Swallowed · Excessive Absorption Through Skin May Be Fatal · Causes Substantial But Temporary Eye Injury · Causes Skin Irritation

Do not get in eyes, on skin or clothing. Wear eye protection. Handle concentrate in a ventilated area. Wear protective clothing and chemically resistant gloves when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. Do not cut or weld metal container.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Do not formulate this product into other end-use products.

Do not apply this product through any type of irrigation system.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.



417

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100° F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE DIRECTIONS:

PESTS INDOORS: General Information: Use DURSBBAN Chlorpyrifos 2E Insecticide to control the pests indicated in the areas listed below by application as a 0.25% or 0.5% chlorpyrifos spray. Use the 0.25% spray to control light infestations and the 0.5% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute DURSBBAN Chlorpyrifos 2E with water or with a suitable base oil* as shown in the following SPRAY DILUTION CHART. Repeat the treatment as needed.

*Use only deodorized kerosene for oil-based sprays to be applied in food handling establishments.

NOTE: Where quick "knockdown" and/or "flushing action" is desired, pyrethrins may be added to the spray mixture containing DURSBBAN Chlorpyrifos 2E Insecticide. For best results, use pyrethrins at 0.25% in water-base and 0.05% in oil-base sprays. Consult labeling for the pyrethrins product used to determine the amount needed to give the desired spray concentration. Also read and observe all use and handling precautions for these products.

SPRAY DILUTION CHART


Gallons of Spray mixture Desired	Fluid Ounces* of DURSBBAN Chlorpyrifos 2E to Use	
	0.25% Spray	0.50% Spray
Water-base Spray:		
1	1.3	2.6
3	4	8
5	6.6	13.3
10	13.5	26.6
Oil-base Spray**		
1	1	2
3	3	6
5	5	10
10	10	21

*Note: 1 fluid ounce = 2 tablespoonfuls
= 6 teaspoonfuls

**Calculated on basis of deodorized kerosene.

USE PRECAUTIONS

DO NOT apply water-base sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is a need to treat such areas use only oil-base sprays. Prior to application de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Do not use in poultry houses. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.



Application Within Food Handling Establishments (Places Other Than Private Residences in Which Food is Held, Processed, Prepared or Served) Including, But Not Limited to, Restaurants, Grocery Stores, Bakeries, Bottling Plants, Canneries and Grain Mills: Use as a spot treatment in and around both food and nonfood areas to control cockroaches (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish, spiders and stored product insects such as confused flour beetles, saw-toothed grain beetles, Indian meal moths, rice weevils, Mediterranean flour moths and red flour beetles. Apply as a coarse, low pressure (20 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary run off. Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners of rooms and closets; along and behind baseboards; beneath and behind stoves, refrigeration units and similar food preparation areas and equipment; floor drains; and around plumbing and other utility installations. For ants apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors. Equipment capable of delivering a pinstream of insecticide should be used. Repeat treatment as needed but not more than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back) DURSBAN Chlorpyrifos 2E may be applied after 2 days from last treatment but emergency use should be limited to once per month.

Applications of this product in food handling establishments other than as a spot and/or crack and crevice treatment are not permitted.

Application Within Residential Buildings including Homes and Apartment Buildings and Within Nonfood Areas of Industrial, Institutional and Commercial Buildings Including Hospitals, Stores, Manufacturing Plants and Warehouses (For Spot Treatment Only): Apply as a coarse spray or with a paintbrush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, clover mites, crickets, firebrats, silverfish and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. For clover mites use a 0.5% spray only. NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

FOR CONTROL OF CARPET BEETLES: Thoroughly apply a 0.5% spray as a spot treatment along baseboards and edges of carpeting, under carpeting rugs and furniture, in closets and on shelving, and where ever else these insects are seen or suspected.

BROWN DOG TICKS: Thoroughly apply a 0.5% spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

PESTS OUT-OF-DOORS General Information: Use Dursban Chlorpyrifos 2E for control of certain pests on outside surfaces of buildings and on lawns and ornamental plants, and for area control of ticks and chiggers. Consult the following directions for dosage and application details to control the pests listed.

Chemigation: Do not apply this product through any type of irrigation system.

Pests on Outside Surfaces of Buildings

Use Dursban Chlorpyrifos 2E at the rate of 2.6 fluid ounces per one gallon of water (0.5% chlorpyrifos emulsion) to control ants, clover mites, cockroaches, crickets, earwigs, fleas, flies, millipedes, sowbugs, spiders and ticks by application as a residual spray or with a paint brush to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestations of buildings by ants, crickets, earwigs, millipedes, and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the building, also the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Use 1 pint of Dursban Chlorpyrifos 2E per 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1000 square feet to thoroughly and uniformly wet the band area.

PESTS OF LAWNS AND OTHER ORNAMENTAL AND RECREATIONAL TURF GRASS AREAS: Use DURSBAN Chlorpyrifos 2E to control the pests listed in the following table by application at the recommended dosages and in accordance with the directions given below. Dilute DURSBAN Chlorpyrifos 2E in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low pressure spray using suitable application equipment. Thoroughly water immediately after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at time of treatment.

017

DOSAGES AND DIRECTIONS FOR USE ON TURF

PEST	Dosage DURSBAN Chlorpyrifos 2E per 1000 square feet	REMARKS
Ants, armyworms, chiggers, chinch bugs, clover mite, crickets, cutworms, earwig, fleas, grasshoppers, sod webworms, ticks	1.5* fl. oz.	Spray when pests first appear; retreat when needed. For sod webworms delay watering or mowing the treated area for 12 to 24 hours after treatment.
Turfgrass weevil (Hyperodes)	3 fl. oz.	Spray suspected problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service Specialist for your area.
White grubs (European chafer, Southern masked chafer and Japanese beetle larvae)	3 to 6 fl. oz.	For white grubs spray when grubs are young and actively feeding near the soil surface, usually during late July and August or as recommended by your local Agricultural Extension Service Specialist for your area. Immediately after spraying, irrigate the treated area with 1/2 to 1 inch of water to wash the insecticide into the underlying soil.
Bluegrass billbug	3 to 6 fl. oz.	Spray early in the season when adults first appear. Re-treat when needed.

*1.5 fl. ozs. per 1000 sq. ft. = 7.5 fl. ozs. per 5000 sq. ft. = 1 pint per 10,700 sq. ft. = 2 qts. per acre.

PESTS OF ORNAMENTALS: Use DURSBAN Chlorpyrifos 2E to treat flowers, shrubs, vines, shade and flowering trees and evergreens found to be infested with these pests. Dilute DURSBAN Chlorpyrifos 2E with water according to directions given in the following table and apply using suitable hand or power spray equipment in a manner to provide complete and uniform coverage. For best results apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk areas. Attempt to penetrate dense foliage but avoid over-spraying to the point of excessive runoff. Treat when pests appear and repeat at 7 to 10 day intervals, if needed. Note: Do not use on azaleas, camellias, poinsettias, rose bushes, or variegated ivy because of possible injury to these plants.

USE PRECAUTIONS FOR LAWN AND ORNAMENTAL PLANT PESTS): Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden fish pools and other bodies of water.


WOOD BORING INSECTS INFESTING SHRUBS AND TREES SUCH AS Dogwood Borer, Lilac Borer, Ash Borer and Rhododendron Borer: Apply Dursban Chlorpyrifos 2E to the trunks and lower limbs of trees and shrubs when the adults begin to emerge. Consult your State Agricultural Experiment Station or Extension Service Specialist for proper time to treat in your area. Mix at the rate of two quarts of Dursban Chlorpyrifos 2E in 100 gallons of water and apply uniformly as a coarse low-pressure spray.

PEACH TREE BORER: Apply Dursban Chlorpyrifos 2E to flowering trees and shrubs of the genus Prunus in water as a trunk spray before newly hatched larvae enter the trees. Apply as a coarse, low-pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs. Consult your State Agricultural Experiment Station or Extension Service Specialist for proper time to treat your area.

NOTE: Mosquitoes coming to rest on areas treated for control of turf and ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

NATIVE ELM BARK BEETLE: Prevention of Overwintering. To prevent the adult beetle from overwintering in uninfested trees and to reduce beetle populations in disease free areas, apply DURSBAN Chlorpyrifos 2E Insecticide as a 0.5% mixture of chlorpyrifos in water to the bottom 9 feet of the trunk. Wet the trunk thoroughly but do not spray to runoff. Care should be taken to apply the spray right to the base of the root flare. Applications can be made with either a back pack mist blower or a hydraulic pressure sprayer from spring through to the early fall. **Prevention of Branch and Twig Feeding on High Value Elm Trees.** To reduce the twig and branch feeding on uninfested trees deemed to be high in value, apply a 0.5% chlorpyrifos water spray to the tree crown. Application should be made in the spring or early summer using a sprayer that will give thorough coverage to the tree crown.

TREATMENT OF FIRE ANT MOUNDS: Apply Dursban Chlorpyrifos 2E as a drench diluted at the rate of 1 fluid ounce (30 cc) per 2 gallons of water. Gently sprinkle a total of 1 gallon of the diluted solution over the surface of each mound using a sprinkler can. Thoroughly wet mound and surrounding area to a 4 foot diameter (12 square feet). For best results apply in cool weather, 65-80° F, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.



7/7

DOSAGE AND DILUTIONS FOR USE ON ORNAMENTAL PLANTS			
PESTS CONTROLLED	AMOUNTS OF DURSBAN Chlorpyrifos 2E IN WATER TO MAKE		
	3 gallons	10 gallons	100 gallons
Aphids, bagworms, Eastern tent caterpillars, fall webworms, grasshoppers, mites, orange striped oakworm, spittlebugs, whiteflies, yellow necked caterpillar.	0.5 fl. oz.	1.6 fl. ozs.	1 pt.*
Cutworms, leafhoppers, mealybugs, mimosa webworm, red humped caterpillar, thrips (exposed)	1 fl. oz.	3.2 fl. ozs.	1 qt.**
Ash borer, lilac borer, dogwood borer, rhododendron borer, scale crawlers: oak lecanium, pincneedle, tea, white peach	2.0 fl. oz.	6.4 fl. ozs.	2 qts.***
Peach tree borer	5.8 fl. oz.	19.2 fl. ozs.	6 qts.****

*Equivalent to 4 ounces of chlorpyrifos per 100 gallons
 **Equivalent to 8 ounces of chlorpyrifos per 100 gallons
 ***Equivalent to 1 pound of chlorpyrifos per 100 gallons
 ****Equivalent to 3 pounds of chlorpyrifos per 100 gallons

AREA CONTROL OF TICKS AND CHIGGERS: Use DURSBAN Chlorpyrifos 2E to control ticks and chiggers infesting non-crop land areas such as roadsides, footpaths and trails, picnic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or possible public health problem. Apply DURSBAN Chlorpyrifos 2E in water at the rate of 1 pint per acre (equivalent to 1 fl. oz. per 2,700 sq. ft.) using a hydraulic sprayer, mist applicator, knapsack sprayer or other suitable hand or power spray equipment. Treat low under-brush, grassy areas, weeds and ground surface and debris using enough spray volume to obtain thorough coverage, usually 40 to 100 gal. per acre.

USE PRECAUTIONS: Do not allow public use of treated areas during application or until spray has dried.

Adhesive Panel

PRENTOX® DURSBAN® CHLORPYRIFOS 2E INSECTICIDE

To be applied only by or under the direct supervision of commercial applicators responsible for insect control programs. Sale to or use by persons owning or occupying a dwelling is strictly prohibited.

Contains 2 lbs. Chlorpyrifos per Gal.

ACTIVE INGREDIENT:		
Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate]	24.6%
INERT INGREDIENTS ¹ :	75.4%
	TOTAL	100.0%

¹ Contains Xylene Range Aromatic Solvent
 PRENTOX® - Registered Trademark of Prentiss Incorporated
 DURSBAN® - Registered Trademark of DowElanco

KEEP OUT OF REACH OF CHILDREN
WARNING - AVISO
 STATEMENT OF PRACTICAL TREATMENT

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
 (If you do not understand the label, find someone to explain it to you in detail)

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person. **If on skin:** Immediately wash with plenty of soap and water. Get medical attention. **If in eyes:** Flush with plenty of water for 15 minutes. Get medical attention. **If inhaled:** Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately. **Note to physician:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Please refer to additional precautionary statements and environmental hazards inside booklet.

EPA REG. NO. 655-466

EPA EST. NO. 655-GA-1

Manufactured by:
PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
 Office: C.B. 2000, Floral Park, NY 10012-2000

11/96