


A PRENTISS PEST-TESTED PRODUCT



PRENTOX DIAZINON^{(R)*} 12.5% EMULSIFIABLE CONCENTRATE

LAWN AND GARDEN INSECT CONTROL



655-476

ACTIVE INGREDIENTS:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorohioate * ... 12.5%

Aromatic Petroleum Derivative Solvent 73.0%

INERT INGREDIENTS: 14.5%
100.0%

* DIAZINON^(R) is a registered trademark of Ciba-Geigy Corporation.

CAUTION

KEEP OUT OF REACH OF CHILDREN

KILLS CERTAIN OUTDOOR INSECTS WHICH DESTROY LAWNS, ROSES, FLOWERS, TREES AND SHRUBS OR ANNOY PET AND PEOPLE. CONTAINS DIAZINON INSECTICIDE, WHICH PROVIDES POSITIVE CONTROL OF MANY "HARD TO KILL" SUCKING AND CHEWING INSECTS.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

SEE SIDE PANEL FOR ADDITIONAL WARNINGS.

NET CONTENTS _____

E.P.A. Reg. No. 655-476



Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10018

A PRENTISS PEST-TESTED PRODUCT

SIDE PANEL

HOW TO MIX AND APPLY:



#1. Determine size of spraying job. For lawns and vegetables, measure the area to be sprayed. For all other applications, apply as a thorough cover spray. Make applications when insects first appear, or in advance of an expected infestation. Repeat applications as needed or as noted in the rate chart.

#2. Use clean sprayer. Carefully measure and mix the amount of Diazinon and water as suggested in the chart.

#3. Spray as directed in the rate chart. Use coarse drenching sprays for lawns, soil and other surface applications. Use medium fine mist sprays for trees and plants. Thorough coverage is important. Flush sprayer with clean water after each use.

DO NOT USE IN THE HOME -

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. DO NOT BREATHE SPRAY MIST. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID CONTAMINATION OF FEED & FOODSTUFFS. DO NOT USE ON HOUSEHOLD PETS OR HUMANS. DO NOT PERMIT CHILDREN OR PETS TO GO ONTO THE SPRAYED GRASS UNTIL THE SPRAY HAS COMPLETELY DRIED. KEEP OUT OF REACH OF DOMESTIC ANIMALS.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DO NOT CONTAMINATE ORNAMENTAL FISHPONDS.

FISH & WILDLIFE WARNING: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

CAUTION DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.



Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10001

A PRENTISS PEST-TESTED PRODUCT



RATE CHART FOR APPLYING:

WARNING: COMBUSTIBLE MIXTURE
 NYFD C. of A. # _____

PROBLEM AREA:	PESTS:	RATE & AREA COVERED:	NOTES:
LAWNS: Bluegrass Merion Fescue St. Augustine Dichondra Bent Bermuda	Chinch Bugs, Sod Webworms, Bermuda Mites, Ants, Ticks, Earwigs, Lawn Billbugs	4 tbsps. (2 fl. oz.) in 3 gals. of water covers 125 sq. ft. 16 fl. oz. in 24 gals. of water covers 1000 sq. ft.	Thoroughly wet down grass a few hours be- fore applying. For Lawn Billbugs, water lawn after treatment. In the north, if CHINCH BUGS are the only in- sect problem, a lower rate of 4 tbsps. in 3 gals. of water covers 250 sq. ft.
	Millipedes	8 tbsps. (4 fl. oz.) per 3 gals. water covers 125 sq. ft. 32 oz. per 24 gals. water covers 1000 sq. ft.	
ROSES & FLOWERS: Roses, Azaleas, Chrysanth.	Aphids, Mites, Leafhoppers, Thrips	4 tbsps. (2 fl. oz.) per 3 gals. of water. Apply as a thorough foliar spray.	Spray underside of leaves. Wet plants to the dripping point.
TREES & SHRUBS: Oak, Maple, Boxwood, Locust, Holly, Pine	Aphids, Mites, Scale Crawlers, Dipterous leafminer, Bagworms	4 tbsps. (2 fl. oz.) per 3 gals. of water. Apply as a thorough foliar spray.	Wet leaves and bran- ches to the dripping pint. Try to pene- trate dense foliage.



Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105 * OFFICE: 363 SEVENTH AVENUE, NEW YORK, N. Y. 10001