DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

GENERAL INFORMATION

Diazinon 6E is an emulsifiable liquid concentrate containing 6 pounds of Diazinon per gallon. It is intended for use by pest control operators in accurately measured amounts of water for the control of those insects listed below.

Diazinon 6E is not intended for use in preparing oil base sprays. Those operators who prefer oil base sprays should use Diazinon 4E.

Note: The solvent used in this formulation may stain certain plastic, rubber and asphalt materials, some painted surfaces, and some floor coverings. Do not treat such materials. Care should be taken to avoid splashing of wallpaper and fabrics. When using in the home, care should be taken to avoid depositing the product on food handling surfaces or food containers or on ingredients. Do not allow children in treated areas until sprays have dried. Do not apply directly to food, food handling surfaces or food containers or on ingredients.

STORAGE & DISPOSAL

1. Prohibitions — DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. USE OF THIS PRODUCT IN A MANNER NOT CONSISTENT WITH THE LABELING IS PROHIBITED.

2. Pesticide Disposal — PESTICIDE SPRAY MIXTURE, RINSE WATER THAT CANNOT BE USED OR CHEMICALLY PROCESSED AND EXCESS PRODUCT SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

3. Container Disposal — LESS THAN 30 GAL — TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN A SANITARY LANDFILL OR BURY IN A SAFE PLACE. **30 GAL OR LARGER** — PRESSURE RINSE CONTAINER AND OFFER FOR RECONDITIONING OR DISPOSAL IN A SANITARY LANDFILL AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN A SANITARY APPROVED LANDFILL OR BURY IN A SAFE PLACE.

DIRECTIONS FOR USE CONTINUED

Fire Ants

To eliminate portion of fire ants, mix and apply as directed. Apply 1 fl. oz. (1 tbsp.) in a minimum of 1 gal. of water as a drench. Apply to mounds and to surface of ground for 3 inches around each mound. Apply gently, to avoid dispersing mound as much as necessary. Larger quantities of solution can be applied for larger mound treatments. Use equipment capable of delivering the finished product as a gentle rain at the rate of 1 gal. per minute at low pressure to avoid mound disturbance and to assure migration of solution into the soil. Heavy rain may disturb the ants by causing migration, reducing the effectiveness of the treatment.

NOTE: For best results, apply mid-June to mid-September when soil temperature is 65-80°F. Treat in early morning or late evening hours. Treat new mounds as they appear.

DIRECTIONS FOR USE
HOUSEHOLD INSECTS

Dilute Diazinon 6E with water to make a 0.1% Diazinon spray solution as indicated below.

Gals. of Finished Spray	Amount Diazinon 6E to use for	
	½% spray	1% spray
1	1 fl. oz.	2 fl. oz.
2	2 fl. oz.	4 fl. oz.
3	3 fl. oz.	6 fl. oz.
10	10 fl. oz.	20 fl. oz.
25	1.0 pt.	2.0 pt.

*2½ tablespoons 1.25 fl. oz.

Cockroaches (Waterbugs), Ants, and Silverfish — Make a coarse spray of 0.1% Diazinon as a coarse spray or apply with a trigger pump sprayer to cracks and crevices and surface areas around water pipes, cracks and crevices, cupboards, floor drains, beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects reside.

For heavy cockroach infestations, make the first application of a coarse spray of 0.1% Diazinon followed by a second application of 0.1% Diazinon after 2 weeks.

Carpet Beetles — Apply a fine spray of 0.1% Diazinon to baseboards, cracks and crevices, edges of carpets, and floor surfaces. Pay particular attention to areas under furniture, corners, and other areas where insects are seen or suspected.

Spiders and Scorpions — Apply a coarse spray of 0.1% Diazinon to doors, windows, baseboards, and other areas where these pests may enter or which these pests may use.

prentox

DIAZINON® 6E INSECTICIDE

FOR PROFESSIONAL USE ONLY

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:	
O,O diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	68.0%
Aromatic petroleum derivative solvent	6.6%
INERT INGREDIENTS:	25.4%
TOTAL:	**100.0%**

DIAZINON* 6E contains 6lbs. Diazinon Per Gallon
DIAZINON-REGISTERED TRADEMARK CIBA-GEIGY

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

ACCEPTED
SEP 23 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
EPA Reg. No. 655-481

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

May be fatal if swallowed. May be absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Remove pets, birds, fish and pet cages from treated areas.

Do not apply when bees are actively visiting the treatment area. Do not apply when weather conditions cause drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues remaining on crops. Do not apply when bees are actively visiting the crop cover crop or weeds growing in the treatment area. Applications should be made to provide the maximum interval between treatment and the next period of bee activity.

ENVIRONMENTAL HAZARDS

Toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE NEAR OPEN FLAME OR STORE NEAR HEAT OR OPEN FLAME. Combustible. Do not use or store near heat or open flame. MINIMUM FLASH POINT 165°F.

FOOD HANDLING ESTABLISHMENTS — Use this product in food handling establishments, food processing plants, and food service establishments only during periods when the establishment is not in operation. Remove or cover all food or food products and food contact surfaces before application. Thoroughly clean all food contact surfaces following application and before the establishment is next used for the preparation, processing or serving of food. Do not apply directly to food or food packaging materials.

NON-FOOD AREAS — In and around garages, warehouses, factories, stores, offices, restaurants, institutions, apartments, homes, mobile homes, motels, hotels, dairies, barns, stables, kennels, animal quarters, and other non-food areas.

Apply as a 0.1% dilution as a coarse spray to baseboards, cracks and crevices, and other areas where insects hide, travel or are likely to be found.

E.P.A. REG. NO. 655-481 **E.P.A. EST. NO. 655-NJ-1**

35

NET CONTENTS _____ **LOT #** _____

Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105
Office: 363 7th Avenue
New York, N.Y. 10001

BEST DOCUMENT AVAILABLE

prentox

DIAZINON® 6E INSECTICIDE

FOR PROFESSIONAL USE ONLY

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	68.0%
Aromatic petroleum derivative solvent	6.6%
INERT INGREDIENTS:	25.4%
TOTAL:	**100.0%**

DIAZINON® 6E contains 6lbs. Diazinon Per Gallon
DIAZINON-REGISTERED TRADEMARK CIBA-GEIGY

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed – Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
If inhaled – Remove victim to fresh air. Apply respiration if indicated.
If on skin – Remove contaminated clothing and wash affected areas with soap and water.
If in eyes – Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

ACCEPTED
SEP 23 1980
Under the Federal Insecticide, Fungicide and Rodenticide Act for the pesticide registered under
EPA Reg. No. 655-481

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly after handling. Avoid contamination of feed and feed crops. Keep out of reach of children and domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until spray has dried. Do not apply when weather conditions (temperature inversion) favor drift of spray beyond treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not fog or ULV apply this highly toxic pesticide through any type of irrigation system. Do not apply by aircraft for weed or brush control. Do not apply when bees are foraging on the treated area. Do not apply when weather conditions favor drift from treated areas. Do not allow people or pets to enter treated areas until sprays have dried. Do not graze treated areas or harvest forage for feed within 14 days following application. Do not apply more than 2 lbs. of actual Diazinon per acre per year.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic life. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR FLAME. MINIMUM FLASH POINT 155°F.

FOOD HANDLING ESTABLISHMENTS – Places other than private residences include restaurants, food processing plants, food manufacturing plants, food packaging plants, food storage warehouses, and any other places where food is prepared, processed, packaged, stored or served. Areas where food is exposed.

NON-FOOD AREAS – Includes garages, commercial buildings, laundries, sewers, offices, apartments, hotels, motels, restaurants, stores, warehouses, factories, institutions, and other non-food areas. Do not perform indoor applications when occupants are present. Ventilate rooms, garages, mop closets and storage (after cleaning) thoroughly before occupancy.
Apply this product to baseboard areas, cracks and crevices, and other hiding places for insects. Pay particular attention to areas where insects enter or through which they may move.

E.P.A. REG. NO. 655-481 **E.P.A. EST. NO. 655-NJ-1**

35

NET CONTENTS _____ **LOT #** _____

Manufactured by
prentiss
Drug & Chemical Co., Inc.
Plant: 338 Wilson Avenue Newark, N.J. 07105
Office: 363 7th Avenue New York, N.Y. 10001

DIRECTIONS FOR USE CONTINUED

Pantry Pests – **exposed stages (Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth** –

Brown Dog Ticks in Buildings –

ORNAMENTAL INSECTS

Mimosa Webworms –

RATE PER GALLON

INSECTS		Amount Diazinon 6E to use per 3 gal water	per 100 gal water
Aphids	Oleander Scale		
Bagworms	Pine Needle Scale		
Carpenter Bees	Pine Tip Moths		
Carpenter Worms	Pine Webworms		
Cockroaches	Red Pine Scale		
Crickets	Sawflies		
Elongate Hemlock Scale	Spruce Gall Aphids		
Fleas	Spruce Mites		
Juniper Scale	Tarnished Plant Bugs		
Lace Bugs	Tent Caterpillars		
Leafhoppers	Thrips		
Mealybugs	Webworms		
Millipedes	Whiteflies		
Pine Needle Miners			
Ants	Crickets		
Boxelder Bugs	Elm Leaf Beetle		
Centipedes	Firebrats		
Chiggers	Millipedes		
Clover Mites	Pillbugs		
Earwigs	Silverfish		
Fleas	Sowbugs		
Ground Beetles	Springtails		
Household Flies	Ticks		
Mosquitoes	Wasps		

LAWN INSECTS

Boxelder Bugs –

Insects	Rate per 1,000 sq. ft. Diazinon 6E	Water
Lawn Chinch Bugs		
Ants, Armyworms, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Mosquitoes, Sod Webworms, Sowbugs, Springtails, Ticks, Wasps		
Billbugs, Cutworms, Leafhoppers, Sod Webworms		
Boxelder Bugs, Chiggers, Elm Leaf Beetles, Firebrats, Pillbugs, Silverfish		

Use higher rate for longer residual and for control of grass such as St. Augustine lawns.

36

7-80

BEST DOCUMENT AVAILABLE