

# prentox DIAZINON-6E INSECTICIDE

FOR PROFESSIONAL USE ONLY

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

**ACTIVE INGREDIENTS:**

O,O-dimethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate ..... 68.0%  
Aromatic petroleum derivative solvent ..... 6.0%

**INERT INGREDIENTS:**

TOTAL: ..... 100.0%

DIAZINON-6E contains EPA Status For Sale.  
DIAZINON-6E REGISTERED TRADEMARK CIBA-GEIGY

## KEEP OUT OF REACH OF CHILDREN WARNING

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed** — Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled** — Remove victim to fresh air. Apply respiration if indicated.

**If on skin** — Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes** — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS  
(AND DOMESTIC ANIMALS)**

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Keep children and pets off treated areas until grass is dry.

Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues remaining on crops. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not use in or near streams, ponds, lakes, streams and other bodies of water.

**PHYSICAL OR CHEMICAL HAZARDS**

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.  
MIXTURE FLASH POINT: 105°F.

**FOOD HANDLING ESTABLISHMENTS** — Place other than private residences in which exposed food is held, processed, prepared or served. Do not use in dining rooms, areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in areas where food is exposed.

**INDOOR AREAS** — Includes garbage rooms, lavatories, floor drains (to sewer), entries and vestibules, office locker rooms, machine rooms, boiler rooms, garages, and closets and storage areas (for example, basements). Apply 1/4-1/2 Diazinon to baseboard areas and other areas where insects hide or through which they may enter.

EPA REG. NO. 655-481

EPA EST. NO. 655-NJ-1

MAY 22 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-481

46

**NET CONTENTS**



Manufactured by  
**prentiss**  
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
Newark, N.J. 07106  
Office: 363 7th Avenue  
New York, N.Y. 10001

**DIRECTIONS FOR USE CONTINUED:**

**Pantry Pests**—exposed stages (Star-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-meal Moth) — Apply a 1/4 spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

**Brown Dog Ticks in Buildings** — Make thorough application of a 1/4 Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with the formulation.

**ORNAIMENTAL INSECTS**

To control listed insects on ornamentals. — Arborvitae, Azalea, Birch, Boxwood, Camellia, Carnation, Chrysanthemum, Douglas Fir, Elm, Gladiolus, Hawthorn, Holly, Juniper, Lilac, Locust, Maple, Oak, Pine, Plum, Poplar, Rhododendron, Rose, Spruce, and Willow apply the recommended rates indicated below:

Do not use on certain Ferns, Poinsettia, Hibiscus, Papeya, Pine, and Gardenia, since injury to the plants may occur.

**Sheep Watermarks** — Mix 1/4 fl. oz. (1 tablespoon) in 3 gals. water (or 1 qt. in 100 gals. water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals.

**RATES OF APPLICATION**

INSECTS	Amount Diluted in Water	
	Per 100 gal. water	Per 1000 gal. water
Aphids Begonia Carnation Bud Mite Carnation Root Mite Cyclocampa Mite European Leaf Miner European Pine Shoot Moth European Red Mite Flea Beetle Holly Bud Moth Leafhoppers	1/2 fl. oz.*	1 pt.
Apple-and-Thorn Sawfly Colorado Webworm Fall Webworm Hawthorn Chermis	1 fl. oz.*	3 pts.*
Obscure Root Weevil Oenothera Leaf Tier Prickly Pear Scale Crawlers Cottony-Cushion Locust Pine Needle San Jose Soft Scale Thrips Two-Spotted Mite Webworm Whitefly		
Oak Looper Oak-Leaf Borer Ruler Pear Slug Turf Caterpillar		
	1 fl. oz. = 2 Tbsp.	16 fl. oz. = 1 pt.

**LAWN INSECTS**

To control insects listed, apply recommended rates. For Ants, Brown Dog Tick, Clover Mite, Cuckoo, Earwig, Flea, Millipede, Sowbug, and Coleoptera (Springtails), which are commonly found near the house and may enter the house, spray a 5-ft. band of soil around the house, as well as the house foundation up to a height of 2-3 ft. Repeat application if necessary. **Seedling Bugs** — Spray bugs outside the home with 1/4-2/3 fl. oz. (2-5 tablespoons) in 1 gal. of water. At the same time, spray thoroughly around foundation, windows, doors, tree trunks, and into cracks and other places where the insects hide.

Insects	Rate per 1,000 sq. ft.	
	Diazinon 6E	Water
Lawn Chinch Bugs	1 1/3-2 2/3 fl. oz.	25 gals.
	or	2 2/3-4 fl. oz.
Use higher rate for longer residual control and in lawns of dense growth, such as St. Augustine lawn.		
Ants, Arm-worms, Clover Mite, Colorado (Springtail), Cuckoo, Earwig, Flea, Millipede, Sowbug, and Coleoptera (Springtails), Chinch Bug, Cicada, Fruit Fly, Lawn Billbug, Sod Webworm (Lawn Moth), Sowbug	3 1/4 fl. oz.	3 gals.
Spot spray Ant hills and Wasp ground nest openings. For Lawn Billbug, irrigate the lawn thoroughly immediately after treatment. For Fruit flies, mow grass and water well before treatment but delay application until grass is dry. Do not water again until necessary.		
Brown Dog Tick, Barnacle Mite, Chigger, Flea, Leafhopper, Tick	1 fl. oz.	3 gals.
Do not apply to animals. For Brown Dog Ticks spray grass and under shrubbery, particularly near house.		
Leafhoppers	6 1/2 fl. oz.	3 gals.
White-Green Scales	4 fl. oz.	25 gals.
Apply when Crawlers first emerge.		

778

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid contamination of feed and food-stuffs. Avoid inhalation and skin contact. Do not use on household pets or humans. Wash thoroughly after handling and before smoking or eating.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wild life. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of water. Apply the product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE MIXTURE**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Use as a spot treatment only. Do not use in edible product areas of food processing plants, Restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use as a space spray.

**DISPOSAL**

Do Not Reuse Empty Container.  
Wrap Container and Put in Trash Collection.

**OUTSTANDING ADVANTAGES OF ROCHEK**

1. High potency to many troublesome household insects.
2. Non-crystalline residue is invisible, nonstaining and moisture resistant.
3. Persistent film—remains insecticidally active in protected situations after application.
4. Complete solubility of RocheK in common insecticide base oil insures shelf stability.
5. Vapor toxicity of RocheK reaches insects in "hard-to-get" places.
6. RocheK has no objectionable odor.

**BEST DOCUMENT AVAILABLE**



FOURTH & PROSPECT AVES. BROOKLYN, N. Y.  
HYACINTH 9-1800  
117 WALT WHITMAN ROAD HUNTINGTON STATION, N. Y.  
AR 1-3666

**ROCHEK**  
**A Residual Insecticide**

**KILLS RESISTANT ROACHES**

**ODORLESS STAINLESS**

Contains Diazinon® plus

A residual insecticide, effective against roaches, ants, flies, mosquitoes (flea, (outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, carpet beetles, flying moths, etc.)

Active Ingredients 100%  
0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.  
Pyrethrins  
Technical Piperonyl Butoxide  
Petroleum Distillate

Equivalent To (.209 (Butylcarbityl) (6-propyl piperonyl) ether 0.352 related compounds.

**"KEEP OUT OF REACH OF CHILDREN"**

**CAUTION**

**"STATEMENT OF PRACTICAL TREATMENT"**

**IF SWALLOWED**—Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED** — Remove victim to fresh air. Apply respiration if indicated.


**IF ON SKIN** — Wash contaminated skin with soap and water.

**IF IN EYES** — Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Mfg. By **WORLD WIDE EXTERMINATING CORP.**  
FOURTH & PROSPECT AVES. BROOKLYN, N. Y.

**CONTENTS: 1 QUART**

E.P.A. REG. # 923-7  
E.P.A. EST. # 923-1 N.Y.



Spray surfaces of in

ROACHES, ANTS, FISH, SPIDERS, etc. into all cracks, and places where they until wet, surfaces, etc., refrigerators, other localized areas. Repeat treatment if

CARPET BEETLE tions to areas of Spray directly where insects may cracks or closets etc. Repeat as require d

BROWN DOG TI fected areas around door frames, walls, household pets, and floor covering repeated as infes infestations occur placed in pets etc. DO NOT treat ani

FLIES, MOSQUIT MOTHS—OUTDO as an aid in redu insects, Spray of doors, window fra may enter the room light fixtures on p places where these

FLEAS, CHIGGE TICKS — OUT localized infes deep seats uphol infested areas t roughly wet hite actions as infes infestations occu

BEST DOC

923-7



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid contamination of feed and food-stuffs. Avoid inhalation and skin contact. Do not use on household pets or humans. Wash thoroughly after handling and before smoking or eating.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wild life. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of water. Apply the product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS  
COMBUSTIBLE MIXTURE**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Use as a spot treatment only. Do not use in edible product areas of food processing plants, Restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use as a space spray.

**DISPOSAL**

Do Not Reuse Empty Container.

Wrap Container and Put in Trash Collection.

**OUTSTANDING ADVANTAGES OF ROCHEK**

1. High potency to many troublesome household insects.
2. Non-crystalline residue is invisible, nonstaining and moisture resistant.
3. Persistent film—remains insecticidally active in protected situations after application.
4. Complete solubility of RocheK in common insecticide base oil insures shelf stability.
5. Vapor toxicity of RocheK reaches insects in "hard-to-get-at" places.
6. RocheK has no objectionable odor.

**BEST DOCUMENT AVAILABLE**



**FOURTH & PROSPECT AVES. BROOKLYN, N. Y.  
HYACINTH 9-1800  
117 WALT WHITMAN ROAD HUNTINGTON STATION, N. Y.  
AR 1-3666**

**ROCHEK  
A Residual Insecticide**

**KILLS RESISTANT ROACHES  
ODORLESS STAINLESS**

Contains Diazinon® plus

A residual insecticide, effective against roaches, ants, mosquitoes, fleas, (outdoors), waterbugs, wasps, brown ticks, silverfish, spiders, crickets, chiggers, flying moths, carpet beetles.

Active Ingredients 100%

O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.  
Pyrethrins  
Technical Piperonyl Butoxide  
Petroleum Distillate

Equivalent To 0.209 (Butylcarbityl) (6-propyl piperonyl) 0.952 related compounds.

**"KEEP OUT OF REACH OF CHILDREN"**

**CAUTION**

**"STATEMENT OF PRACTICAL TREATMENT"**

**IF SWALLOWED**—Call a physician immediately. Gastric is indicated if material was taken internally. **INDUCE VOMITING** unless other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give victim one glass of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air. Apply resuscitation if indicated.

**IF ON SKIN**—Wash contaminated skin with soap and water.

**IF IN EYES**—Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**Mfg. By WORLD WIDE EXTERMINATING CO.  
FOURTH & PROSPECT AVES. BROOKLYN, N. Y.**

**CONTENTS: 1 QUART**

E.P.A. REG. # 923-1  
E.P.A. EST. # 923-1

923-7

33



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid contamination of feed and food-stuffs. Avoid inhalation and skin contact. Do not use on household pets or humans. Wash thoroughly after handling and before smoking or eating.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wild life. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of water. Apply the product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE MIXTURE**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Use as a spot treatment only. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use as a space spray.

**DISPOSAL**

Do Not Reuse Empty Container.

Wrap Container and Put in Trash Collection.

**OUTSTANDING ADVANTAGES OF ROCHEK**

1. High potency to many troublesome household insects.
2. Non-crystalline residue is invisible, nonstaining and moisture resistant.
3. Persistent film—remains insecticidally active in protected situations after application.
4. Complete solubility of RocheK in common insecticide base oil insures shelf stability.
5. Vapor toxicity of RocheK reaches insects in "hard-to-get-at" places.
6. RocheK has no objectionable odor.

**BEST DOCUMENT AVAILABLE**



**FOURTH & PROSPECT AVES. BROOKLYN, N. Y.**

**HYACINTH 9-1300**

**117 WALT WHITMAN ROAD HUNTINGTON STATION, N. Y.**

**AR 1-3666**

# ROCHEK

## A Residual Insecticide

**KILLS RESISTANT ROACHES**

**ODORLESS**

**STAINLESS**

Contains Diazinon® plus

A residual insecticide, effective against roaches, ants, flies, mosquitoes, fleas, (outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, flying moths, carpet beetles.

Active Ingredients 100%

0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.  
Pyrethrins  
Technical Piperonyl Butoxide  
Petroleum Distillate

ACCEPTED  
EPA Reg. No. 423-7  
1 0 1981

0.500%  
0.052%  
0.261%  
99.187%  
100.000%

Equivalent To 0.209 (Butylcarbityl) (6-propyl piperonyl) ether 0.952 related compounds.

**"KEEP OUT OF REACH OF CHILDREN"**

### CAUTION

**"STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED**—Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air. Apply respiration if indicated.

**IF ON SKIN**—Wash contaminated skin with soap and water.

**IF IN EYES**—Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Mfg. By **WORLD WIDE EXTERMINATING CORP.**

**FOURTH & PROSPECT AVES. BROOKLYN, N. Y.**

**CONTENTS: 1 QUART**

E.P.A. REG. NO. 423-7  
E.P.A. EST. NO. 923-1 N.Y.

"(continued)"

Spray surfaces of infested areas only until wet

**ROACHES, ANTS, WATERBUGS, SILVER FISH, SPIDERS, CRICKETS:** Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as required.

**CARPET BEETLES:** Make localized applications to areas of the floor and baseboard. Spray directly into cracks and under carpet where insects may be found. Treat crevices, cracks or closets and infested areas of shelves. Repeat as required.

**BROWN DOG TICKS:** Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters, household pets, and localized areas of floor and floor coverings. Application should be repeated as infestations warrant and as infestations occur. Fresh bedding should be placed in pet quarters following treatment. **DO NOT** treat animals with this formulation.

**FLIES, MOSQUITOES, WASPS and FLYING MOTHS - OUTDOORS:** For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screen doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate.

**FLEAS, CHIGGERS, ANTS and BROWN DOG TICKS - OUTDOORS:** for treatment of localized infestations of these insects in outdoor areas where they are congregating. Spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as infestations occur.

923-7

33

EMENTS  
 MESTIC ANIMALS  
 ation of feed and food-  
 rt. Do not use on house-  
 ly after handling and

HAZARDS  
 other wild life. Keep out  
 aminate water by clean-  
 Apply the product only

HAZARDS  
 TURE  
 AT OR OPEN FLAME  
 USE

is product in a manner  
 a spot treatment only.  
 food processing plants,  
 commercially prepared  
 while food is exposed.

ainer.  
 ash Collection.  
 OF ROCHEK  
 insects.  
 and moisture resistant.  
 in protected situations after  
 fields base of insect shelf  
 "red-to-get-it" places.

ILABLE

WIDE  
 RING

BROOKLYN, N. Y.  
 NGTON STATION, N. Y.

# ROCHEK

## A Residual Insecticide

KILLS RESISTANT ROACHES

ODORLESS

STAINLESS

Contains Diazinon® plus

A residual insecticide, effective against roaches, ants, flies, mosquitoes, fleas, (outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, flying moths, carpet beetles.

Active Ingredients 100%

O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.

Pyrethrins

Technical Piperonyl Butoxide

Petroleum Distillate

0.500%

0.052%

0.261%

99.187%

100.000%

Equivalent To 0.209 (Butylcarbityl) (6-propyl piperonyl) ether 0.952 related compounds.

"KEEP OUT OF REACH OF CHILDREN"

### CAUTION

"STATEMENT OF PRACTICAL TREATMENT"

**IF SWALLOWED**—Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air. Apply respiration if indicated.

**IF ON SKIN**—Wash contaminated skin with soap and water.

**IF IN EYES**—Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Mfg. By **WORLD WIDE EXTERMINATING CORP.**

FOURTH & PROSPECT AVES. BROOKLYN, N. Y.

CONTENTS. 1 QUART

E.P.A. REG. # 923-7

E.P.A. EST. # 9231 N.Y.

"(continued)"

Spray surfaces of infested areas only until wet.

**ROACHES, ANTS, WATERBUGS, SILVER-FISH, SPIDERS, CRICKETS:** Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as required.

**CARPET BEETLES:** Make localized applications to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks or closets and infested areas of shelving. Repeat as required.

**BROWN DOG TICKS:** Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floor and floor coverings. Application should be repeated as infestations warrant and as re-infestations occur. Fresh bedding should be placed in pets quarters following treatment. **DO NOT** treat animals with this formulation.

**FLIES, MOSQUITOES, WASPS and FLYING MOTHS - OUTDOORS:** For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate.

**FLEAS, CHIGGERS, ANTS and BROWN DOG TICKS - OUTDOORS:** for treatment of localized infestations of these insects in outdoor areas where they are in the vegetation. Spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as re-infestations occur.