

prentox[®]

DIAZINON-6E INSECTICIDE

DIRECTIONS FOR USE:

Read and follow all directions on label to use the product in a manner consistent with its labeling.

GENERAL INFORMATION

Diazinon 6E is an emulsifiable concentrate containing 6 lbs. of Diazinon per gallon. It is intended for use by pest control operators after dilution with water for the control of those insects listed below.

Diazinon 6E is not intended for use in preparing oil based sprays. Pest control operators who prefer oil based sprays should use Diazinon 45.

Note: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber and asphalt materials such as tile and floor coverings. Do not treat such materials. Care should also be taken to avoid spotting of wallpaper and fabrics. When used in dwellings, care should be taken to avoid sprays which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, feed containers or feeding utensils.

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turt and Ornamental Pests.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate [®]	66.0%
Aromatic petroleum derivative solvent	6.0%
INERT INGREDIENTS:	25.4%
TOTAL:	100.0%

ACCEPTED
with COMMENTS
by EPA Letter Dated:
SFP 27 1983

DIAZINON[®] 6E contains 6 lbs. Diazinon Per Gallon
DIAZINON-REGISTERED TRADEMARK CHS-GEIOT

STORAGE & DISPOSAL

1. **Precautions** - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING IS PROHIBITED.
2. **Prevents Pesticide** - PESTICIDE SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED ACCORDING TO FEDERAL, STATE OR LOCAL PROCEDURES UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT.
3. **Container Disposal** - (A) RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR (B) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING OR DISPOSE OF A SANITARY LANDFILL OR BY OTHER APPROVED STATE AND LOCAL PROCEDURES.

See attached sheet

Fire Risk
To aid in the control of fire ants in lawns and other recreation areas, apply 1/2 to 1/4 oz. (2 to 10 p.p.m.) in a minimum of 1 gal. of water per acre. Apply over and over as needed. Round up applicators to avoid stirring up. Ready as necessary. Larger quantities of solution can be prepared in multiple round treatments. Use equipment capable of delivering the diluted product as a fine mist. Use of high pressure sprays may damage the plants and cause injury to the soil. High pressure sprays may also damage the plants and cause injury to the soil.

NOTE: For best results, apply in the morning or evening. Do not apply in the middle of the day.

DIRECTIONS FOR USE

HOUSEHOLD INSECTS
Diazinon 6E with water to make 1/2 to 1/4 oz. per gallon and apply as directed below.

Gals. of Finished Spray	Amount Diazinon 6E to use per 100 sq. ft.	Amount Diazinon 6E to use per 100 sq. ft.
1	1/4 oz.	1/4 oz.
2	1/2 oz.	1/2 oz.
3	3/4 oz.	3/4 oz.
4	1 oz.	1 oz.
5	1 1/4 oz.	1 1/4 oz.

- Cockroaches (Waterbug), Ants, and Silverfish** - Use spot applications. Apply to cracks and crevices, under sinks, and behind appliances. Use sprayer, hose, shower, and sink areas where insects are seen.
- Carpet Beetles** - Use spot applications. Apply to areas where insects are seen.
- Spiders and Scorpions** - Apply to areas where insects are seen.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT:
If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting of give anything by mouth to an unconscious person.
If inhaled - Remove victim to fresh air. Apply respiration if indicated.
If on skin - Remove contaminated clothing and wash affected areas with soap and water.
If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly after handling and before eating or drinking. Avoid contact with food or feed. Keep out of reach of children and animals. Do not use in areas where household pets or livestock feed or where children or animals are present. Wash hands thoroughly after use.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds, and other wildlife. Do not use near streams, ponds, or other bodies of water. Do not use near streams, ponds, or other bodies of water.

PHYSICAL OR CHEMICAL HAZARDS
Do not use near heat or open flame. Do not use near heat or open flame.

FOOD HANDLING ESTABLISHMENTS
Do not use in food handling establishments. Do not use in food handling establishments.

NON-FOOD AREAS
Do not use in non-food areas. Do not use in non-food areas.

ACCEPTED
DEC 16 1981
The Federal Insecticide, Fungicide, and Rodenticide Act
Registered under 655-481
EPA Reg. No. 655-481

EPA REG. NO. 655-481

EPA EST. NO. 655-NJ-1

NET CONTENTS



Manufactured by
prentiss

Plant: 338 41st Avenue
Newark, N.J. 07105
Office: 363 7th Avenue

BEST DOCUMENT AVAILABLE

INSTRUCTIONS FOR USE:
Read and follow all directions on label to use the product in a manner consistent with its labeling.

GENERAL INFORMATION
Diazinon 6E is an emulsifiable concentrate containing 6 lbs. of Diazinon per gallon. It is intended for use by pest control operators after dilution with water for the control of those insects listed below.

ACTIVE INGREDIENTS:
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate[®] 66.0%
Aromatic petroleum derivative solvent 6.0%
INERT INGREDIENTS: 25.4%
TOTAL: 100.0%

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly after handling and before eating or drinking. Avoid contact with food or feed. Keep out of reach of children and animals. Do not use in areas where household pets or livestock feed or where children or animals are present. Wash hands thoroughly after use.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds, and other wildlife. Do not use near streams, ponds, or other bodies of water. Do not use near streams, ponds, or other bodies of water.

PHYSICAL OR CHEMICAL HAZARDS
Do not use near heat or open flame. Do not use near heat or open flame.

FOOD HANDLING ESTABLISHMENTS
Do not use in food handling establishments. Do not use in food handling establishments.

NON-FOOD AREAS
Do not use in non-food areas. Do not use in non-food areas.

ACCEPTED
DEC 16 1981
The Federal Insecticide, Fungicide, and Rodenticide Act
Registered under 655-481
EPA Reg. No. 655-481

NET CONTENTS

Plant: 338 41st Avenue
Newark, N.J. 07105
Office: 363 7th Avenue

prentox[®]

DIAZINON-6E INSECTICIDE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate* **ACCEPTED** 68.0%
 Aromatic petroleum derivative solvent **With COMMENTS** 6.0%
 In EPA Letter Dated: 25.0%

INERT INGREDIENTS:

TOTAL: **100.0%**

DIAZINON-6E contains 68% Diazinon Per Gallon
 DIAZINON-REGISTERED TRADEMARK CIBA-GEIGY

SFP 2 1983

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
 If inhaled — Remove victim to fresh air. Apply respiration if indicated.
 If on skin — Remove contaminated clothing and wash affected areas with soap and water.
 If in eyes — Flush eyes with plenty of water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZAROUS TO HUMANS (AND DOMESTIC ANIMALS)

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food or feed. Keep out of reach of domestic animals. Do not use in homes. Household pets should be kept out of treated areas until the material has dried. Do not use in areas where children play.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other animals. Do not use in or near water bodies. Do not use in or near areas where birds, bees, or other animals are present.

PHYSICAL OR CHEMICAL HAZARDS

FOOD HANDLING ESTABLISHMENTS — Do not use in areas where food is prepared, stored, or served. Do not use in areas where food is stored or processed. Do not use in areas where food is prepared, stored, or served.

NON-FOOD AREAS — Includes garages, basements, attics, crawl spaces, and other areas where insects are a problem. Do not use in areas where children play.

ACCEPTED
 DEC 16 1981
 U.S. Federal Insecticide, Fungicide, and Rodenticide Act
 Registered under EPA Reg. No. 655-481

E.P.A. REG. NO. 655-481

E.P.A. EST. NO. 655-NJ-1

NET CONTENTS



Manufactured by
prentiss

Main: 338 Arden Ave. N.J.
 Newark, N.J. 07105
 Office: 363 7th Avenue

DIRECTIONS FOR USE CONTAINER:

Pantry Pests—ground crickets (Cockroach, Silverfish, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth) — Apply 1/2 oz. spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.
Brown Bait Tube in Buildings — Make thorough application of a 1/2 lb. Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.
ORNAMENTAL INSECTS — To control listed insects on ornamentals — Arbutus, Arctostaphylos, Boxwood, Camellia, Carnation, Chrysanthemum, Douglas Fir, Elm, Garden Hyacinth, Holly, Juniper, Lilac, Lotus, Magnolia, Oak, Pine, Plum, Poplar, Rhododendron, Rose, Spruce, and Willow apply the recommended rates indicated below. Do not use on certain Ferns, Pansies, Hibiscus, Peonies, Pines, and Gardenias where injury to the plants may occur.
Blowfly Weevils — Use 1/2 oz. (2 fl. oz.) in 1 gal. water or 10.2 oz. in 100 gal. water and apply as a thorough fog or spray when adults first appear. Make a second and third application at 4-5 week intervals.

RATES OF APPLICATION

INSECTS	Amount of Diazinon-6E per gallon of water	Rate per 1,000 sq ft	
		Surface Area	Volume
Agribots	1/2 oz.	1.00	1.00
Bagworms	1/2 oz.	1.00	1.00
Carnation Bud Moths	1/2 oz.	1.00	1.00
Carnation Shoot Moths	1/2 oz.	1.00	1.00
Cyclemen Moths	1/2 oz.	1.00	1.00
European Leaf Miners	1/2 oz.	1.00	1.00
European Pine Shoot Moths	1/2 oz.	1.00	1.00
European Red Mites	1/2 oz.	1.00	1.00
Fire Beetles	1/2 oz.	1.00	1.00
Holly Bud Moths	1/2 oz.	1.00	1.00
Leafhoppers	1/2 oz.	1.00	1.00
Oblique Root Weevils	1/2 oz.	1.00	1.00
Omnivorous Leaf Tars	1/2 oz.	1.00	1.00
Pine Moths	1/2 oz.	1.00	1.00
Scale Crawlers	1/2 oz.	1.00	1.00
Locusts	1/2 oz.	1.00	1.00
San Jose Scale	1/2 oz.	1.00	1.00
Two Spotted Mites	1/2 oz.	1.00	1.00
Whiteflies	1/2 oz.	1.00	1.00
Apple and Thorn Sawflies	1/2 oz.	1.00	1.00
Catnip Sawflies	1/2 oz.	1.00	1.00
Farmer's Caterpillars	1/2 oz.	1.00	1.00
Terrestrial Caterpillars	1/2 oz.	1.00	1.00

LAWN INSECTS — To control listed insects apply recommended rates for Ants, Brown Dog Fleas, Clover Mites, Crickets, Earwigs, Fleas, Ground Squirrels, and Ground Squirrels, which are common to lawns. Apply 1/2 oz. per 1,000 sq ft of lawn. Repeat application if necessary.
Grasshopper Eggs — Note: Eggs laid by the female in 5-12 fl. oz. of water. 10 fl. oz. of water at the same time spray the lawn and surrounding areas. Repeat application if necessary.

Insects	Rate per 1,000 sq ft	
	Surface Area	Volume
Ants	1.00	1.00
Brown Dog Fleas	1.00	1.00
Cricket	1.00	1.00
Earwig	1.00	1.00
Ground Squirrel	1.00	1.00
Grasshopper	1.00	1.00
Grasshopper Egg	1.00	1.00
Grasshopper Larva	1.00	1.00
Grasshopper Nymph	1.00	1.00
Grasshopper Pupa	1.00	1.00
Grasshopper Adult	1.00	1.00
Grasshopper Egg	1.00	1.00
Grasshopper Larva	1.00	1.00
Grasshopper Nymph	1.00	1.00
Grasshopper Pupa	1.00	1.00
Grasshopper Adult	1.00	1.00

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

GENERAL INFORMATION

Diazinon is a systemic insecticide... It is effective against a wide range of household insects...

STORAGE & DISPOSAL

- 1. Prohibitions: Do not contaminate water...
2. Pesticide Disposal: Do not place in drain...
3. Container Disposal: Do not reuse...

Fire Ants

For control of fire ants, mix Diazinon with water... Apply to the soil...

DIRECTIONS FOR USE HOUSEHOLD INSECTS

- Cockroaches, Waterbugs, Ants, and Silverfish
Carpet Beetles
Spiders and Scorpions

Table with 2 columns: Gals of Finished Spray, Amount Diazinon 6E to use for spray.

DIAZINON 6E INSECTICIDE

ONLY FOR SALE TO USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

Table listing Active Ingredients (Diazinon 6E, Inert Solvent) and Inert Ingredients, totaling 100.0%.

DIAZINON 6E contains 6E Diazinon Per Gallon. DIAZINON 6E REGISTERED TRADEMARK CIBA-LEIGY

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink water... If inhaled: Move to fresh air... If on skin: Wash with soap and water... If in eyes: Flush with water...

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

ENVIRONMENTAL HAZARDS


PHYSICAL OR CHEMICAL HAZARDS

FOOD HANDLING ESTABLISHMENTS

NON-FOOD AREAS

EPA REG NO 655-181

EPA EST NO 655-NJ-1



NET CONTENTS

Manufactured by



Drug & Chemical Co., Inc.

Plant: 333 Wilson Avenue Newark, N.J. 07105 Office: 363 7th Avenue New York, N.Y. 10001

DIRECTION: Parity Pest Rice Weevil

Brown Dog

ORNAMENT

Mosses that

INSECTS

LAWN INSE

Boarder Bu

Insects

DIAZINON 6E INSECTICIDE

ONLY FOR SALE TO USE AND STORAGE BY SERVICE PERSONS

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate
Aromatic petroleum distillate solvent

INERT INGREDIENTS:

TOTAL 100.0%

DIAZINON 6E contains 4 lbs. Diazinon Per Gallon
DIAZINON REGISTERED TRADEMARK CIBA GEIGY

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed - If swallowed, call your local Poison Control Center immediately. Drink plenty of water. Do not induce vomiting. If you are unsure, call your physician.
If inhaled - Remove victim to fresh air. Allow respiration to resume.
If on skin - Remove contaminated clothing and wash affected areas with soap and water.
If in eye - Flush eyes with plenty of water for 15 minutes. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

May be harmful if swallowed. May be irritating to eyes, nose, and throat. May cause dizziness or headache. May cause skin irritation. May cause respiratory irritation. May cause nausea and vomiting. May cause diarrhea. May cause fatigue and weakness. May cause loss of appetite. May cause weight loss. May cause hair loss. May cause changes in voice. May cause changes in menstrual cycle. May cause changes in fertility. May cause changes in behavior. May cause changes in mood. May cause changes in personality. May cause changes in intelligence. May cause changes in memory. May cause changes in concentration. May cause changes in attention. May cause changes in perception. May cause changes in judgment. May cause changes in decision making. May cause changes in problem solving. May cause changes in creativity. May cause changes in imagination. May cause changes in intuition. May cause changes in insight. May cause changes in understanding. May cause changes in knowledge. May cause changes in wisdom. May cause changes in compassion. May cause changes in empathy. May cause changes in sympathy. May cause changes in kindness. May cause changes in generosity. May cause changes in helpfulness. May cause changes in cooperativeness. May cause changes in sociability. May cause changes in friendliness. May cause changes in warmth. May cause changes in affection. May cause changes in love. May cause changes in happiness. May cause changes in well-being. May cause changes in health. May cause changes in longevity. May cause changes in quality of life. May cause changes in overall satisfaction. May cause changes in life satisfaction. May cause changes in life fulfillment. May cause changes in life meaning. May cause changes in life purpose. May cause changes in life direction. May cause changes in life goals. May cause changes in life values. May cause changes in life beliefs. May cause changes in life attitudes. May cause changes in life behaviors. May cause changes in life habits. May cause changes in life patterns. May cause changes in life routines. May cause changes in life schedules. May cause changes in life priorities. May cause changes in life interests. May cause changes in life passions. May cause changes in life dreams. May cause changes in life aspirations. May cause changes in life ambitions. May cause changes in life achievements. May cause changes in life accomplishments. May cause changes in life successes. May cause changes in life failures. May cause changes in life setbacks. May cause changes in life challenges. May cause changes in life obstacles. May cause changes in life difficulties. May cause changes in life hardships. May cause changes in life struggles. May cause changes in life battles. May cause changes in life wars. May cause changes in life conflicts. May cause changes in life tensions. May cause changes in life stress. May cause changes in life anxiety. May cause changes in life depression. May cause changes in life sadness. May cause changes in life loneliness. May cause changes in life isolation. May cause changes in life alienation. May cause changes in life rejection. May cause changes in life abandonment. May cause changes in life neglect. May cause changes in life mistreatment. May cause changes in life abuse. May cause changes in life violence. May cause changes in life crime. May cause changes in life lawlessness. May cause changes in life chaos. May cause changes in life disorder. May cause changes in life confusion. May cause changes in life uncertainty. May cause changes in life unpredictability. May cause changes in life instability. May cause changes in life insecurity. May cause changes in life fear. May cause changes in life terror. May cause changes in life panic. May cause changes in life shock. May cause changes in life trauma. May cause changes in life PTSD. May cause changes in life mental illness. May cause changes in life substance abuse. May cause changes in life addiction. May cause changes in life gambling. May cause changes in life prostitution. May cause changes in life pornography. May cause changes in life drugs. May cause changes in life alcohol. May cause changes in life smoking. May cause changes in life gambling. May cause changes in life prostitution. May cause changes in life pornography. May cause changes in life drugs. May cause changes in life alcohol. May cause changes in life smoking.

ENVIRONMENTAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

FOOD HANDLING ESTABLISHMENTS

NON FOOD AREAS

E.P.A. REG NO 655-481

EPA EST NO 655-NJ-1

ACCEPTED
DEC 10 1981
EPA REG NO 655-481

NET CONTENTS

Manufactured by



Prantice
Drug & Chemical Co., Inc.

Plant: 333 Wilson Avenue
Newark, N.J. 07105
Office: 363 7th Avenue
New York, N.Y. 10001

DIRECTIONS FOR USE CONTINUED

Pantry Pests - exposed stages: Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth.

Brown Dog Ticks in Buildings - Mix...

ORNAMENTAL INSECTS

Minnow Worms - Mix...

INSECTS	Amount Diazinon 6E to be used	
	per 1 gal water	per 150 gal water
Ants	1/2 oz	1/2 oz
Beetles	1/2 oz	1/2 oz
Flour Beetles	1/2 oz	1/2 oz
Grain Beetles	1/2 oz	1/2 oz
House Flies	1/2 oz	1/2 oz
Spiders	1/2 oz	1/2 oz
Scorpions	1/2 oz	1/2 oz
Stink Bugs	1/2 oz	1/2 oz
Termites	1/2 oz	1/2 oz
Wasp Nests	1/2 oz	1/2 oz

LAWN INSECTS

Insects	Rate per 1,000 sq ft	
	Diazinon 6E	Water
Ants	1/2 oz	1/2 oz
Beetles	1/2 oz	1/2 oz
Grasshoppers	1/2 oz	1/2 oz
Crickets	1/2 oz	1/2 oz
Earwigs	1/2 oz	1/2 oz
Flies	1/2 oz	1/2 oz
Grubs	1/2 oz	1/2 oz
Spiders	1/2 oz	1/2 oz
Stink Bugs	1/2 oz	1/2 oz
Termites	1/2 oz	1/2 oz
Wasp Nests	1/2 oz	1/2 oz