


[655-482] - 3 pages



PRENTOX MILL SPRAY CONCENTRATE #562

FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY ESTABLISHMENTS.  
For control of Roaches, Waterbugs, Silverfish and listed acces-  
sible forms of insect pests of stored fruit.

ACCEPTED  
JAN 03 1974  
UNDER THE FEDERAL INSECTICIDE  
AND FUNGICIDE ACT  
FOR ECONOMIC PEST CONTROL  
ED UNDER NO 655-482 SUBJECT  
TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS:

Pyrethrins .....	0.62%
Piperonyl Butoxide, Technical * .....	5.03%
Petroleum Hydrocarbons .....	94.35%
TOTAL:	<u>100.00%</u>

\* Equivalent to 4.02% (Butylcarbityl) (6-propylpiperonyl) Ether and 1.01% related compounds.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM  
RECONDITIONER OR DESTROY BY PERFORATING  
OR CRUSHING AND BURYING IN A SAFE PLACE.

This product is toxic to fish, wildlife  
and other birds. Do not contaminate water  
by cleaning of equipment or disposal of  
wastes.


**CAUTION**

KEEP OUT OF REACH OF CHILDREN

DO NOT USE OR STORE NEAR FIRE OR  
OPEN FLAME. HARMFUL IF SWALLOWED.  
AVOID INHALATION.

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

NET CONTENTS \_\_\_\_\_ GALLONS



PRENTISS DRUG & CHEMICAL CO., INC.

E.P.A. Reg. No. 655-482

PRENTISS DRUG & CHEMICAL CO., INC.

AN INSECTICIDE PRESENTED BY THE PHARMACEUTICAL COMPANY



FOR USE IN SPRAYERS, MISTERS, AND OTHER FOGGING DEVICES:

DIRECTIONS:

To kill accessible stages of Insects\* infesting dried fruit products in storage or being processed:  
Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gal. of this spray per 50,000 cu. ft. of room space. Repeat applications as necessary for insect control, but do not exceed more than ten applications at this dosage in any given month.

\* Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Roaches.


To kill the adult and accessible forms of insect pests\*\* of stored food (stored in multiwall paper bags or in cloth bags) in Warehouses, Storage Rooms and similar locations:

Close room or warehouse and shut off all ventilating systems. Use a spraying device to give a fine mist, or used fixed ceiling sprayers that produce a very fine spray. Use a dosage of 1 fl. oz. of this spray per 1,000 cu. ft. of room space. Repeat applications as necessary for insect control.

\*\* Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

To kill flies, mosquitoes and gnats:


Close room and discharge spray mist as described above. Use a dosage of 1/2 to 1 fl. oz. per 1,000 cu. ft. of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control.



Phenothiazine (D.D.T.)

Phenothiazine (D.D.T.)

30



DIRECTIONS: (Cont.)

As a surface spray to kill the accessible stages of granary insects, Weevils, Flour Beetles, Meal Moth Larvae and Adults, Cadelles and Saw-Toothed Grain Beetles:

Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1,000 sq. ft. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For Blying Moths, and Beetles, treat as for Flies, Mosquitoes and Gnats). Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.

To kill roaches, silverfish, waterbugs and ants in sheltered situations:

Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Repeat as necessary for control. Do not allow spray to contact any stored food. Direct spray into areas of the room frequented by these crawling insects, hitting as many insects as possible.

C A U T I O N - KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED. AVOID BREATHING SPRAY MIST. AVOID CONTACT WITH SKIN OR EYES. IF SPILLED ON SKIN, WASH WITH SOAP AND WATER. WHEN SPACE SPRAYING, DO NOT REMAIN IN TREATED AREAS AND VENTILATE AREA AFTER TREATMENT IS COMPLETED.

FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING THE PRODUCT IN THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION.

Do not use more than 1 gal. of this foggicide to each 50,000 cu. ft. of treated area. This is flammable mixture and should not be used in the presence of open flames. Do not store, pour or spill near heat or open flame. Keep container closed. For control of roaches, waterbugs and silverfish, thorough and repeated spraying of the infested area working the spray into cracks and other hiding places is recommended. Emphasis should be placed on hitting the insects directly and on repeated applications.



Phosphotop (Dibutyltin Dithiocarbamate) & ...  
...  
...