A PRENTISS PEST-TESTED PRODUCT

PACKAGING RECOMMENDATIONS:

For 15 av. oz. fill, with either propellent 12 or CO_2 , as propellent:

1) CAN SIZE:

211 × 713 (2-11/16" × 7-13/16")

2) CONSTRUCTION:


Body:	85 lb. tinplate
Top:	128 lb. tinplate
Bottom:	112 lb. tinplate
Coating:	0.50 lb. tin inside/0.25 lb. tin outside per base box
Solder:	98% lead, 1.5% tin, 0.5% silver

3)	VALVE:	PROPELLENT 12	_C02
	Stem:	0.020 nylon	0.013 nylon
	Gasket:	Buna N	Buna N
	Spring:	Stainless steel	Stainless steel
	Body:	0.080	0.013
	Mounting Cup:	: Tinplate	Tinplate
-	Dip Tube:	7½' [;] poly- ethylene	7½'' poly- ethylene
	Actuator:	0.030 orifice	0.016 mechan- ical breakup

DIRECTIONS FOR MANUFACTURING PRESSURIZED SPRAYS:

FORMULA	···A''	·'B''	
Ingredients	Weight	Weight	
PRENTOX DIAZINON-DDVP	,		
CONCENTRATE	2.0 lbs.	2 lbs.	
Deodorized Base Oil	95.8 lbs.	68 lbs.	
Carbon Dioxide	2.2 lbs.		
Propellent 12		30 lbs.	

DIAZINON[®] is the registered trademark of Ciba-Ge[;] Orp.





DDVP CONCENTRATE

FOR THE MANUFACTURE OF RESIDUAL INSECTICIDE HOUSEHOLD PRESSURIZED SPRAY NAT FOR REGALE UNDER THIS LAREL

NUT FUN NESALE UNDEN INIS LADET	
A' 'VE INGREDIENTS:	
0,v-diethyl 0-(2-isopropyl-6-methyl-	
4-pyrimidinyl) phosphorothioate.	25.0%
2,2-Dichlorovinyl dimethyl phosphate	25.0%
Related compounds	
Petroleum Distillates	
NERT INGREDIENTS:	-
TOTAL 1	


DANGER • POISON **KEEP OUT OF REACH OF CHILDREN**

SAFETY PRECAUTIONS:

The following safety precautions are recommended in the plant area where Diazinon insecticides are being manufactured. 1) In mixing areas, it is suggested that respirators be worn. (See list of acceptable respirators).

- 2) Street clothing should not be worn in mixing areas during gloves and rubber shoe covers.
- 3) A shower should be taken at the end of each day.
- 4) No food or smoking should be permitted in a mixing area.
- 6) Maintenance workmen should maintain the same precautions concerned with mixing.


PLANT. 338 WILSON AVENUE, NEWARK, N. J. 07105



1055-483

the handling of the material. Clothing contaminated with chemical should be laundered before re-use. Those ectly exposed to a mixing process should wear rubber

Workmen should wash thoroughly before eating or smoking. and should wear the same type of clothing as those directly



POISONOUS IF SWALLOWED, INHALED, OR AB-SORBED THROUGH SKIN OR EYES. DO NOT GET IN EYES OR ON SKIN. DO NOT BREATHE FUMES. RAPIDLY ABSORBED THROUGH SKIN. IN CASE OF CONTACT, WASH IMMEDIATELY WITH SOAP AND WATER. DO NOT CONTAMINATE FEED AND FOOD-STUFFS. WASH HANDS, ARMS AND FACE THOR-OUGHLY WITH SOAP AND WATER BEFORE EAT-ING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE. WEAR NATURAL RUBBER GLOVES, PRO-TECTIVE CLOTHING AND GOGGLES. KEEP ALL UNPROTECTED PERSONS OUT OF OPERATIONAL AREA. WHILE APPLYING THE INSECTICIDE, OR WORKING IN TREATED AREAS DURING POSTED PERIOD, WEAR A MASK OR RESPIRATOR OF A TYPE PASSED BY THE U.S. BUREAU OF MINES AGAINST DIMETHYL DICHLOROVINYL PHOS-PHATE.

ANTIDOTE:

If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep warm and quiet. Call a Physician immediately.

In case of skin contact, remove contaminated clothing and immediately wash with soap and water.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM **RECONDITIONER OR DESTROY BY PERFORATING** OR CRUSHING, AND BURYING IN A SAFE PLACE. This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep away from any body of water.

NET CONTENTS___ POUNDS

