

# prentox DIAZINON.

## DDVP CONCENTRATE AN INSECTICIDE FOR FORMULATING RESIDUAL INSECTICIDE HOUSEHOLD PRESSURIZED SPRAY ONLY.

NOT FOR RESALE UNDER THIS LABEL

<b>ACTIVE INGREDIENTS:</b>	
0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	25.0%
2,2-Dichlorovinyl dimethyl phosphate	25.0%
Related Compounds	1.9%
Xylene Range Aromatic Solvent	44.3%
<b>INERT INGREDIENTS:</b>	<b>3.8%</b>
<b>TOTAL</b>	<b>100.0%</b>

KEEP OUT OF REACH OF CHILDREN



**POISON  
DANGER**



### PRECAUTIONS:

The following safety precautions are recommended in the plant area where Diazinon insecticides are being manufactured:

- 1) In mixing areas, it is suggested that respirators be worn. (See list of acceptable respirators)
- 2) Street clothing should not be worn in mixing areas during the handling of the material. Clothing contaminated with any chemical should be laundered before re-use. Those directly exposed to a mixing process should wear rubber gloves and rubber shoe covers.
- 3) A shower should be taken at the end of each day.
- 4) No food or smoking should be permitted in a mixing area.
- 5) Workmen should wash thoroughly before eating or smoking.
- 6) Maintenance workmen should maintain the same precautions and should wear the same type of clothing as those directly concerned with mixing.

DIAZINON® is the registered trademark of Ciba-Geigy Corp.  
E.P.A. Reg. No. 655-483

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans (and Domestic Animals)

**DANGER** - Toxic if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin; wear protective gloves, waterproof protective clothing and goggles when handling. Wear a pesticide respirator (not approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11).

#### Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

#### Physical or Chemical Hazards

Do not use or store near heat or open flame.

#### Instructions for Formulation

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

### STORAGE AND DISPOSAL

#### PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

#### PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

#### CONTAINER DISPOSAL

(a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE IF LESS THAN 30 GALLONS; TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

#### GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

### PACKAGING RECOMMENDATIONS

#### 1) CAN SIZE

#### 2) CONSTRUCTION

#### 3) VALVE

### DIRECTIONS FOR MANUFACTURING PRESSURIZED SPRAYS

#### FORMULA

<b>Ingredients</b>	<b>Weight</b>
PRENTOX DIAZINON DDVP CONCENTRATE	
Pressurized Base	

### STATEMENT OF PRACTICAL TREATMENT

**If swallowed** - Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If this is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled** - Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

**If on skin** - Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately if symptoms of poisoning occur.

**If in eyes** - Flush eyes for at least 15 minutes with water. Call a physician immediately.

#### Note to Physician

**Symptoms:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**Treatment:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

LOT # \_\_\_\_\_ NET CONTENTS \_\_\_\_\_



Manufactured by

**prentiss**  
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
Newark, N.J. 07105

Office: 363 Avenue  
New York, N.Y. 10001