

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Do not swallow. If swallowed, do not induce vomiting. If inhaled, get into fresh air. If in eyes, do not rub eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.
- 2. PESTICIDE DISPOSAL:** PESTICIDE SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.
- 3. CONTAINER DISPOSAL:** (a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.
IF LESS THAN 30 GALLONS: TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.
- 4. GENERAL:** CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

NET CONTENTS _____

LOT # _____

**prei
VAI**

**EMULSIFIABLE CON
For Profes**

ACTIVE INGREDIENTS:
Heavy Aromatic Naphtha
2,2-Dichlorovinyl dimethyl phosphate
Related compounds
INERT INGREDIENTS:

Contains 2 lbs. DDVP per gallon



**KEEP OUT OF RI
SEE OTHER PRECAUTIONS**

DANGER

Statement of

If swallowed — Call a physician immediately. **Do not** INDUCE vomiting unless other treatment is not available; to induce vomiting, give victim one or two glasses of water clear. Do not induce vomiting or give anything by mouth.
If inhaled — Remove victim to fresh air. Apply respiration if on skin — Wash immediately with soap and water.
If in eyes — Flush eyes for at least 15 minutes with water.
IF WARNING SYMPTOMS APPEAR: Administer two (2) ATROPINE UNLESS WARNING SYMPTOMS APPEAR. Keep patient prone and quiet. Start artificial respiration immediately to the nearest Physician.
NOTE TO PHYSICIAN — WARNING SYMPTOMS: Synovision, non reactive pin-point pupils, salivation, sweat
TREATMENT: Atropine is the specific therapeutic agent. If there are signs of parasympathetic stimulation, Atropine 1 to 2 milligrams until complete Atropinization has occurred may be administered in conjunction with Atropine. Clear chest by postural drainage.
Repeated exposure to cholinesterase inhibitors may cause doses of any cholinesterase inhibitor for
Allow no further exposure until time for cholinesterase

E.P.A. REG. NO. 655-491



Manufactured by

prent
Drug & Chemical Co.

prentox VAPON 2

EMULSIFIABLE CONCENTRATE INSECTICIDE

For Professional Use Only

INGREDIENTS:	
Isomalic Naphtha	68.10%
Isobutyl dimethyl phosphate	22.69%
Emulsifiers	1.71%
INGREDIENTS:	
	7.50%
TOTAL	100.00%

lbs. D'OPP per gallon

KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS AND ANTIDOTE ON SIDE PANELS

DANGER — POISON



Statement of Practical Treatment

— Call a physician immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If necessary, induce vomiting by giving victim one or two glasses of water and insert finger in back of throat. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Remove victim to fresh air. Apply respiration if indicated. Wash immediately with soap and water. Flush eyes for at least 15 minutes with water. Call a physician immediately.

SYMPTOMS APPEAR: Administer two 1-100 grain Atropine tablets immediately. Notify a physician immediately. **IF NO WARNING SYMPTOMS APPEAR:** (see WARNING SYMPTOMS below) Rest the patient in a dark, quiet place. Start artificial respiration immediately if patient is not breathing. Transport the patient to the nearest physician.

PHYSICIAN — WARNING SYMPTOMS: Symptoms include weakness, headache, flushed face, dry mouth, dilated pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous system stimulation. Atropine sulfate should be injected at 1 to 2 mg. increments until complete Atropinization has occurred. Morphine is contraindicated. P.A.M. is contraindicated. Administer in conjunction with Atropine.

POSTURAL DRAINAGE: Administer in conjunction with Atropine.

CAUTION: Exposure to cholinesterase inhibitors may without warning cause a severe reaction. Do not use in areas where cholinesterase inhibitor has been used until time for cholinesterase regeneration has been allowed as determined by blood test.

REG. NO. 655-491 E.P.A. EST. NO. 655-NJ-1

Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001

DIRECTIONS FOR USE — TO BE APPLIED BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY

HOUSEHOLD PEST CONTROL

Apply VAPON 2 Emulsifiable Concentrate to control house flies, mosquitoes, wasps, gnats, silverfish, and other pests. It is also effective against spiders, scorpions, and other insects. Prepare a 1% solution of VAPON 2 Emulsifiable Concentrate with water.

Commercial Restaurants, Theaters, Food Processing Plants, Industrial Plants, Warehouses: Apply VAPON 2 Emulsifiable Concentrate with fogging or misting equipment to localized areas in which pests may infest. Treat localized areas around tables and chairs, walls, doors and window frames, and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate hot water, food containers, or cooking utensils. Do not treat animals.

Do not use in food products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES—FOR THE CONTROL OF FLIES, ROACHES, ANTS, SILVERFISH—

Apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet for control of flies. When fogging for control of roaches, ants and silverfish, the fog should be directed to cracks and crevices and hiding places. Apply when plants are not in operation. Occupants should vacate before fog treatments and should not reoccupy the premises until they have been ventilated. After application, open several windows or doors to create air currents to insure reduction of VAPON Insecticide vapors. Food should be removed and food handling equipment covered with white paper during application, or washed after application is completed.

WHOLE FOGGING OR SPRAY MISTING—

Whole pesticide application is approved by the Mining Enforcement and Safety Administration, the U.S. Bureau of Mines, and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

OUTDOOR AREAS — CONTROL OF FLIES, MOSQUITOES, GNATS—

Apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre (equivalent to 1/2 to 1 pound VAPON Insecticide per acre). Do not treat areas where food or feed crops are growing.

Outdoor living areas, picnic grounds, backyard area, patios, loading docks, outdoor latrines, parking area, refuse areas around service stations, open-air drive-ins, ice cream stands, garbage collection and disposal areas

Apply VAPON 2 Emulsifiable Concentrate with spray to control flies, gnats, mosquitoes, roaches, fleas, ants, scorpions and other insects.

To prepare a 1% spray solution, mix 1 quart of VAPON 2 Emulsifiable Concentrate with gallons of water. Apply with pump-up spray at the rate of 1 quart per 1,000 sq. ft. Do not treat animals or humans. Do not contaminate water, hot food containers, or cooking utensils. Repeat as necessary.

Apply VAPON 2 Emulsifiable Concentrate with fogging equipment to control flies, mosquitoes, wasps, gnats and other flying insects in outdoor areas.

To prepare a 1% fogging or misting solution, dilute 1 quart of VAPON 2 Emulsifiable Concentrate with gallons of water. Fog or mist at the rate of 1 quart with 1 gallon of water.

MANURE PILES, GARBAGE DUMPS—

For the control of mosquitoes, dilute 1 quart of VAPON 2 Emulsifiable Concentrate with 100 gallons of water. Apply with spray at the rate of 1 quart per 1,000 sq. ft.

DOG KENNELS—

Apply to outside dog runs with window blinds or ledges at the rate of 1 quart of 1% spray per 1,000 sq. ft. For the control of flies, use wet fogging technique at the rate of 1/2 quart of 1% spray per 1,000 sq. ft.

23