

ACCEPTED

SEP 18 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-491

prentox VAPON 2

EMULSIFIABLE CONCENTRATE INSECTICIDE

For Professional Use Only

ACTIVE INGREDIENTS:	
Heavy Aromatic Naphtha	70.60%
2,2-Dichloro-1,1-dimethyl phosphate	22.69%
Related compounds	1.71%
INERT INGREDIENTS:	5.00%
TOTAL:	100.00%

Contains 2 lbs. DDVP per gallon

KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONS AND ANTIDOTE ON SIDE PANELS

DANGER — POISON

Statement of Practical Treatment

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain Atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately, if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN — WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete Atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

E.P.A. REG. NO. 655-491

E.P.A. EST. NO. 655-NJ-1



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105
Office: 363 7th Avenue
New York, N.Y. 10001

DIRECTIONS FOR USE — TO BE APPLIED BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY—

INDOOR PEST CONTROL—

Apply VAPON Insecticide as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths, and other small flying insects, cockroaches, ants, spiders, silverfish. To prepare a 0.5% spray, dilute 1 pint of VAPON 2 Emul. Conc. with 6 gallons of water.

For Households, Restaurants, Theaters, Food Processing Plants, Industrial Plants, Warehouses, apply 0.5% spray with low pressure sprayer to localized areas insects may infest. Treat infested areas around baseboards, cracks, walls, door and window frames, and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES—FOR THE CONTROL OF FLIES, ROACHES, ANTS, SILVERFISH—

Apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet, for control of flies. When fogging for control of roaches, ants and silverfish, the fog should be directed into cracks and crevices and hiding places. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not reoccupy the premises until they have been ventilated. After application, open several windows or doors, to create air currents to insure reduction of VAPON Insecticide vapors. Food should be removed and food handling equipment covered with wrapping paper during application, or washed after application is completed.

WHEN FOGGING OR SPRAY MISTING—

Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

OUTDOOR AREAS — CONTROL OF FLIES, MOSQUITOES, GNATS—

Apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre (equivalent to 0.05-0.1 pound VAPON Insecticide per acre.) Do not treat areas where food or feed crops are growing.

Outdoor living areas, picnic grounds, backyard area, patios, loading docks, outdoor latrines, parking area, refuse areas around service stations, open-air drive-ins, ice cream stands, garbage collection and disposal areas.

Apply VAPON 2 Insecticide as a 0.5% spray to control flies, gnats, mosquitoes, roaches, fleas, ants, sowbugs and brown dog ticks.

To prepare a 0.5% spray, dilute 1 pint of VAPON 2 Emulsifiable Concentrate with 6 gallons of water. Apply as a coarse wet spray at the rate of 1 quart per 1,000 sq. ft. Do not treat animals or humans. Do not contaminate water, food, food containers or cooking utensils. Repeat as necessary.

Apply VAPON 2 Insecticide as a 1% to 3% fog or mist solution to control flies, mosquitoes, wasps, gnats, and other small flying insects in outdoor areas.

To prepare a 1% fogging or misting solution, dilute 1 quart of VAPON 2 Emulsifiable Concentrate with 6 gallons of water. For a 1% solution, dilute 1 quart with 7 gallons of oil.

MANURE PILES, GARBAGE DUMPS—

For the control of fly maggots in maggot breeding areas apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. (1 quart of 1%).

DOG KENNELS—

Apply to outside dog runways, window sills and ledges at a rate of 1 quart of 0.5% spray per 1,000 sq. ft. For the control of fleas and brown dog ticks, increase dosage to 2 quarts of 0.5% spray per 1,000 sq. ft.

9/66

SS

12224

43

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITIONS: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

2. PESTICIDE DISPOSAL: PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

3. CONTAINER DISPOSAL: (a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING, OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL, OR BURY IN A SAFE PLACE.

IF LESS THAN 30 GALLONS: TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

4. GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

NET CONTENTS _____ LOT# _____

ACCEPTED

SEP 18 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-491

prentox VAPON 2

EMULSIFIABLE CONCENTRATE INSECTICIDE

For Professional Use Only

ACTIVE INGREDIENTS:

Heavy Aromatic Naptha	70.60%
2,2-Dichloro-1,1-dimethyl phosphate	22.69%
Related compounds	1.71%
INERT INGREDIENTS:	5.00%
TOTAL:	100.00%

Contains 2 lbs. DDVP per gallon



KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONS AND ANTIDOTE ON SIDE PANELS



DANGER — POISON

Statement of Practical Treatment

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

IF WARNING SYMPTOMS APPEAR: Administer two 1-100-grain Atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS below).

Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest Physician.

NOTE TO PHYSICIAN — WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete Atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

E.P.A. REG. NO. 655-491

E.P.A. EST. NO. 655-NJ-1




Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITIONS: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

2. PESTICIDE DISPOSAL: PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

3. CONTAINER DISPOSAL: (a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING, OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL, OR BURY IN A SAFE PLACE.

IF LESS THAN 30 GALLONS: TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL, OR BURY IN A SAFE PLACE.

4. GENERAL: CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

NET CONTENTS _____ LOT # _____

dry
Do
FOO

at
die
own
Top