

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On clean-up of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking containers into another salvage drum. Do not store, use, pour or spill near heat or open flame. Do not store in car trunks where temperatures may exceed 120° F.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Do not reuse empty container. Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Prentox

VAPON 20%
EMULSIFIABLE CONCENTRATE

ONLY FOR SALE TO
USE AND STORAGE
BY SERVICE PERSONS

ACTIVE INGREDIENTS:

2,2-Dibutylacetyl dimethyl phosphate	19.6%
Related compounds	1.4%
Xylene Range Aromatic Solvent	75.6%
INERT INGREDIENTS	1.4%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN
POISON DANGER



E.P.A. EST. NO. 655-GA-1
E.P.A. REG. NO. 655-492

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled — Remove victim to fresh air. Apply respiration if indicated. If in eyes — Wash immediately with soap and water. If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately. **NOTE TO PHYSICIAN: SYMPTOMS:** Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 mgs. until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contra-indicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been determined by blood test.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS 1 GALLON

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road Sandersville, GA 31082
Office: C B 2000 Floral Park N.Y. 11001

BEST DOCUMENT AVAILABLE

ACCEPTED
28 JAN 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-492

655-492

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO BE APPLIED BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY.

HOUSEHOLD PEST CONTROL: Apply as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths, or other small flying insects, cockroaches, ants, spiders, silverfish, etc. To prepare a 0.5% spray, dilute 1 pint of Concentrate with 6 gallons of water.

For household, apply 0.5% spray with low pressure sprayer into all cracks and crevices. Do not apply to areas which will be contacted frequently by children, and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers or cooking utensils. Do not treat animals. **NOTE TO APPLICATOR:** This product may stain carpeting. Do not allow spray, spray mist, drift or runoff to contact carpeting as staining may occur.

Outdoor living areas, picnic grounds, backyard area, patios, loading docks, outdoor latrines, parking area, refuse areas, animal service stations, open-air drive-ins, ice cream stands, garbage collection and disposal areas.

Apply as a 0.5% spray to control flies, gnats, mosquitoes, and other small flying insects. To prepare 0.5% spray, dilute 1 pint of the Concentrate with 6 gallons of water. Apply as a coarse wet spray at the rate of 1 quart per 1,000 sq. ft. Do not treat animals (at this rate) or humans. Do not contaminate water, food, food containers or cooking utensils. Repeat as necessary.

Apply as a 1% to 3% fog or mist solution to control flies, mosquitoes, wasps, gnats, and other small flying insects in outdoor areas.

To prepare a 1% fogging or misting solution, dilute 1 qt. of Concentrate with 6 gallons of water. For a 3% solution, dilute 1 quart with 7 gallons of oil.

Manure piles, Garbage dumps: For the control of fly maggots in maggot breeding areas, apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. (1 quart of 1%)

DOG KENNELS: Apply to outside dog runways, window sills and ledges at a rate of 1 quart or 0.5% spray per 1,000 sq. ft. For the control of fleas and brown dog ticks, increase dosage to 2 quarts of a 0.5% spray per 1,000 sq. ft.

Outdoor areas: For the control of flies, gnats, mosquitoes, ants, fleas, brown dog ticks, apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre. Do not treat areas where food or feed crops are growing.

INEDIBLE PRODUCTS AREAS OF FOOD PROCESSING

***ALSO FOR INDUSTRIAL PLANTS, THEATERS, WAREHOUSES, AND OTHER NON-FOOD AREAS.**

For the control of flies, gnats, mosquitoes, apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 10,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments, and should not re-occupy the premises until they have been ventilated. After application, open several windows or doors, to create air currents and help reduce, or disperse, insecticide vapors. During fogging or mist spraying indoors, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Permits in general warehouses for the control of the almond weevil and the Indian meal moth. Will kill on contact. The vapor will give a residual effect and will also kill exposed larvae.

For best results apply between 8 p.m. and midnight as the pest weevil and larvae are more active at that time. Using a ULV type machine, use at the rate of 2.5 grams Vaport 20 per 1000 cubic feet (5 gram of DDVP per 1000 cubic feet). Treated warehouses should not be entered for a period of four hours after application or until the particles have settled.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving storage, packing (canning, bottling, wrapping, boxing) preparing edible waste storage and enclosed processing systems (mills, driers, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Using 0.5% apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in joints between different elements of construction and hollow spaces in walls, equipment legs and bases where roaches, ants and silverfish hide.

Do not use in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER: Poisonous if swallowed inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On clean-up of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking containers into another salvage drum. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE: (Cont'd.)

TO BE APPLIED BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY.

HOUSEHOLD PEST CONTROL: Apply as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths, and other small flying insects, cockroaches, ants, spiders, silverfish. To prepare a 0.5% spray, dilute 1 pint of Concentrate with 6 gallons of water.

For household, apply 0.5% spray with low pressure sprayer into all cracks and crevices. Do not apply to areas which will be contacted frequently by children, and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers or cooking utensils. Do not treat animals. **NOTE TO APPLICATOR**—This product may stain carpeting. Do not allow spray, spray mist, drift or runoff to contact carpeting as staining may occur.

Outdoor living areas, picnic grounds, backyard area, patios, loading docks, outdoor latrines, parking area, refuse areas, ground service stations, open-air Drive-ins, Ice Cream Stands, garbage collection and disposal areas.

Apply as a 0.5% spray to control flies, gnats, mosquitoes, and other small flying insects. To prepare a 0.5% spray, dilute 1 pint of

prentox[®]
VAPON 20%
EMULSIFIABLE CONCENTRATE

ONLY FOR SALE TO, USE AND STORAGE
BY SERVICE PERSONS

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	16.0%
Related compounds	1.4%
Xylene Range Aromatic Solvent	75.0%
INERT INGREDIENTS:	8.6%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN



PRENTOX[®]—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated. **If on skin**—Wash immediately with soap and water. **If in eyes**—Flush eyes for at least 15 minutes with water. Call a physician immediately.

NOTE TO PHYSICIAN: SYMPTOMS: Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 mgs, until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contra-indicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed, as determined by blood test.

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

E.P.A. REG. NO. 655-682

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____



Drug & Chemical Co., Inc.

Plant: Kohn Road Sandersville, GA. 31082
Office: C.B. 2000 Floral Park, N.Y. 11001

DIRECTIONS FOR USE: (Cont'd.)

the Concentrate with 6 gallons of water. Apply as a coarse wet spray at the rate of 1 quart per 1,000 sq. ft. Do not treat animals (at this rate) or humans. Do not contaminate water, food, food containers or cooking utensils. Repeat as needed. Apply as a 1% to 2% fog or mist solution to control flies, mosquitoes, wasps, gnats, and other small flying insects in outdoor areas.

To prepare a 1% fogging or misting solution, dilute 1 qt. of Concentrate with 6 gallons of water. For a 1% solution, dilute 1 quart with 7 gallons of water.

Blow-up flies, garbage dumps: For the control of fly maggots in maggot breeding areas, apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. (1 quart at 1/4 in.).

DOG KIBBLES: Apply to outside dog runways, window sills and ledges at the rate of 1 quart or 0.5% spray per 1,000 sq. ft. For the control of fleas and brown dog ticks, increase dosage to 2 quarts of a 0.5% spray per 1,000 sq. ft.

Outdoor areas: For the control of flies, gnats, mosquitoes, ants, fleas, brown dog ticks, apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre. Do not treat areas where food or feed crops are growing. **EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES, AND OTHER NON-FOOD AREAS.**

For the control of flies, gnats, mosquitoes, apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments, and should not re-occupy the premises until they have been ventilated. After application, open several windows or doors, to create air currents to insure reduction of DDVP insecticide vapors. During fogging or mist spraying indoors, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

For use in peanut warehouses for the control of the stored moth and the Indian meal moth: Will kill on contact. The vapor will give good control of moths and will also kill exposed larvae.

For best results apply between 5 p.m. and midnight as the peanut insects are more active at that time. Using a ULV type machine, use at the rate of 2.5 grams Vapon 20 per 1000 cubic feet (5 gram of DDVP per 1000 cubic feet). Treated warehouses should not be entered for a period of four hours after application or until the particles have settled.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving storage, packing (canning, bottling, wrapping, boxing) preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Using 0.5% apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where roaches, ants and silverfish hide. Do not use in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, IS NOT PERMITTED.

ACCEPTED
23 JAN 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-492

BEST DOCUMENT AVAILABLE