

# prentox<sup>®</sup> PYRONYL PET AND LIVESTOCK SPRAY CONCENTRATE

### Directions For Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### To Control Insects in Kennels and Animal Quarters

Dilute at the rate of 13 fluid ounces in 1 gallon with water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets, birds, and cover fish aquariums before spraying.

For rapid cleanout of fleas and ticks in kennels apply as a surface spray in a good machine adjusted to deliver coarse droplets. Apply to the point of run-off with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in kennels apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for each 1000 cubic feet of space. Fill the enclosed area with mist wherever practical, keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

### To Control Insects on Animals

**FLEAS** - To kill fleas on cats and dogs dilute at 1 to 100 and thoroughly wet the animal by dipping or spraying or best results against fleas and ticks on pets kennel animals quarters and bedding should also be treated.

Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon with water or 1 fluid ounce in 18 fluid ounces of water.

For rapid control of ticks and lice on dogs and cats apply this dilution as a mist spray. To insure thorough coverage part the fur by stroking against the lay of the hair as spray is applied. Spray directly on ticks. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 days intervals as necessary.

For temporary protection from mosquitoes, eye gnats, biting flies and chiggers apply to cover the surface of the animal. Repeat treatment as necessary when insects are present.

<b>ACTIVE INGREDIENTS:</b>	
Petroleum Distillates	78.80%
Piperonyl Butoxide, Technical*	12.00%
Pyrethrins	1.20%
<b>INERT INGREDIENTS:</b>	
<b>TOTAL</b>	<b>100.00%</b>

\*Equivalent to 9.6% (Butylcarbityl) (6-propylpiperonyl) Ether and 2.4% related compounds.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS &  
DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Causes eye and skin irritation. Avoid contact with eyes and skin. Avoid contact with clothing. Wash thoroughly after handling. In case of contact immediately flush skin or eyes with plenty of water. For eyes get medical attention. If skin irritation persists see a physician.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water by cleaning of equipment or disposal of wastes.

EPA Reg No 655-494      EPA Est No 655-NJ-1

NET CONTENTS \_\_\_\_\_

LOT # \_\_\_\_\_

### DIRECTIONS FOR USE (Cont'd.)

**HORSE, SHEEP, GOAT & HOG** - Dilute 1 gal of Concentrate with 100 gallons of water for control of active louse stages. Apply for thorough body coverage using 1 to 3 gallons on horses, and 1 to 3 quarts on sheep, goats and hogs.

**POULTRY** - Dilute 1 gallon with 100 gallons of water for control of poultry lice and treat birds by submerging in a barrel, tank or tub, holding the wings away from the body, to insure thorough wetting of all infected areas. Dip on warm day or in a warm building, to avoid chilling of fowls.

**CATTLE** - 1 gallon of Concentrate in 100 gallons of water gives effective control of the active stages of both sucking and biting lice on beef and dairy cattle. Apply to thoroughly wet all portions of the body using 1 to 3 gallons per head, depending on size of the animal. Repeated treatments are recommended due to hatching of eggs.

**SHEEP "TICK" OR KED** - Use 1 gallon of Concentrate in 100 gallons of water and thoroughly wet all portions of the body by dipping, or by spraying with sufficient pressure and a nozzle adjustment to give penetration into the wool. Treat at the rate of 1 to 4 pints per head as determined by size of the animals and condition of fleece.

**STORAGE AND DISPOSAL**

**Prohibition**  
Do not contaminate water, food, or feed by storage or disposal. Open burning is prohibited.

**Pesticide Disposal**  
Pesticide spray mixture, or rinsate that cannot be used or chemically processed, should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**Container Disposal**  
(a) Reseal container and offer for reconditioning or (b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

**General**  
Consult federal, state or local disposal authorities for approved alternative procedures.

BEST DOCUMENT AVAILABLE



Manufactured by

**prentiss**

Plant: 338 Wilson Avenue  
Newark, N.J. 07105

ACCOUNT NO. 1111

LEFT PAGE

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
Open dumping prohibited.

**STORAGE:** If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**PLASTIC CONTAINERS ONLY:** DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

\*\*\*\*\*

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

LEFT PANEL

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL HAZARDS**

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

300 / 10422.C  
17 / 3

Prentiss Drug and Chemical  
Co., Inc.  
363 Seventh Avenue  
New York, NY 10001

Gentlemen:

Subject: Prentox Pyroaryl Pet and Livestock  
Spray Concentrate  
EPA Registration No. 655-101  
Application Dated July 29, 1963

Your proposed amendment to bring the labeling for this product into compliance with PR Notice 83-3 is acceptable. A stamped copy of the draft labeling is enclosed for your records. Submit five (5) copies of the finished printed labeling before the product is released for shipment under the amended labeling. When the finished label is prepared the following correction must be made.

Change "Keep of lakes, streams and ponds" to read "Do not apply directly to lakes, streams and ponds."

Sincerely yours,

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (23-767)

Enclosure

23-767:JMT/WW/DCR-121101/10/63-2017:10/19/63:11/27/63:11/27/63

SEARCHED		INDEXED		SERIALIZED		FILED	
SIMBOL	13767						
SIGNATURE	T. Gardner						
DATE	11/10/63						

EPA Form 1370-1-481

OFFICIAL FILE COPY