

prentox[®]

PYRONYL OIL CONCENTRATE #1530

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

STORAGE AND DISPOSAL (cont'd)

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE (Cont'd.)

FOR USE IN FEDERALLY INSPECTED MEAT & POULTRY ESTABLISHMENTS

Directions for use — dilute 1 part concentrate with 1 part base oil and use with a ULV spraying device at the rate of one ounce per thousand cubic feet of room space. Apply the spray into all cracks and crevices in wood-work, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Repeat dosage as necessary for control of roaches, silverfish, waterbugs, earwigs, ants, spiders.

SPACE SPRAY — Use undiluted to kill accessible stages of insects infesting dried fruit products in storage or being processed. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device to disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one ounce per 1000 cubic feet of space. Repeat application at the dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Roaches

SPACE SPRAY — Use undiluted to kill the adult and accessible forms of insect pests of stored food (stored in multwall paper bags or in cloth bags) in warehouses, storage rooms & similar locations. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device to disperse this product. First direct spray into corners, under pallets and around stacks of packaged goods hitting as many insects as possible and then treated as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of one fluid ounce of the spray per 1000 cubic feet of room space. Repeat applications as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois, Grain Moth, Mediterranean Flour Moth and Indian Meal Moth

OUTDOORS — Use diluted to kill houseflies, mosquitoes and gnats in open areas. Dilute concentrate with Petroleum Distillate such as Klerol N F at the rate of 1 part concentrate to 2 parts oil and mix well. Use at a time when the temperature is cool (75° or less) and the wind velocity is approximately 5 MPH, with a ULV spraying device, spray at a dosage rate of 15 ounces per minute up-wind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 5 MPH with a swath width of no more than 300 feet. Repeat application as required.

SPACE SPRAY AND CONTACT SPRAY — Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders in sheltered situations. With a ULV spraying device, adjusted to deliver a coarse, wet spray, apply the spray into all cracks and crevices in wood-work, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Adjust sprayer to deliver aerosol size particles. Use at a dosage rate of approximately one-half fluid ounce per 1000 cubic feet of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Remove Pets, Birds and cover Fish Aquariums before spraying.

ACTIVE INGREDIENTS:

Pyrethrins	1.50%
Piperonyl Butoxide, Technical*	3.50%
N-octyl bicycloheptene dicarboximide**	5.00%
Petroleum Distillates	89.50%
TOTAL:	100.00%

*Equivalent to 2.40% (Butylcarbityl) (8-propylpiperonyl)

Ether and 0.60% related compounds.

**MGK-264 Insecticide Synergist.

PRENTOX[®] — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Cont. Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 655-496

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT # _____



Manufactured by
prentiss
Drug & Chemical Co., inc.

Plant: Kaulin Road
Savannah, GA. 31082
Office: C.B. 4000
Floral Park, N.Y. 11001