PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HARMFUL IF SWALLOWED MAY BE ABSORBED THROUGH THE SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID CONTAMINATION OF FOOD AND FEED.

PHYSICAL OR CHEMICAL HAZARDS DO NOT USE OR STORE NEAR HEAT OR OPEN flame.

DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW TO USE
THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is continercially prepared or processed. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies

CONTAINER DISPOSAL: 30 & 55 GALLON DRUMS: a) Reseal container and offer for reconditioning, or b) Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe

SMALLER CONTAINERS: As in b), above. GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISFOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

NOTE: PRENTOX RESIDUAL SPRAY is not recommended for use in conduits, motor housings, junction or switch boxes because of shock hazard. NON-FCOD AREAS - Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices; tocker rooms, machine rooms boiler rooms, garages, mop closets and storage (after canning or bottling).

prentox®

DOUBLE STRENGTH DIAZINONIPTED

(Contains 1% DiaziMen®) 2 1980

For Professional Use Only to the presided professional under 455-499

ACTIVE INGREDIENTS:

0,0-diethyi 0-(2-isopropyl-6-methyl-4pyrimidinyi) phosphorothicate* 1.0% Deodorized Kerosene 99.0%

TOTAL:

100.0%

*Diazinon * Registered trademark of Ciba-Geigy Corp

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician immediately IF INHALED — Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN - Wash promptly with soap and water. Rinse thoroughly

IF IN EYES - Rinse eyes for at least 15 minutes with water and call a physician immediately. NOTE TO PHYSICIAN: 2 PAM is antidotal and may be

administered in conjunction with Atropine Sulfate

E.P.A. Reg. No. 655-449

E.P.A. EST. NO. 655-NJ-1

NET CONTENTS

DIRECTIONS FOR USE: (Cont'd.)

Apply 1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers or cooking utensils

COCKROACHES (WATERBUGS), ANTS, AND SILVERFISH:

Make spot applications of 1% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, crack and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide.

CARPET BEETLES:

Apply a 1% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS:

Apply a 1% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS - EXPOSED STAGES (SAW-TOOTHED GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGGE BEETLE, INDIAN-MEAL MOTHER DRUGGE BEETLE, INDIAN-MEAL MOTHER Apply a 1% Diazinon spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed destroyed

BROWN DOG TICKS IN BUILDINGS:

Make thorough application of a 1% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Manufactured by urug & Chemical Co., Inc.

Plant: 338 Wilson Avenue Newark, N.J. 07105

Office: 3 7th Avenue New York, N.Y. 10001 35