

prentox

FOGGING CONCENTRATE #2

FOR INSTITUTIONAL
AND COMMERCIAL USE ONLY.

**KILLS ROACHES, WATERBUGS, ANTS,
MOTHS FLIES, BEDBUGS AND THE EXPOSED
STAGES OF INSECTS AFFECTING FLOUR,
CEREALS, FOOD PRODUCTS IN STORAGE
WAREHOUSES, FOOD PROCESSING AND
HANDLING ESTABLISHMENTS.**

ACTIVE INGREDIENTS:

Pyrethrins	0.45%
Piperonyl Butoxide, Technical*	0.90%
N-octyl bicycloheptene dicarboximide	1.50%
Petroleum Distillates	97.15%
TOTAL:	100.00%

*Equivalent to 0.72% (Butylcarbityl (6-propylpiperonyl) Ether and 0.18% related compounds)

PRENTOX® Registered Trademark of Prentiss Drug & Chemical Co., Inc.

EPA REG NO 655-506

EPA EST NO 655-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
If inhaled Remove victim to fresh air.
If on Skin Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes Flush eyes with plenty of water. Call a physician immediately if irritation persists.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists if swallowed. Do not induce vomiting. Call a physician immediately. Do not apply directly to food. In commercial food handling facilities cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants and other food processing plants wash with potable water all equipment benches shelving etc. where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited.

STORAGE: If container is damaged STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

STORAGE AND DISPOSAL (cont'd)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd)

Roaches, waterbugs, ants, silverfish: Use a coarse spray, directing the spray to contact as many insects as possible. Pay particular attention to baseboards, wall moldings, woodwork, pipe openings, breeding places and nests.

Flies, mosquitoes, gnats: Use 1 oz. per 1000 cubic feet of space. Fill the room with spray, directing spray toward ceiling.

Clothes Moths: Use 1-2 ounces per 1000 cubic feet of space. When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above, and also spray storage container before packing. Repeated monthly applications are advisable.

Bedbugs: Spray mattresses, particularly around seams and tufts. Take beds apart and spray into all joints. Use coarse spray. Repeat application as necessary.

For insects affecting stored food, flour, grain and cereals — DO NOT SPRAY DIRECTLY ON EXPOSED FOOD, FLOUR, GRAIN OR CEREALS — Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using product in these areas apply only when the facility is not in operation.

To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Carpet Beetle, Cigarette Beetle, Flat-Grain Beetle, Rice Weevils and Gnatcatchers use 3-4 ozs. per 1000 cubic feet of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices and other hiding places. Repeat treatment as required.

**KILLS INSECTS ONLY WHEN
THE SPRAY CONTACTS THEM**

Sanitation is necessary. Clean and remove deposits of food, grain and dust from storage areas. Clean conveyor and handling equipment.

NET CONTENTS: _____

LOT NO.: _____

BEST DOCUMENT AVAILABLE



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001