

prentox[™] FOGGING CONCENTRATE #1

FOR INSTITUTIONAL AND COMMERCIAL USE ONLY

KILLS ROACHES, WATERBUGS, ANTS, CLOTHES
MOTHS, FLIES, BEDBUGS, AND THE EXPOSED
STAGES OF INSECTS AFFECTING FLOUR,
CEREALS, FOOD PRODUCTS IN STORAGE
WAREHOUSES, FOOD PROCESSING AND
HANDLING ESTABLISHMENTS.

ACTIVE INGREDIENTS:

Pyrethrins	0.3%
Piperonyl Butoxide, Technical *	0.6%
N-octyl bicycloheptene dicarboximide	1.0%
Petroleum Distillates	98.1%
TOTAL	100.0%

* Equivalent to 0.48% (Butylcarbthyl) (6-propylpiperonyl)
Ether and 0.12% related compounds.

655-511

CAUTION
- KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 655-511
NET CONTENTS _____

EPA Est. No. 655-GA-1



Manufactured by

prentiss

Drug & Chemical Co., Inc

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures about 130°F may cause bursting.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Mark the container with name of product, ingredient statement, precautionary statements, and signal word. Contact us for replacement label. Do not store, use pour or spill near heat or open flame. DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

LEFT PANEL CONTINUED

PLASTIC 1 GALLON CONTAINERS

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RIGHT PANEL

DIRECTIONS FOR USE:

Roaches, waterbugs, ants, bedbugs, silverfish: Use 3 to 4 oz for each 1000 cu ft of space, directing the spray to contact as many insects as possible. Pay particular attention to baseboards, wall mouldings, woodwork, pipe openings, breeding places and nests. Spray into hiding places, cracks & crevices, baseboards, wall mouldings; spraying directly as many insects as possible.

Flies, mosquitoes, gnats: Use 1/2 oz per 1000 cu ft of space. Apply by using equipment designed and adjusted to deliver a true aerosol mist. Close doors and windows and spray into air, directing spray up to all four corners, filling room with mist. Do not spray on processing equipment. Keep doors and windows closed 15 minutes after spraying. Clean up and destroy fallen insects. Spray when plant is not in operation. Repeat as necessary. **DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.**

Directions for use Continued

Clothes Moths: When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above, and also spray storage container before packing. Repeated monthly applications are advisable.

Bedbugs: Spray mouldings, baseboards and cracks. Also spray the bedstead paying particular attention to cracks & crevices, spray springs and mattresses as well.

To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Chocolate Moth, Carpet Beetle, Cigarette Beetle, Flour Grain Beetle, Rice Weevils & Caddis, use 3-4 oz per 1000 cu ft of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices & other hiding places. Repeat treatment as required. **KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM.** Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Sanitization is necessary. Clean and remove deposits of food, grain & dust from storage areas. Clean conveyer and handling equipment. For insects affecting stored food, as listed above, flour, grain & cereals-food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply by using equipment designed & adjusted to deliver a true aerosol mist. Close doors & windows and spray into air, directing spray up to all 4 corners, filling room with mist. Do not spray on processing equipment. Keep doors & windows closed 15 minutes after spraying. Clean up & destroy fallen insects. Spray when plant is not in operation. Repeat as necessary.

300 / 104211
17 / 2

PROCESSES DIVISION (Chemical)
Co., Inc.
345 Broadway Avenue
New York, NY 10091

GENERAL USE:

Subject: Fogger Concentrate #1
EPA Registration No. 955-911
Application Dated July 25, 1977

Your proposed amendment to bring the labeling for this product into compliance with 40 CFR 156.101 is acceptable. A letter copy of the draft labeling is enclosed for your records. Submit five (5) copies of the finished printed label to the Office of Pesticide Registration under the existing labeling.

Very truly yours,

Director, Pesticide Division
Product Labeling (7)
Inspection Branch (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100)

Enclosure

15-767:SMTRUAW DOC-12110: RAG-1511: LSH: P: 17-2013: 1/9/33

SEARCHED		SERIALIZED		INDEXED		FILED	
SIGNATURE	TS 761						
SURNAME	Townsend						
DATE	11/10/87						

EPA Form 132 (1-4-87) OFFICIAL FILE COPY

1 of 4

prentox[®] FOGGING CONCENTRATE #1

FOR INSTITUTIONAL AND COMMERCIAL USE ONLY

KILLS ROACHES, WATERBUGS, ANTS, CLOTHES
MOTHS, FLIES, BEDBUGS, AND THE EXPOSED
STAGES OF INSECTS AFFECTING FLOUR,
CEREALS, FOOD PRODUCTS IN STORAGE
WAREHOUSES, FOOD PROCESING AND
HANDLING ESTABLISHMENTS.

ACTIVE INGREDIENTS:

Pyrethrins	0.3%
Piperonyl Butoxide, Technical *	0.6%
N-octyl bicycloheptene dicarboximide	1.0%
Petroleum Distillates	98.1%
TOTAL	100.0%

* Equivalent to 0.48% (Butylcarbityl) (8-propylpiperonyl) Ether and 0.12% related compounds

655-511

CAUTION
KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 655-511
NET CONTENTS _____

EPA Est. No. 655-GA-1

BEST DOCUMENT AVAILABLE



Manufactured by

prentiss
Drug & Chemical Co., Inc

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures about 130°F may cause bursting.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Mark the container with name of product, ingredient statement, precautionary statements, and signal word. Contact us for replacement label. Do not store, use pour or spill near heat or open flame. DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

LEFT PANEL CONTINUED

PLASTIC 1 GALLON CONTAINERS

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DOCUMENT AVAILABLE

RIGHT PANEL

DIRECTIONS FOR USE:

Roaches, waterbugs, ants, bedbugs, silverfish: Use 3 to 4 oz for each 1000 cu ft of space, directing the spray to contact as many insects as possible. Pay particular attention to baseboards, wall mouldings, woodwork, pipe openings, breeding places and nests. Spray into hiding places, cracks & crevices, baseboards, wall mouldings, spraying directly as many insects as possible.

Flies, mosquitoes, gnats: Use 1/2 oz per 1000 cu ft of space. Apply by using equipment designed and adjusted to deliver a true aerosol mist. Close doors and windows and spray into air, directing spray up to all four corners, filling room with mist. Do not spray on processing equipment. Keep doors and windows closed 15 minutes after spraying. Clean up and destroy fallen insects. Spray when plant is not in operation. Repeat as necessary. **DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.**

Directions for use Continued

Clothes Moths: When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above, and also spray storage container before packing. Repeated monthly applications are advisable.

Bedbugs: Spray mouldings, baseboards and cracks. Also spray the bedstead paying particular attention to cracks & crevices, spray springs and mattresses as well.

To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Chocolate Moth, Carpet Beetle, Cigarette Beetle, Flour Grain Beetle, Rice Weevils & Cadellés, use 3-4 oz per 1000 cu. ft of space directing the spray so as to contact the insects. Pay particular attention to cracks, crevices & other hiding places. Repeat treatment as required. **KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM.** Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Sanitation is necessary. Clean and remove deposits of food, grain & dust from storage areas. Clean conveyer and handling equipment. For insects affecting stored food, as listed above, flour, grain & cereals-food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply by using equipment designed & adjusted to deliver a true aerosol mist. Close doors & windows and spray into air directing spray up to all 4 corners, filling room with mist. Do not spray on processing equipment. Keep doors & windows closed 15 minutes after spraying. Clean up & destroy fallen insects. Spray when plant is not in operation. Repeat as necessary.

FOR INFORMATION AVAILABLE



300 / 104211
17 / 2

RECEIVED

Frontier Drug and Chemical
Co., Inc.
333 Seventh Avenue
New York, NY 10001

Gentlemen:

Subject: Dopylon (Trade Name)
EPA Registration No. 655-513
Application Dated July 27, 1955

Your proposed amendment to bring the labeling for this product into
compliance with 40 CFR 158.3 is acceptable. A label copy of the draft
labeling is enclosed for your review. Submit five (5) copies of the finished
labeling to the appropriate District Office of the EPA in accordance with the revised
labeling.

Very truly yours,

Richard L. ...
District Director
District Office
New York, New York

cc: 100

100-35874-100

NAME	...
ADDRESS	...
DATE	...
EPA	...

OFFICIAL FILE COPY