

• prentox® •

INSECT SPRAY

"D"

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND (DOMESTIC ANIMALS) CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to milk in barns & poultry houses, warehouses etc., cover or remove any food and food processing equipment during application. After space spraying in these areas wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS:

For best results, use a good clean sprayer — free of rust — which produces a fine mist.

FOR FLYING INSECTS: Flies, mosquitoes, small flying moths, gnats and wasps. Close doors and windows. Spray freely towards ceiling in all directions until room is fogged with mist. When spraying, keep about 3-feet from interior walls, fabrics and furniture. Doors and windows may be opened after 10 minutes.

FOR CRAWLING INSECTS: Roaches, waterbugs, silverfish and crickets. Spray thoroughly into cracks and crevices, under and behind sinks, cupboards, drawers, woodwork, refrigerators, pipes and drains, where these insects hide. Spray directly on as many insects as possible. Repeat application as necessary.

For the control of flies, mosquitoes, small flying moths, gnats, wasps, roaches, waterbugs, silverfish, crickets, carpet beetles, bedbugs, ants, and fleas.

CONTROLS HOUSE FLIES, STABLE FLIES,
HORN FLIES.

ACTIVE INGREDIENTS:

Pyrethrins	0.45%
Piperonyl Butoxide, Technical*	0.90%
N-octyl bicycloheptene dicarboximide	1.50%
Petroleum Distillates	97.15%
TOTAL:	100.00%

*Equivalent to 0.72% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.18% related compounds

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL

FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 655-512

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT # _____

DIRECTIONS FOR USE (Cont'd.)

FOR CLOTHES MOTHS & CARPET BEETLES: Clean and spray closets thoroughly, to reach all hiding places. Clean and brush woolen articles. Repeat application every 30 days. When carpets are infested, spray both sides thoroughly. When spraying near fabrics, keep spray in constant motion, at least 36 inches away from fabric. Spraying closer may cause stains.

FOR BEDBUGS: Spray baseboards, molding and floor boards. Spray mattresses, particularly around seams and tufts. Take beds apart and spray into all joints. Repeat application as necessary.

FOR ANTS: Spray trails, hills, around window frames and openings around pipes and baseboards, where ants crawl, hitting as many as possible. Repeat application as necessary.

FOR FLEAS: Spray floors, floor coverings and sleeping quarters of pets and other infested areas. Repeat as required. Do not spray pets.

FOR OUTDOOR USE: To repel temporarily: Flies, mosquitoes, gnats, wasps, crickets, ants. On porches, terraces, lawns, and at outdoor gatherings, spray frequently around chairs, tables, floors ground and surrounding air.

CONTACT SPRAY — Use with Sprayers that give large, wetting spray particles — To kill cockroaches, and accessible stages of granary insects, rice & granary weevil, red flour beetle, Indian meal moth larvae, caddis, grain mites and saw-toothed grain beetles. Cover or remove exposed food and close room. Spray outside walls of grain bins, flooring about base of milling machinery walls and baseboards, areas behind cabinets, around pipes and other insect harborage using 1 gal of spray per 1,000 sq ft of surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY — Undiluted in Aerosol Generators — To kill flies, mosquitoes, small flying moths & gnats. Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 4 to 12 oz. of undiluted concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for one half hour. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat as necessary.

SPACE SPRAY — Use in Barns & Poultry Houses, Warehouses, Storage Bins & Storage Rooms — To control house flies, stable flies & horn flies, apply as a fine mist over the livestock in stanchions or holding pens or over the poultry in cages or in pens. Use a fogger or mist generator, so spray is directed and applied above the animals and direct spray to center of the area where animals are housed. Apply 2 oz. per 1,000 cu. ft., so that the spray mist is distributed uniformly throughout the entire area sprayed. Do not ventilate the area for at least 10 minutes after spray has been applied. If used in dairy barns, aerate the barn thoroughly before milking. Repeat daily morning and afternoon, or as required. Keep sprayer unit reservoir and nozzle clean, to ensure proper delivery of spray mist or fog. Product is to be used in mechanical sprayers which give particle size aerosol range or smaller, such as ULV type.

SPACE SPRAY — For Use in Mechanical Fogging Equipment — Kills flies, mosquitoes, small flying moths & gnats. Cover or remove exposed food and food handling surfaces. Close room, making sure to shut off all air conditioning or ventilation equipment. Apply at the rate of 50 fl. oz. of spray per 25,000 cu. ft. of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING WHEN USING THIS PRODUCT IN THESE AREAS. APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION.

BEST AVAILABLE COPY

10/83



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001

• prentox® •

INSECT SPRAY

"D"

For the control of flies, mosquitoes, small flying moths, gnats, wasps, roaches, waterbugs, silverfish, crickets, carpet beetles, bedbugs, ants, and fleas.

CONTROLS HOUSE FLIES, STABLE FLIES, HORN FLIES.

ACTIVE INGREDIENTS:

Pyrethrins	0.45%
Piperonyl Butoxide, Technical*	0.90%
N-octyl bicycloheptene dicarboximide	1.50%
Petroleum Distillates	97.15%
TOTAL:	100.00%

*Equivalent to 0.72% (Butylcarbityl) (8-propylpiperonyl) Ether and 0.18% related compounds

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If **swallowed** — Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.
If **inhaled** — Remove victim to fresh air.
If **on skin** — Remove contaminated clothing and wash affected areas with soap and water.
If **in eyes** — Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL
FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 655-312

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT # _____

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kauln Road
Sandersville, GA. 31082

Office: C.B. 2000

Phone: 769-2111

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND (DOMESTIC ANIMALS) CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to milk in barns & poultry houses, warehouses etc. cover or remove any food and food processing equipment during application. After space spraying in these areas wash with potable water all equipment, benches, shelving, etc., where exposed. Food will be handled. All feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent onto a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS:

For best results use a good clean sprayer — free of rust — which produces a fine mist.

FOR FLYING INSECTS: Flies, mosquitoes, small flying moths, gnats and wasps. Close doors and windows. Spray freely towards ceiling in all directions until room is fogged with mist. When spraying keep about 3 feet from interior walls, fabrics and furniture. Doors and windows may be opened after 10 minutes.

FOR CRAWLING INSECTS: Roaches, waterbugs, silverfish and crickets. Spray thoroughly into cracks and crevices, under and behind sinks, cupboards, drawers, woodwork, refrigerators, pipes and drains where these insects hide. Spray directly on as many insects as possible. Repeat application as necessary.

DIRECTIONS FOR USE (Cont'd.)

FOR CLOTHES MOTHS & CARPET BEETLES: Clean and dry closets thoroughly, to reach all hiding places. Clean and brush woolen articles. Repeat application every 30 days. When carpets are infested, spray both sides thoroughly. When spraying on fabrics, keep spray in constant motion, at least 36 inches away from fabric. Spraying closer may cause stains.

FOR BEDBUGS: Spray baseboards, molding and floor boards. Spray mattresses, particularly around seams and tufts. Take bed apart and spray into all joints. Repeat application as necessary.

FOR ANTS: Spray trails, hills, around window frames and openings around pipes and baseboards, where ants crawl, hitting as many as possible. Repeat application as necessary.

FOR FLEAS: Spray floors, floor coverings and sleeping quarters, pets and other infested areas. Repeat as required. Do not spray pets.

FOR OUTDOOR USE: To repel temporarily. Flies, mosquitoes, gnats, wasps, crickets, ants. On porches, terraces, lawns, and outdoor gatherings, spray frequently around chairs, tables, floor ground and surrounding air.

CONTACT SPRAY — Use with Sprayers that give large, wet spray particles — To kill cockroaches and accessible stages of granary insects: rice & granary weevil, red flour beetle, Indian meal moth larvae, cadellids, grain mites and saw-toothed grain beetle. Cover or remove exposed food and close room. Spray outwards of grain bins, flooring about base of milling machinery walls and baseboards, areas behind cabinets, around pipes and oil insect harbourages using 1 gal of spray per 1,000 sq ft of surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored food products should be fumigated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY — Undiluted in Aerosol Generators — To kill flies, mosquitoes, small flying moths & gnats. Cover or remove exposed food and food handling surfaces. Close room and shut off all conditioning or ventilating equipment. Apply at the rate of 4 to 10 oz of undiluted concentrate per 1,000 cu ft of space. Direct output from aerosol generator upward towards upper corners, room and ceiling. Leave room closed for one half hour. Do not remain in treated areas. Ventilate the area after treatment completed. Sweep up and destroy fallen insects. Repeat as necessary.

SPACE SPRAY — Use in Barns & Poultry Houses, Warehouse Storage Bins & Storage Rooms — To control house flies, stable flies & horn flies, apply as a fine mist over the livestock stanchions or holding pens or over the poultry in cages or in pens. Use a fogger or mist generator, so spray is directed and applied above the animals and direct spray to center of the area where animals are housed. Apply 2 oz per 1,000 cu ft, so that the spray mist is distributed uniformly throughout the entire area. Do not ventilate the area for at least 10 minutes after spray has been applied. If used in dairy barns, aerate the barn thoroughly before milking. Repeat daily morning and afternoon, or as required. Keep sprayer unit reservoir and nozzle clean, to ensure proper delivery of spray mist or fog. Product is to be used in mechanical sprays which give particle size aerosol range or smaller, such as ULV. **SPACE SPRAY — For Use in Mechanical Fogging Equipment.** Kills flies, mosquitoes, small flying moths & gnats. Cover remove exposed food and food handling surfaces. Close room making sure to shut off all air conditioning or ventilating equipment. Apply at the rate of 50 fl oz of spray per 25,000 cu ft of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment completed.

FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING WHEN USING THIS PRODUCT IN THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION.

BEST AVAILABLE COPY

