

57092601 198106

prentox

PRENCHLOR 4-LB EMULSIFIABLE CONCENTRATE

DISPOSAL: DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

Containers of this product larger than one gallon are intended for Professional Pest Control Operations, Janitorial, Industrial and Institutional use only and are not intended for household use.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION. Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid combination of food and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

SUBTERRANEAN TERMITES:

Directions For Homeowner Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mix 1 part of PRENTOX PRENCHLOR 4-LB EMULSIFIABLE CONCENTRATE with 47 parts of water (makes 1.0% Emulsion). Apply the 1% Emulsion as follows:

ACTIVE INGREDIENTS:

Technical Chlordane*	46.3%
Petroleum Distillate	49.7%
INERT INGREDIENTS	4.0%
TOTAL	100.0%

*Equivalent to 27.16% octachloro-4,7-methanotetrahydroindane and 18.12% of related compounds

CAUTION

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING**; vomiting may cause aspiration pneumonia.

IF INHALED — Remove victim to fresh air and apply artificial respiration if indicated.

IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES — Flush eyes with plenty of water. Get medical attention immediately.

See below for additional warning statements.
Do not allow children in treated areas until surfaces are dry.

EPA Reg. No. 655-918 EPA Est. No. 655-GA-1

NET CONTENTS _____

LOT NO. _____

TERMITE CONTROL IN SUBTERRANEAN STRUCTURES
Buildings with Basements or Crawlspace

First remove all wood debris and wood joists. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or ratchet wire foot apart 3 feet apart from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. **NEVER DIG BELOW THE TOP OF THE FOOTING.** Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation and pour one-half gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 9 1984

Under the Federal Insecticide,
Fungicide and Fertilizer Act
as amended, the pesticide
registered under EPA Reg. No.
655-918



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaelin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

BEST DOCUMENT AVAILABLE

655-516

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



300/112923 Y MAR 14 1984
17/4

Prentiss Drug & Chemical Co., Inc.
C.B. 2000
Floral Park, NY 11001

Attention: Nick Sanchez

Gentlemen:

Subject: Amendment - Update Storage & Disposal Text
Prestox Proachlor 4 lb. Resulfifiable Concentrate
EPA Registration No. 655-516

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided that you:

1. Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD-IRR:DCR-05478:LaRocca:mar:Raven:557-2226:CRI-26:3/6/84:Del.3/18/84

P.S. At the next label update, add the treatment restriction as indicated on the attachment.

CONCURRENCES							
SYMBOL							
SURNAME	T. Brogley						
DATE	3/8/84						