

## **LIQUID HOUSEHOLD INSECT SPRAY #1**

FOR USE IN AND AROUND THE HOME ONLY CONTAINS DIAZINON - PYRETHRINS - PIPERONYL BUTOXIDE ACTIVE INGREDIENTS: 👍

Diazinon (0,0-diethyl 0-(2-Isopropyl-6-methyl-4-pyrimidinyl) Phosphorothicate) . . 0.50% TOTAL 100.00%

- \* Equivalent to 0.208% (Butylcarbityl)(6-propylpiperonyl) Ether and 0.052% related compounds.
- \*\* Contains Petroleum Distilates

PRENTOX® — Registered Trademark of Prentiss Incorporated.

# **KEEP OUT OF REACH OF CHILDREN**

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING.

Vomiting may cause aspiration pneumonia. The state of the spiration of the

If on skin - Remove contaminated clothing and wash affected areas with soap and water. Get medical attention.

If In eyes — Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine. Solvent presents an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG NO. 655-519 9 E.P.A.EST. NO. 655-GA-1

 $\frac{\sqrt{4}}{2}$ LOT NO.

Plant: Kaolin Road., Sandersville, GA 31082 Office: C.B. 2000 Floral Park, NY 11002-2000 PULL HERE TO OPEN, PRESS TO RESEAL

1

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again. Avoid contamination of food and feed. Do not use on household pets or humans. Remove pets from area, and cover fish bowls before spraying. Do not allow children or pets in treated areas until sprayed surfaces have dried.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl (ducks or geese), feeding or drinking on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water. Do not contaminate water by disposal.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants if bees are visiting treated area. Do not apply this product to or allow it to drift to food crops, lawns or any desirable vegetation at any time.

#### PHYSICAL HAZARDS

Do not use, or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use indoors or outdoors. Spray infested surfaces only until wet.

#### INDOOR USES.

Precautions: 1) Do not use this product indoors as an overall surface spray or as a space spray: take care not to introduce this product into the air during application. 2) Use only in well ventilated areas. 3) Do not apply where children are likely to frequently contact treated surfaces. 4) Do not treat pets or plants with this product. 5) Do not apply to upholstery or furniture, carpets or floor coverings and avoid excessive wetting on asphalt tile, rubber and plastic materials because damage may occur. 6) Care should be taken to avoid spotting of walls, wall coverings and fabrics. 7) Do not apply to areas, surfaces, or utensils which will contact food or feed. Exposed food should be covered during application. All food processing surfaces and utensils should be covered during application and washed with soap and water before use. 8) Do not use in conduits, motor housings or electrical switch boxes.

# ROACHES, ANTS, WATERBUGS, SILVERFISH, SPIDERS, FIREBRATS, AND CRICKETS.

As a supplement to good housekeeping, spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, and stoves, as well as ant trails, and other localized areas where insects tend to hide. Discard infested food packages, but do not spray inside cabinets where food is stored. Spray window and door frames where ants enter. Treat voids around water pipes and cracks and crevices along baseboard moldings. Repeat as necessary.

CARPET BEETLES. Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets, where insects may be found. Treat crevices, cracks and infested areas of shelving in closets. Repeat as necessary.

**BROWN DOG TICKS.** Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets and localized areas of floors and floor coverings. Repeat as necessary. Bedding should be replaced in animal quarters after treatment. Do not treat animals with this product.

#### **OUTDOOR USES.**

**Outdoor Use Precautions:** 1) Spray with wind to your back. 2) Do not apply to lawns or other desirable plants.

#### FLIES, MOSQUITOES, WASPS AND SMALL FLYING MOTHS.

For use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures, on porches, in garages and other places where these insects alight or congregate.

#### CHIGGERS, ANTS, BROWN DOG TICKS AND CLOVER MITES.

For treatment of localized infestations of insects in outdoor areas around the home only, spray infested areas. Do not spray fruit or vegetable plants with this product. For ants, wet hills and runways. Repeat as necessary.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with this product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass as below. Mark the container with name of product, ingredient statement, precautionary statements, and signal word. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** To avoid harming aquatic organisms in rivers and other surface waters, do not pour this product into sanitary drains (for example, toilets, floor drains and sinks), or

into storm water sewers (for example, street drains). Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse the empty container, pour the rinse water into the sprayer and spray the treated area. If disposal of a partially full container is necessary, take the container to your local household waste disposal facility, or make sure cap is tightly closed, securely wrap the container in several layers of newspaper and discard in trash.

PRENIOX

## **LIQUID HOUSEHOLD INSECT SPRAY #1**

FOR USE IN AND AROUND THE HOME ONLY CONTAINS DIAZINON - PYRETHRINS - PIPERONYL BUTOXIDE **ACTIVE INGREDIENTS:** 

Notife indicatellia	
Pyrothrins ,	3.05%
Piperonyl Butoxide, Technical*	0.26%
Diazinon (0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothicate) I	0.50%
INERT INGREDIENTS**	

TOTAL 100.00%

' Equivalent to 0.208% (Butylcarbityl)(6-propylpiperonyl) Ether and 0.052% related compounds

\*\* Contains Petroleum Distilates

PRENTOX® — Registered Trademark of Prentiss Incorporated.

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove person to fresh air. Apply respiration, if indicated. Get medical attention.

If on skin - Remove contaminated clothing and wash affected areas with soap and water. Get medical attention.

If in eyes -- Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine. Solvent presents an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

#### SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG NO. 655-519

9/98

E.P.A.EST. NO. 655-GA-1

NET CONTENTS.

LOT NO.

## PRENTISS INCORPORATED Plant: Kaolin Road., Sandersville, GA 31082 Office: C.B. 2000 Floral Park, NY 11002-2000

Under the Pederal inverticity, Fungistide, and Redemitritide Act an ansarded, for the periodide registered under