

# A PRENTISS PEST-TESTED PRODUCT

**ACCEPTED**

AUG 19 1975

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 655-530

Harmful if swallowed. May be absorbed through skin. Avoid contamination of food and feed. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse container. Destroy it by burying or burning. Avoid smoke or fumes.

*Prentox*

**DIAZINON\* 5D  
INSECTICIDE DUST**

**ACTIVE INGREDIENTS:**

0,0-diethyl 0-(2-isopropyl-  
6-methyl-4-pyrimidinyl)  
phosphorothioate----- 5%

INERT INGREDIENTS-----95%  
TOTAL 100%

FOR CONTROL OF COFFEE LEAFMINER ON  
COFFEE (Puerto Rico Only)

\*Diazinon - Registered Trademark  
CIBA-GEIGY

## CAUTION

**KEEP OUT OF REACH OF CHILDREN**

See additional caution elsewhere  
on label.

**FISH AND WILD LIFE CAUTION:** This product is toxic to fish, birds, and other wildlife. Birds Feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not apply where runoff is likely to occur.

**DIRECTIONS FOR USE:**

Leafminer: Apply 20 pounds per acre when first signs of leafminer infestations appear. Make one or two repeat applications at 14-day intervals as needed.

Do not apply within 30 days of harvest.

E.P.A. EST. NO. 655-NJ-1  
E.P.A. REG. NO. 655-530

NET WEIGHT \_\_\_\_\_



# Prentiss Drug & Chemical Co., Inc.

PLANT: 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE 363 SEVENTH AVENUE NEW YORK, N. Y. 10001