

PRENTOX(R) DIAZINON 5D INSECTICIDE DUST

FOR THE CONTROL OF COFFEE LEAFMINER ON COFFEE (PUERTO RICO ONLY)

ACTIVE INGREDIENTS:

Diazinon 0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl)..... 5%

INERT INGREDIENTS..... 95%

TOTAL..... 100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed** - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled** - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin** - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes** - Flush eyes with plenty of water. Call a physician if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 655-530

NET CONTENTS _____

EPA EST. NO. 655-GA-1

LOT NO. _____

ACCEPTED
FOR COMPLIANCE
SEP 1 1983
655-530



Manufactured by
prentiss
Drug & Chemical Co., Inc

Plant: Kaulin Road
Sangerville, GA. 31082
Office: C.B. 2000
Forest Park, N.Y. 11001

LEFT PANEL

PRECAUTIONARY STATEMENTS

(HAZARDS TO HUMANS AND DOMESTIC ANIMALS)

Harmful if swallowed. May be absorbed through skin. Avoid contamination of food and feed. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Do not apply where children are likely to come in frequent contact with treated surfaces. Do not contaminate food, food containers or cooking utensils.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Toxic to fish, birds and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Because Puerto Rico may require more restrictive re-entry intervals for crops treated with this product, consult your Department of Agriculture for further information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On cleanup, wear protective equipment as required to prevent contact with the product. Sweep on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

RIGHT PANEL

DIRECTIONS FOR USE:

Leafminer: Apply 20 pounds per acre when first signs of leafminer infestations appear. Make one or two repeat applications at 14-day intervals as needed.

Do not apply within 30 days of harvest.

0000000000
0000000000
0000000000
0000000000

SEP 13

Nick Sanchez
Prentiss Drug & Chemical Co. Inc.
CB 2800
Floral Park, NY 11001

300/104-350
17/2

Attention: Mr. Sanchez

Gentlemen:

Subject: Amendment - label revisions relevant to MA notice 83-2, 83-3
Prentox^(R) Diazinon 5D Insecticide Dust
EPA Registration No. 655-530
Your Application dated August 16, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing please expand the beneficial insect caution to:

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

9/13/83

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

RD:LaRocca:LCR-28681:WAG-0262C:lm:laven:479-2013:9/9/83

CONCURRENCES							
SYMBOL							
DESCRIPTION							
DATE							