

# prentox DPDM CONCENTRATE #4425

FOR USE IN ULV TYPE MACHINES BY TRAINED PERSONNEL ONLY IN  
HOMES, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES &  
INDUSTRIAL INSTALLATIONS.

### ACTIVE INGREDIENTS:

|  |                |
|--|----------------|
| 2, 2-dichlorovinyl dimethyl<br>phosphate   | 0.45%          |
| Other related compounds                    | 0.84%          |
| Pyrethrins                                 | 2.00%          |
| Piperonyl Butoxide, Technical              | 4.00%          |
| N-octyl bicyclophosphor-<br>tricarboximide | 4.00%          |
| Petroleum Distillates                      | 89.58%         |
| <b>TOTAL</b>                               | <b>100.00%</b> |

Contains 3.2% (by weight) of 2, 2-dichlorovinyl dimethyl phosphate and 0.8% related compounds

655-533  
695-533

### CAUTION

KEEP OUT OF REACH OF CHILDREN

### STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 655-533

NET CONTENTS \_\_\_\_\_

EPA EST. NO. 655-GA-1

LOT NO. \_\_\_\_\_

Manufactured by  
 **prentiss**  
Drug & Chemical Co., Inc.

Plant: Kaulin Road  
Sandersville, GA. 31082  
Office: C.B. 2000  
Floral Park, N.Y. 11001

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL HAZARDS**

Do not use, or store near heat or open flame. Exposure to temperatures about 130°F may cause bursting.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEST DOCUMENT AVAILABLE

LEFT PANEL CONTINUED

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Do not reuse empty container.

PLASTIC CONTAINERS ONLY: DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

BEST DOCUMENT AVAILABLE

RIGHT PANEL

**DIRECTIONS FOR USE (CON'T)**

**DO NOT USE IN SEWAGE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.**

**REMOVE PETS, BIRDS, AND COVER FISH AQUARIUMS BEFORE SPRAYING**

**SHAKE WELL IN CONTAINER BEFORE EACH USE. KEEP CONTAINER CLOSED AND STORE IN A COOL PLACE**

**NOTE TO PHYSICIAN: ATROPINE IS ANTIDOTAL.**

**DIRECTIONS FOR USE:**


**GENERAL:** This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of sprays fine. It can be diluted with water, kerosene or Isopar Oil and can be applied in fogging equipment that gives larger than aerosol particle size such as the Microfog or Challenger machines. It can also be diluted with oil sprays and applied as a contact spray. An example of use is shown later on this label.

**For the Accurate Control of INDIAN MEAL MOTH, BROWN FRUIT BEETLE AND CONFUSED FLOUR BEETLE in dried fruit product storage areas or processing areas. Close room, warehouse and shut off all ventilating systems. Use a UL spraying device. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects, having as many insects as possible. Then spray into the air above the trays at rate of 1/2 gal. of spray per 50,000 cu. ft. of space. Repeat at 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.**

**For the Accurate Control of RICE WEEVIL, YELLOW MEALWORM, CABRILE, CONFUSED FLOUR BEETLE, SAW TOOTHED GRAM BEETLE, ANNOYING GRAM MOTH, MEDITERRANEAN FLOUR MOTH AND INDIAN MEAL MOTH in flour, cereals, storage rooms and similar areas. Close room, warehouse and shut off all ventilating systems. Use a UL spraying device. Direct spray into corners, under pallets, or around stacks of packaged goods, having as many insects as possible. Then spray at the rate of one (1) gal. of spray per 100 cu. ft. of space. Repeat application as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested packaged goods should be fumigated or treated by other effective means using an approved product intended for this purpose.**

**For ROACHES, SILVERFISH, EARWIGS, ANTS & SPIDERS:** Apply in ULV type machines or similar equipment adjusted for coarse spray. Apply the spray into all cracks and crevices, overhead walls, floors, underneath desks, behind papers and in places where these insects hide at the rate of 1/4 gal. per 1,000 cu. ft. of total space, or point of infestation.

BEST DOCUMENT AVAILABLE



17

Mr. Nick Sanchez  
Prentiss Drug & Chemical Co., Inc.  
C.B. 2000  
Floral Park, NY 11001

Dear Mr. Sanchez:

Subject: Amendment - Revise According to  
PR Notice 83-3  
Prentox<sup>(R)</sup> DPM Concentrate 84425  
EPA Registration No. 655-533  
Your Application Dated August 19, 1983

*Stamps*  
9/15/83  
300/104356  
17/2

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing please make the following revisions to your label:

- a. Move the child hazard warning to a location immediately above the signal word.
- b. Revise the user statement that is located below your product name to "For use in ULV type machines by pest control operators only in homes, restaurants, food processing plants, warehouses and industrial installations."
- c. In the physical hazard block revise "about" to "above."
- d. The "note to physician" should be relocated to a location immediately under the statement of practical treatment and revised according to the following example:

Note to Physician - If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch

90/128/LARocca/DCR-26882/WANG-03010/11/1983/12/28/83

|                |  |  |  |  |  |  |  |
|----------------|--|--|--|--|--|--|--|
| SYMBOL         |  |  |  |  |  |  |  |
| CLASSIFICATION |  |  |  |  |  |  |  |
| DATE           |  |  |  |  |  |  |  |