

prentox[®]



DPBM CONCENTRATE #4425

FOR USE IN ULV TYPE MACHINES BY PEST CONTROL OPERATORS ONLY IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES AND INDUSTRIAL INSTALLATIONS.

ACTIVE INGREDIENTS:	
2,2-dichlorovinyl dimethyl phosphate	0.46%
Other related compounds	0.04%
Pyrethrins	2.00%
Piperonyl Butoxide, Technical*	4.00%
N-octyl bicycloheptene dicarboximide	4.00%
Petroleum Distillates	89.50%
TOTAL:	100.00%

*Equivalent to 3.2% (Butylcarbityl-*o*-propylpiperonyl) Ether and 0.8% related compound

PRENTOX[®] Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN — If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. PAM is also antidotal and may be administered in conjunction with atropine.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-533

E.P.A. EST. NO. 655-GA-1

NET CONTENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Irritant if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as dry diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or quasi-container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

STORAGE AND DISPOSAL (cont'd)

CONTAINER DISPOSAL: Triple rinse, not equivalent. Then offer for recycling or reconditioning or purchase and dispose of in a variety of ways or by other procedure approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd)

Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Remove pets, birds, and cover fish aquariums before spraying. Mix well in container before each use. Keep container closed and store in a cool place.

GENERAL: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined Kerosenes or Mineral Oil and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Kills the Accessible Stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE AND CONFUSED FLOUR BEETLE in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects, hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gal. of spray per 50,000 cu. ft. of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible Stages of RICE WEEVIL, YELLOW MEALWORM, CADALLE, CONFUSED FLOUR BEETLE, SAWTOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH AND INDIAN MEAL MOTH in food warehouses, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device. Direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insects as possible. Then spray at the rate of 1 fl. oz. of spray per 1,000 cu. ft. of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To Kill ROACHES, SILVERFISH, EARWIGS, ANTS AND SPIDERS — Apply in ULV-type machines or similar equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors underneath sinks, behind pipes, and in all places where these insects hide at the rate of 1/2 gal. per 1,000 sq. ft. of wall space, or point of run-off.

655-533



LOT NO.
Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001