

[655-534]




INTERMEDIATE 225

ACCEPTED  
OCT 2 1975  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-534

FOR USE BY TRAINED PERSONNEL ONLY - This Synergized Pyrethrins Insecticide formulation is especially designed for use in Meat, Poultry, Egg & Rabbit Processing Plants. It may also be used in Warehouses and Food Processing Plants where the below-named insects are present.

ACTIVE INGREDIENTS:

|  |        |
|--|--------|
| Pyrethrins-----                        | 2.0%   |
| Piperonyl Butoxide, Technical * -----  | 2.5%   |
| N-octyl bicycloheptene dicarboximide-- | 2.5%   |
| Petroleum Distillates-----             | 8.0%   |
| Mineral Oil-----                       | 85.0%  |
| TOTAL:                                 | 100.0% |



\* Equivalent to 2.0% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.5% related compounds.

**CAUTION KEEP OUT OF REACH OF CHILDREN**

HARMFUL IF SWALLOWED. DO NOT BREATHE SPRAY MIST. WASH HANDS, ARMS AND FACE WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE REUSE. WEAR A PESTICIDE RESPIRATOR JOINTLY APPROVED BY THE MINING ENFORCEMENT & SAFETY ADMINISTRATION (FORMERLY U.S. BUREAU OF MINES) AND BY THE NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY & HEALTH UNDER THE PROVISIONS OF 30 CFR PART 11. DO NOT APPLY DIRECTLY TO FOOD. COVER OR REMOVE ANY FOOD & FOOD PROCESSING EQUIPMENT DURING APPLICATION. DO NOT APPLY WHILE FOOD PROCESSING IS UNDERWAY. AFTER SPRAYING IN MEAT PACKING PLANTS, BAKERIES & OTHER FOOD PROCESSING PLANTS, WASH ALL EQUIPMENT BENCHES, SHELVING, ETC. WHERE EXPOSED FOOD WILL BE HANDLED, WITH POTABLE WATER.

REMOVE PETS, BIRDS AND COVER FISH AQUARIUMS BEFORE SPRAYING. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING, AND BURYING IN A SAFE PLACE.

WARM TO ROOM TEMPERATURE AND MIX WELL IN CONTAINER BEFORE EACH USE. KEEP CONTAINER CLOSED & STORE IN COOL PLACE. DO NOT POUR OR SPILL NEAR OPEN FLAME.

DIRECTIONS FOR USE:

Because of the small micron size particles emitted from the ULV-type cold aerosol foggers, this dual synergized insecticidal formulation is extremely effective on those insects listed. The small particle size permits greater insect-insecticide contact than previously attainable by other methods of space spraying.

Prior to application, close all doors and windows. Turn off air-conditioning or ventilating systems. Cover or remove all food and food handling surfaces.

SPACE SPRAY TO KILL FLIES, MOSQUITOES, SMALL FLYING MOTHS & GNATS: Using a ULV-type spraying device, apply 1/2 oz. per 1,000 cu. ft. of room space. The applicator should be centrally located or moved around the room as necessary to achieve uniform distribution of the insecticide mist. Vacate premises and leave room closed for one hour. Ventilate room thoroughly prior to re-entry. Repeat as necessary for control.

CONTACT SPRAY TO KILL ROACHES, SILVERFISH, WATERBUGS, EARWIGS, ANDS & SPIDERS IN SHELTERED SITUATIONS. With equipment described above, adjust machine to give a coarse wetting spray, and apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas, and ventilate area before re-entry.

NET CONTENTS \_\_\_\_\_ GALLONS

E.P.A. EST. NO. 655-534  
E.P.A. REG. NO. 655-534