

PRENTOX DDVP-RONNEL EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate (DDVP) -----	11.11%
Related Compounds -----	0.84%
Ronnel (0,0-dimethyl 0-(2,4,5-trichlorophenyl phosphorothioate) ---	12.00%
Tetrachloroethylene -----	5.00%
Xylene -----	60.13%

INERT INGREDIENTS: -----

10.92%

TOTAL: 100.00%

DANGER



POISON




KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR NATURAL RUBBER GLOVES, PROTECTIVE CLOTHING AND GOGGLES WHEN HANDLING THE CONCENTRATE TO PREPARE EMULSIONS. DO NOT BREATHE FUMES. DURING FOGGING OR MIST SPRAYING APPLICATIONS, WEAR A PESTICIDE RESPIRATOR JOINTLY APPROVED BY THE MINING ENFORCEMENT & SAFETY ADMINISTRATION (FORMERLY U.S. BUREAU OF MINES) AND BY THE NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY & HEALTH UNDER THE PROVISIONS OF 30CFR PART 11, FOR DDVP PROTECTION. DO NOT CONTAMINATE FEED AND FOOD-STUFFS. WASH HANDS, ARMS AND FACE THOROUGHLY WITH SOAP AND WATER BEFORE EATING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE. KEEP ALL UNPROTECTED PERSONS OUT OF OPERATIONAL AREA. KEEP AWAY FROM DOMESTIC ANIMALS.

DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.

ANTIDOTE: If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician immediately. In case of contact, remove contaminated clothing and immediately wash skin with soap and water. Atropine is antidotal. 2-PA is also antidotal and may be administered in conjunction with Atropine.

CONTENTS _____



E.P.A. EST. NO. 655-NJ-1
E.P.A. Reg. No. 655-535

GENERAL DIRECTIONS:

FOR INDOOR USE BY PROFESSIONAL PCO'S ONLY. KILLS FLIES, FLEAS, MOSQUITOES, ROACHES, WATERBUGS & BROWN DOG TICKS - Dilute at the rate of 1 to 25 parts of base oil or water. Apply as a coarse, wet spray taking care not to exceed the use of over 8 oz. of spray mixture per 1,000 cu.ft. of space. Make application as a "spot" treatment to infested cracks or other areas where pests have been seen resting, running or hiding. Repeat application as necessary to maintain effective control. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry.

PRECAUTIONS IN USING: With the exception of the applicator, the building should be cleared of humans, pets, birds or fish. Allow one hour to ventilate the enclosure before re-occupancy. Do not contaminate food, utensils, dishes or drinking water. Keep out of reach of children.


PROCEDURES FOR DECONTAMINATION & SAFE DISPOSAL OF EMPTY CONTAINERS: Do not re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS: Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS: 5 GALLON, 30 GALLON & 55 GALLON DRUMS: Pour the following mixture into the empty container:

case of contact, remove contaminated clothing and immediately wash skin with soap and water. Atropine is antidotal. 2-PA is also antidotal and may be administered in conjunction with Atropine.

CONTENTS _____



E.P.A. EST. NO. 655-NJ-1
E.P.A. Reg. No. 655-535

GENERAL DIRECTIONS:

FOR INDOOR USE BY PROFESSIONAL PCO'S ONLY. KILLS FLIES, FLEAS, MOSQUITOES, ROACHES, WATERBUGS & BROWN DOG TICKS - Dilute at the rate of 1 to 25 parts of base oil or water. Apply as a coarse, wet spray taking care not to exceed the use of over 8 oz. of spray mixture per 1,000 cu.ft. of space. Make application as a "spot" treatment to infested cracks or other areas where pests have been seen resting, running or hiding. Repeat application as necessary to maintain effective control. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry.

PRECAUTIONS IN USING: With the exception of the applicator, the building should be cleared of humans, pets, birds or fish. Allow one hour to ventilate the enclosure before re-occupancy. Do not contaminate food, utensils, dishes or drinking water. Keep out of reach of children.

PROCEDURES FOR DECONTAMINATION & SAFE DISPOSAL OF EMPTY CONTAINERS: Do not re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS: Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS - 5-GALLON, 30-GALLON & 55-GALLON DRUMS - Pour the following mixture into the empty container"

5-gal. drums - 2 qts. water, 1½ cup caustic soda (household lye), 2 tablespoonfuls detergent.

30-gal. drums - 3 gal. water, 1 pound caustic soda (household lye), 1½ cup detergent.

55-gal. drums - 5 gal. water, 2 pounds caustic soda (household lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

PRECAUTIONS IN USING: DO NOT use container in any connection with feed, food or drinking water.

(CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package).

Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED - Punch holes in the top of the container & burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty & that persons stay well away from the smoke & fumes. Do not attempt to burn more than 5 containers at one time.

FISH & WILDLIFE: This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Prentiss Drug & Chemical Co., Inc.

PLANT 338 WILSON AVENUE, NEWARK, N. J. 07105

OFFICE 163 SEVENTH AVENUE, NEW YORK, N. Y. 10011