

ACCEPTED

APR 23 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 655-534

prentox®

BEST AVAILABLE COPY

**PYRONYL OIL
CONCENTRATE
#225**

FOR USE BY TRAINED PERSONNEL ONLY

This Synergized Pyrethrins Insecticide formulation is especially designed for use in Meat, Poultry, Egg & Rabbit Processing Plants. It may also be used in Warehouses and Food Processing Plants where the named insects are present.

ACTIVE INGREDIENTS:

Pyrethrins	2.0%
Permethrin Technical	2.5%
N-Octyl bicycloheptene dicarboximide	2.5%
Petroleum Distillates	8.0%
Mineral Oil	85.0%
TOTAL	100.0%

*Equivalent to 2.0% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.5% related compounds.

PRENTOX®—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled — Remove person to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

E.P.A. REG. NO. 655-534 E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____ GALLONS

LOT # _____
Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety and Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from clothing, before reuse.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. ~~After space spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelving, etc. where exposed food will be handled.~~ In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid

STORAGE AND DISPOSAL (cont'd.)

contact with pesticide and wear protective gear. (cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product its vapors. Cover the spilled areas with generous amounts of absorbent material, such as cl diatomaceous earth, sand, or sawdust. Sweep t contaminated absorbent on to a shovel and put t sweepings into a salvage drum. Dispose of wast as below. Place any leaking container into a simi drum or glass container. Do not store, use pour, spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from t use of this product may be disposed of on site or an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or eqo valent). Then offer for recycling or reconditioni or puncture and dispose of in a sanitary landfill, by other procedures approved by state and loc authorities.

DIRECTIONS FOR USE (Cont'd.)

Because of the small micron size particles emitt from the ULV-type cold aerosol foggers, this du synergized insecticidal formulation is extreme effective on those insects listed. The small partic size permits greater insect-insecticide contact th previously attainable by other methods of spa spraying.

Prior to application, close all doors and window. Turn off air-conditioning or ventilating system. Cover or remove all food and food handli surfaces.

SPACE SPRAY TO KILL FLIES, MOSQUITOES, SMALL FLYING MOTHS AND GNATS: Using ULV-type spraying device, apply 1/2 oz. per 1,000 c ft. of room space. The applicator should be central located or moved around the room as necessary achieve uniform distribution of the insecticide mi. Vacate pre rises and leave room closed fo or hour. Ventilate room thoroughly prior to re-entr. Repeat as necessary for control.

CONTACT SPRAY TO KILL ROACHES, SILVERFISH, WATERBUGS, EARWIGS, ANTS, SPIDERS IN SHELTERED SITUATIONS. Wi equipment described above, adjust machine to gi a coarse wetting spray, and apply the spray into t cracks and crevices in woodwork, walls, floor underneath sinks, behind pipes and in all plac where these insects shelter. Contact as mar insects as possible. Do not allow spray to conta stored food. Repeat dosage as necessary f control. Leave the room closed for one hour. Do n remain in treated areas, and ventilate area befo re-entry.