

# prentox<sup>®</sup> Diazinon<sup>®</sup> 5G

## PRECAUTIONARY STATEMENTS

### Hazards to Humans (and Domestic Animals)

**CAUTION:** Harmful if swallowed. Avoid contamination of food and feed. Do not store near food or feed products. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before smoking or eating. May be absorbed through skin. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

### Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Do not apply where runoff is likely to occur. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### Directions For Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

*see attached sheet*

## STORAGE AND DISPOSAL

**STORAGE**—Keep out of reach of children, pets and other animals. Avoid moisture. Avoid contamination of food or foodstuffs by storage or disposal. Open burning and dumping prohibited. Do not reuse empty container.

**DISPOSAL**—Pesticide spray nozzles or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State or local disposal authorities.

**CONTAINER DISPOSAL**—Do not reuse empty container. Wrap container and put in trash collection.

### OVERALL LAWN APPLICATION:

Prentox Diazinon 5G controls the following lawn insects on both grass and dichondra lawns.

**CHINCH BUGS, EARWIGS, ANTS, LAWN MOTHS (SOD WEBWORMS), BERMUDE MITES, CRICKETS, ARMYWORMS, BROWN DOG TICKS, CHIGGERS, CLOVER MITES, CUTWORMS, FLEAS, LEAFHOPPERS, SOWBUGS, MILLIPEDES, AND SPRINGTAILS (COLLEMBOLA).**

Apply Prentox Diazinon 5G to your lawn with a fertilizer spreader. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary.

For application with other types of equipment, apply at the rate of 2 lbs. per 1000 sq. ft. (an area 20 by 50) or 3.2 oz. per 100 sq. ft. (an area 10 by 17). For heavy lawns such as St. Augustine lawns application should be increased to 3 lbs. per 1000 sq. ft. (or 4.8 oz. per 100 sq. ft.).

**FOR CONTROL OF BILLBUGS AND WHITE GRUBS OF Japanese beetle, european chafer and southern chafer:**

Apply 2.5 lbs. per 1000 sq. ft. of grass. Water grass thoroughly after application. For grub control make application any time between late July and early October. For billbug control apply when activity is first observed or when chafed or brown grass indicates damage from these insects. Repeat as necessary.

**For control of: ants, armyworms, bermuda mites, billbugs, brown dog ticks, chigger, chinch bugs, clover mites, crickets, cutworms, digger wasps, earwigs, fleas, lawn moths, leafhoppers, millipedes, springtails, sod webworms, sowbugs, white grubs of: Japanese beetle, european chafer, southern chafer.**

### ACTIVE INGREDIENT:

**O, O-dimethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate** ..... 8.0%  
**INERT INGREDIENTS:** ..... 95.0%  
**TOTAL** ..... 100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED**—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED**—Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN**—Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES**—Rinse eyes for at least 15 minutes with water and call a physician immediately.

**NOTE TO PHYSICIAN:** 2-PAM is antidotal and may be administered in conjunction with atropine sulfate.

E.P.A. Reg. No.: 655-556

E.P.A. Est. No.: 685-QA-1 NET CONTENTS: \_\_\_\_\_ Lbs

PRENTOX—Registered trademark of Prentiss Drug and Chemical Co., Inc.

Diazinon—Registered trademark of C. BA-GEIGY

BEST DOCUMENT AVAILABLE

Manufactured by



**prentiss**  
Drug & Chemical Co., Inc.

Plant: Kaolin Road  
Sandersville, G. 31082  
Office: 363 7th Avenue  
New York, N.Y. 10001

### DIRECTIONS FOR USE (Cont.)

**FOR CONTROL OF WHITE GRUBS (SOD WEBWORMS)** (lawns only)  
Apply 2 lbs. per 1000 sq. ft. of lawn. Water grass thoroughly after application. Treat problem areas in mid-April and again in mid-May.

### SPOT TREATMENT

**Ants:** Apply 1 teaspoon of Prentox Diazinon 5G in and around each individual ant hill.

**Digger wasps:** Apply 1 teaspoon of Prentox Diazinon 5G in and around each individual ground nest opening. Make the application about dusk when the wasps are not active.

### BAND TREATMENT AROUND FOUNDATION

The following insects are commonly found around or near the foundation of houses as well as the lawn. Certain of these insects may even enter the house.

**ANTS, BROWN DOG TICKS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS, SPRINGTAILS (COLLEMBOLA)**

For control of the above apply a five-foot band of Prentox Diazinon 5G next to the foundation of the house. Distribute the granules uniformly using a rate of 3.2 oz. for each 5 by 20 area to be treated.

**NOTE:** The spreader settings listed below are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting if necessary in order to assure correct rate of application.

### SPREADER SETTING NO. (per 1000 sq. ft.)

SPREADER Make and Model	FOR INSECTS LISTED BELOW Grass and Dichondra Lawns	St. Augustine Lawn	White Grubs and Sowbugs only
	2 lbs.	3 lbs.	2 1/2 lbs.
Central Imperial Sprayer No. 122, G	6	7	7
Central Imperial Lawn Sprayer No. 122, H	6	7	7
Central Imperial Model P 11, H, G	4	5	4
Greenleaf Model 104	6	7	6
Greenleaf Model 105	7	8	7
Greenleaf Model 106	5	7	6
Greenleaf Model 107	4	5	4
Greenleaf Model 108	6	7	6
Greenleaf Model 109			
Greenleaf Model 110			
Greenleaf Model 111			
Greenleaf Model 112			
Greenleaf Model 113			
Greenleaf Model 114			
Greenleaf Model 115			
Greenleaf Model 116			
Greenleaf Model 117			
Greenleaf Model 118			
Greenleaf Model 119			
Greenleaf Model 120			
Greenleaf Model 121			
Greenleaf Model 122			
Greenleaf Model 123			
Greenleaf Model 124			
Greenleaf Model 125			
Greenleaf Model 126			
Greenleaf Model 127			
Greenleaf Model 128			
Greenleaf Model 129			
Greenleaf Model 130			
Greenleaf Model 131			
Greenleaf Model 132			
Greenleaf Model 133			
Greenleaf Model 134			
Greenleaf Model 135			
Greenleaf Model 136			
Greenleaf Model 137			
Greenleaf Model 138			
Greenleaf Model 139			
Greenleaf Model 140			
Greenleaf Model 141			
Greenleaf Model 142			
Greenleaf Model 143			
Greenleaf Model 144			
Greenleaf Model 145			
Greenleaf Model 146			
Greenleaf Model 147			
Greenleaf Model 148			
Greenleaf Model 149			
Greenleaf Model 150			
Greenleaf Model 151			
Greenleaf Model 152			
Greenleaf Model 153			
Greenleaf Model 154			
Greenleaf Model 155			
Greenleaf Model 156			
Greenleaf Model 157			
Greenleaf Model 158			
Greenleaf Model 159			
Greenleaf Model 160			
Greenleaf Model 161			
Greenleaf Model 162			
Greenleaf Model 163			
Greenleaf Model 164			
Greenleaf Model 165			
Greenleaf Model 166			
Greenleaf Model 167			
Greenleaf Model 168			
Greenleaf Model 169			
Greenleaf Model 170			
Greenleaf Model 171			
Greenleaf Model 172			
Greenleaf Model 173			
Greenleaf Model 174			
Greenleaf Model 175			
Greenleaf Model 176			
Greenleaf Model 177			
Greenleaf Model 178			
Greenleaf Model 179			
Greenleaf Model 180			
Greenleaf Model 181			
Greenleaf Model 182			
Greenleaf Model 183			
Greenleaf Model 184			
Greenleaf Model 185			
Greenleaf Model 186			
Greenleaf Model 187			
Greenleaf Model 188			
Greenleaf Model 189			
Greenleaf Model 190			
Greenleaf Model 191			
Greenleaf Model 192			
Greenleaf Model 193			
Greenleaf Model 194			
Greenleaf Model 195			
Greenleaf Model 196			
Greenleaf Model 197			
Greenleaf Model 198			
Greenleaf Model 199			
Greenleaf Model 200			

ACCEPTED with COMMENTS  
In EPA Letter Dated:  
655-556  
SEP 15 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 655-556

RIGHT PANEL

#### STORAGE AND DISPOSAL


Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On cleanup, wear protective equipment as required to prevent contact with the product. Sweep on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

BEST DOCUMENT AVAILABLE



SEP 15

Mr. Nick Sanchez  
Prentiss Drug & Chemical Co., Inc.  
C.B. 2000  
Floral Park, NY 11001

*File  
9/15/83*

*300/104423  
17/3*

Dear Mr. Sanchez:

Subject: Amendment - Revise Label According to  
PR Notice 83-3  
Prentox(R) 5G  
EPA Registration No. 655-556  
Your Application Dated August 22, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing, please make the following revisions to your label.

- a. In the Statement of Practical Treatment, revise the "if in eyes" statement to:

If in eyes - Rinse eyes with plenty of water and call a physician immediately.

- b. Revise the "note to physician" to:

Note to Physician - If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Pan is also antidotal and may be administered in conjunction with atropine.

- c. Insert "Diazinon" in front of its chemical formula in the statement of active ingredients.

Sincerely yours,

George T. LaFocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (75-767)

Enclosure		CONCURRENCES				
SYMBOL	ED/IRB:LAROCCA:DCR-28682:WANG-0301C:pjb:Raven:479-2023	9/12/83				
SURNAME						
DATE						