

BEST DOCUMENT AVAILABLE

PRENTOX® DIAZINON® 2G

For control of: Ants, armyworms, bermuda mites, billbugs, brown dog ticks, chiggers, chinch bugs, clover mites, crickets, cutworms, digger wasps, earwigs, fleas, lawn moths, leaf hoppers, millipedes, springtails, sod webworms, sowbugs, white grubs of Japanese beetle, european chafer, southern chafer

ACTIVE INGREDIENT
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 2.0%
INERT INGREDIENTS 98.0%
TOTAL 100.0%

PRENTOX® Registered trademark, Prentiss Drug & Chemical Co. Inc.
Diazinon® Registered trademark of the G.I. Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS
Hazards to Humans
(and Domestic Animals)
CAUTION

AVOID BREATHING OF DUST; AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. WASH THOROUGHLY AFTER HANDLING. HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. TREAT LAWNS IN LATE AFTERNOON. KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL THE FOLLOWING AFTERNOON.

See label for additional precautionary statements.

E.P.A. Reg. No.: 655-559

E.P.A. Est. No.

NET CONTENTS: _____ Lbs.

Manufactured by

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding in treated areas may be killed. Do not apply where runoff is likely to occur. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE—Keep out of reach of children, pets and other animals. Avoid moisture. Avoid contamination of feed or foodstuffs by storage or disposal. Open burning and dumping prohibited. Do not reuse empty container.

DISPOSAL—Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State, or Local disposal authorities.

CONTAINER DISPOSAL—Do not reuse empty container. Wrap container and put in trash collection.

OVERALL LAWN APPLICATION:

Prentox Diazinon 2G is a systemic insecticide for use on lawns. It is effective against a wide range of lawn pests.

CHINCH BUGS, EARWIGS, ANTS, LAWN MOTHS (SOD WEBWORMS), BERMUDA MITES, CRICKETS, ARMYWORMS, BROWN DOG TICKS, CHIGGERS, CLOVER MITES, CUTWORMS, FLEAS, LEAFHOPPERS, SOWBUGS, MILLIPEDES, AND SPRINGTAILS (COLLEMBOLA).

Apply Prentox Diazinon 2G to your lawn with a rotary spreader. Apply at the rate of 5 lbs. per 1000 sq. ft. of lawn. Water lawn lightly after application. Reapply as needed.

For application with other types of equipment, apply at the rate of 5 lbs. per 1000 sq. ft. of lawn. Water lawn lightly after application. Reapply as needed.

TO CONTROL BILLBUGS, WHITE GRUBS OF JAPANESE BEETLE, EUROPEAN CHAFER AND SOUTHERN CHAFER:

Apply 8 lbs. per 1000 sq. ft. of lawn. Water lawn thoroughly after application. For grub control, make application any time between late August and October. For best results, apply when the soil is moist. Do not apply if rain is expected within 24 hours.

TO CONTROL HYPERODES WEVIL:

Apply 5 lbs. per 1000 sq. ft. of grass. Water grass thoroughly after application. Reapply as needed.

SPOT TREATMENT

Ants: Apply one tablespoon of Prentox Diazinon 2G over and around each individual ant hill.

Digger Wasps: Apply one tablespoon of Prentox Diazinon 2G in and around each individual ground nest opening. Make this application about dusk when the wasps are not active.

BAND TREATMENT AROUND FOUNDATION:

The following insects are commonly found around or near the foundation of houses as well as in the lawn. Certain of these insects may even enter the house.

ANTS, BROWN DOG TICKS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS, SPRINGTAILS (COLLEMBOLA).

For control of the above insects, apply a five-foot band of Prentox Diazinon 2G next to the foundation of the house. Distribute the granules uniformly using a rate of 8 oz. for each 5' by 20' area to be treated.

NOTE: The spreader settings listed below are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting if necessary in order to assure correct rate of application.

SPREADER Make and Model	SPREADER SETTING NO. (per 1000 sq. ft.)		
	FOR INSECTS LISTED BELOW* Green and Dichondra Lawns 5 lbs.	St. Augustine Lawn 7 1/2 lbs.	White Grubs and Billbugs only 8 lbs.
Central Suburban Model No. 1562 G	7 1/2	8 1/2	8
Central Suburban Lawn Spreader No. 1622 G	7 1/2	8 1/2	8
Cynlone Model B1 Rotary	6	7 1/2	6 1/2
Greenfield Model 105	8	8 1/2	8 1/2
J.C. Penney Model 6005	8 1/2	9 1/2	9
J.C. Penney Rotary Spreader	8	10	9
Sears Model 35	6 1/2	7 1/2	7
Sears Craftsman Model 671 1915B	7 1/2	9	8

*Ants, Armyworms, Bermuda Mites, Brown Dog Ticks, Chiggers, Earwigs, Fleas, Hyperodes Weevil (New York only), Lawn Moths (Sod Webworms), Leafhoppers, Millipedes, Sowbugs, Springtails (Collembola)

RIGHT PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Open dumping is prohibited.

STORAGE If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On cleanup, wear protective equipment as required to prevent contact with the product. Sweep on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below.

PESTICIDE DISPOSAL. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 15 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

655-559

BEST DOCUMENT AVAILABLE

Nick Sanchez
Prentiss Drug & Chemical Co., Inc.
C.B. 2000
Floral Park, NY 11001

300/104428
17/2

(17)

Dear Mr. Sanchez:

SEP 15 1983

Subject: Amendment-Revise Label According to PR Notice 83-3
Prantox (R) Diazinon (R) 2E
EPA Registration No. 655-559
Your Application, Dated August 22, 1983

Shaw
9/14/83

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing please make the following revisions to your label:

- a. Insert "Diazinon" in front of its chemical formula in the statement of active ingredients.
- b. Your name and address was cut off on the proposed labels you submitted August 22, 1983. It is important that your company name and new address appear on your revised labels.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD:LARocca:DCR-28683;WANG-0302A:bje:Raven:479-2023:9/12/83

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							