

prentiss

DIAZINON®

4D

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS:**

CAUTION
Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

ENVIRONMENTAL HAZARDS:
This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not reuse empty container. Wrap container & place in trash collection.

ADMITTED
with COMMENTS
in EPA Letter Dated:

JAN 23 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 655-560.



ACTIVE INGREDIENT:
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 4.0%

INERT INGREDIENTS: 96.0%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician immediately.

IF INHALED Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES Rinse eyes for at least 15 minutes with water and call a physician immediately.

NOTE TO PHYSICIAN: Atropine sulfate is antidotal and may be administered in conjunction with PAM.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRENTOX® Registered Trademark of Prentiss Drug & Chemical Co., Inc.

DIAZINON® Registered Trademark of Ciba-Geigy Corp.

E.P.A. Reg. No. 655-560 E.P.A. EST. NO. 655-NJ-1

NET CONTENTS _____

LOT # _____

Manufactured by
prentiss Plant: 338 Wilson Avenue
Drug & Chemical Co., Inc. Newark, N.J. 07105
Office: 363 7th Avenue
New York, N.Y. 10001

DIRECTIONS FOR USE (Cont'd)

Soil Application: Apply as a broadcast treatment over the surface of the soil. Immediately after spreading mix thoroughly with the soil to a depth of 6-8 inches. Apply 1 lb per 225 sq ft.

Foliage Application: Apply dust at first signs of insects. Repeat as necessary. For best results, dust in early morning or late evening when temperature is lower and air is still. Apply dust so that all parts of plants are contacted, especially upper and lower leaf surfaces. Number in parentheses () indicates days required between last application and harvest.

Plant	Insects
Beans	Apply 10 days before harvest.
Broccoli	Apply 10 days before harvest.
Brussels Sprouts	Apply 10 days before harvest.
Cabbage	Apply 10 days before harvest.
Cauliflower	Apply 10 days before harvest.
Carrots	Apply 10 days before harvest.
Corn	Apply 10 days before harvest.
Cucumbers	Apply 10 days before harvest.
Eggplant	Apply 10 days before harvest.
Kale	Apply 10 days before harvest.
Kidney Beans	Apply 10 days before harvest.
Lettuce	Apply 10 days before harvest.
Peas	Apply 10 days before harvest.
Potatoes	Apply 10 days before harvest.
Spinach	Apply 10 days before harvest.
Sweet Corn	Apply 10 days before harvest.
Sweet Potatoes	Apply 10 days before harvest.
Tomatoes	Apply 10 days before harvest.
Watermelons	Apply 10 days before harvest.
Winter Squash	Apply 10 days before harvest.
Zucchini	Apply 10 days before harvest.

Note: Do not use on Ferns, Poinsettias, Hibiscus and Gardenias since injury may occur. Apply to ticks as soon as they appear. Make application at 14 day intervals as infestation warrants. Reapply immediately after rain.

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Because Puerto Rico may require more restrictive re-entry intervals for crops treated with this product, consult your Department of Agriculture for further information.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On cleanup, wear protective equipment as required to prevent contact with the product. Sweep or to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into applicator equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

BEST DOCUMENT AVAILABLE

STATEMENT OF PRACTICAL TREATMENT

KEEP OUT OF REACH OF CHILDREN
CAUTION

- IF SWALLOWED - Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED - Remove victim to fresh air and apply respiration, if indicated.
- IF ON SKIN - Wash promptly with soap and water. Rinse thoroughly.
- IF IN EYES - Rinse eyes for at least 15 minutes with water and call a physician immediately.
- NOTE TO PHYSICIAN: *If symptoms -* Atropine sulfate is antidotal and may be administered in conjunction with 2-PAM.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

RENT DOCUMENT AVAILABLE