

# prentox

## EMULSIFIABLE PRO-PYRIFOS

(Contains Dursban) **JAN 25 1985**

Under the Federal Insecticide, Fungicide and Rodenticide Act  
**ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONNEL**

### ACTIVE INGREDIENTS:

Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate) .....	31.90%
Piperonyl Butoxide, Technical* .....	11.10%
Pyrethrins .....	2.22%
Petroleum Distillates .....	5.00%
Xylene Range Aromatic Solvent .....	5.00%
<b>INERT INGREDIENTS:</b> .....	<b>50.00%</b>
<b>TOTAL:</b> .....	<b>100.00%</b>

\*Equivalent to 8.85% (Butylcarbityl) (8-propylpiperonyl) ether and 2.22% related compounds.

Can be diluted with either water or Deodorized Kerosene. For control of Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs and Brown Dog Ticks. Use in and around homes, apartments, garages, similar residential structures, institutions, Restaurants and Food Processing Plants. Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering homes.

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co., Inc.  
DURSBAN® — Registered Trademark of The Dow Chemical Co.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed — Contains petroleum distillates. Do not induce vomiting. Get medical attention immediately.

If inhaled — Remove victim to fresh air. Apply respiration, if indicated.

If on skin — Wash area immediately with soap and warm water.

If in eyes — Flush with plenty of water and get prompt medical attention.

**SEE SIDE PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.**

E.P.A. REG. NO. 666-882      E.P.A. EST. NO. 666-QA-1

NET CONTENTS \_\_\_\_\_ GAL

LOT # \_\_\_\_\_

Manufactured by



# prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road  
Sandersville, GA. 31082  
Office: C.B. 2000  
Florence, SC 29504

DEODORIZED KEROSENE — 1 1/2 gal. of Concentrate with 1 gal. Deodorized Kerosene for 0.5% Chlorpyrifos. 1 1/2 gal. of Concentrate with 1 gal. of Deodorized Kerosene for 0.25% Chlorpyrifos.

**APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS** (Food Other Than Pesticide Residues in Which Food is Held, Prepared, Prepared or Served) INCLUDED, BUT NOT LIMITED TO RESTAURANTS, GROCERY STORES, BAKERIES, BOTTLING PLANTS, CANNING & GRAIN SILL:

Use as a contact spray for control of cockroaches (including strains resistant to certain other insecticides), ants, crickets, silverfish, spiders and others in and around both food and non-food areas by application at certain low pressure (50 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food-contacting surfaces. Areas treated may include dark corners of rooms and closets; along and behind baseboards; beneath and behind stoves, refrigeration units and similar food preparation areas and equipment, floor drains; and around plumbing and other utility installations. For ants, apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors. Equipment capable of delivering a pin stream of insecticide should be used. Repeat treatment as needed, but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back), may be applied after 2 days from last treatment, but emergency use should be limited to once per month.

**APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.**

**APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS & WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY —**

Apply as a contact spray or with a paint brush to localized areas where cockroaches, (including strains resistant to certain other insecticides), ants, silverfish, crickets, silverfish, and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. For silverfish, use a 0.5% spray only. NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

**BROWN DOG TICKS —** Apply thoroughly as a spot treatment to infested areas, such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings, where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

**FLIES & MOSQUITOES —** Use only on outdoor surfaces. Spray outside surfaces of windows and door frames & other areas where these pests may enter the home. Also spray corners & localized resting areas such as under eaves, porches, partitions & in garages, where these insects may congregate. Flies & mosquitoes coming to rest on treated surfaces will be killed.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

May be fatal if swallowed or absorbed through skin. If swallowed, get immediate medical attention. Harmful if inhaled. Do not breathe vapors, fumes or spray mist. Causes eye damage. Do not get in or on skin or on clothing. For eye contact, flush with plenty of water and get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing before reuse. Do not contaminate feed or foodstuffs. Remove all pits and aquariums from area before spraying.

**NOTE TO PHYSICIANS:** Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL & CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Fix any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**USE PRECAUTIONS**  
Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Do not allow spray to contact feed, foodstuffs or water supplies. Thoroughly wash dishes and food handling utensils, if contaminated with this product.

**DIRECTIONS FOR USE — DILUTION RATES BY VOLUME**

**WATER —** 2 oz. of Concentrate with 1 gal. of water for 0.50% Chlorpyrifos. 1 oz. of Concentrate with 1 gal. of water for 0.25% Chlorpyrifos