

# prentox

## EMULSIFIABLE DUAL PRO-PYRIFOS

(Contains Dursban®)

(For Professional Use Only)

Can be diluted with either water or Deodorized Kerosene For control of Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs and Brown Dog Ticks Use in and around homes, apartments, garages, similar residential structures, institutions, Restaurants and Food Processing Plants Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering homes

### ACTIVE INGREDIENTS:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	31.98%
Piperonyl Butoxide Technical*	4.46%
N-octyl bicycloheptane dicarboximide	7.48%
Pyrethrins	2.22%
Xylene Range Aromatic Solvent	22.12%
Petroleum Distillates	28.83%
<b>INERT INGREDIENTS:</b>	<b>5.92%</b>
<b>TOTAL:</b>	<b>100.00%</b>

\*Equivalent to 3.552% (Butylcarbityl(6-propylpiperonyl) Ether and 0.908% related compounds

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

IF SWALLOWED — Contains petroleum distillates. Do not induce vomiting. Get medical attention immediately.

IF INHALED — Remove victim to fresh air. Apply respiration, if indicated.

IF ON SKIN — Wash area immediately with soap and warm water.

IF IN EYES — Flush with plenty of water and get prompt medical attention.

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co. Inc.  
 DURSBAN® — Registered Trademark of The Dow Chemical Co.  
 E.P.A. Reg. No. 655-572 E.P.A. EST. NO. 665-NJ-1

**BEST DOCUMENT AVAILABLE**

NET CONTENTS \_\_\_\_\_ GAL. LOT # \_\_\_\_\_



Manufactured by  
**prentiss**  
 Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
 Newark, N.J. 07105  
 Office: 3rd 7th Avenue  
 New York, N.Y. 10001

**RECEIVED**

JAN 25 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-572

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. IF SWALLOWED GET IMMEDIATE MEDICAL ATTENTION. HARMFUL IF INHALED. DO NOT BREATHE VAPORS OR FUMES OR SPRAY MIST. CAUSES EYE DAMAGE. DO NOT GET IN EYES OR ON SKIN OR ON CLOTHING. FOR EYE CONTACT FLUSH WITH PLENTY OF WATER AND GET IMMEDIATE MEDICAL ATTENTION. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR DRINKING. WASH CONTAMINATED CLOTHING BEFORE WEARING. DO NOT CONTAMINATE FEED OR FOODSTUFFS. KEEP ALL PETS AND AQUARIUMS FROM AREA BEFORE SPRAYING.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL & CHEMICAL HAZARDS**

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

**STATEMENT TO PHYSICIANS:** Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

**DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**STORAGE & DISPOSAL**

**Containers** — DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING IS PROHIBITED.

**Pesticide Disposal** — PESTICIDE SPRAY MIXTURE OR EXCESS WATER THAT CANNOT BE USED OR CHEMICALLY DECONTAMINATED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

**Container Disposal** — LESS THAN 30 GAL.: TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

**30 GAL. OR LARGER:** RESEAL CONTAINER AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN AN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

**PRECAUTIONS**

Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Use only as a surface spray only as specified on this label. Do not spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils if contaminated with this product.

**DIRECTIONS FOR USE — DILUTION RATES BY VOLUME**

**WATER** — 2 oz. of Concentrate with 1 gal. of water for 0.50% Chlorpyrifos. 1 oz. of Concentrate with 1 gal. of water for 0.25% Chlorpyrifos.

**DEODORIZED KEROSENE** — 1 1/2 oz. of Concentrate with 1 gal. of Deodorized Kerosene for 0.50% Chlorpyrifos. 3/4 oz. of Concentrate with 1 gal. of Deodorized Kerosene for 0.25% Chlorpyrifos.

**DIRECTIONS FOR USE (Cont'd)**

**APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS** (Please Refer To Private Residences In Which Food Is Made, Processed, Prepared or Served) INCLUDING, BUT NOT LIMITED TO, RESTAURANTS, GROCERY STORES, BAKERIES, BUTLERS, CAFETERIAS, CATERING, & GRAMMARS.

Use as a spot treatment to control cockroaches, (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish and spiders in and around both food and non-food areas by application of coarse low pressure (20 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food-contacting surfaces. Areas treated may include dark corners of rooms and closets, along and behind baseboards, beneath and behind stoves, refrigeration units and similar food preparation areas and equipment, floor drains, and around plumbing and other utility installations. For ants, apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hidden spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floor. Equipment capable of delivering a air stream of insecticide should be used. Repeat treatment is needed, but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back), may be applied after 2 days from last treatment, but emergency use should be limited to once per month.

**APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.**

**APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS & WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY** — Apply as a coarse spray or with a paint brush to localized areas where cockroaches, (including strains resistant to certain other insecticides), ants, clover mites, crickets, firebrats, silverfish and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails also around doors and windows and wherever else these pests may find entrance. For clover mites, use a 0.5% spray only. NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

**BROWN DOG TICKS** — Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

**FLIES & MOSQUITOES** — Use only on outdoor surfaces. Spray outside surfaces of windows and door frames & other areas where these pests may enter the home. Apply to corners & localized areas such as pet beds, under eaves, door frames & in garages where the above pests may be present. Flies & mosquitoes that contact treated surfaces will be killed. Repeat treatment when effectiveness diminishes.