PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HARMFUL IF SWALLOWED IF SWALLOWED, DO NOT INDUCE VOMITING CALL A PHYSICIAN IMMEDIATELY AVOID BREATHING VAPOR OR SPRAY MIST AVOID CONTACT WITH SKIN, EYES OR CLOTHING IN CASE OF EYE CONTACT. FLUSH WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS KEEP AWAY FROM FOOD FEEDSTUFFS AND DOMESTIC WATER SUPPLIES WASH THOROUGHLY AFTER HANDLING DO NOT SMOKE WHILE USING REMOVE ALL PETS AND AQUARIUMS FROM AREA BEFORE SPRAYING

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds streams. Do not contaminate water by cleaning of equipment or osal of wastes.

PHYSICAL & CHEMICAL HAZARDS

DO NOT USL OR STORE NEAR HEAT OR OPEN FLAME

NOTE TO PHYSICIAN: Contains petroleum distillate if gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingredients contain a cholinesterase inhibitor. Treat symptomatically Attopine is an antidote.

DIRECTIONS FOR USE IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

STORAGE AND DISPOSAL

1. Prohibitions - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT OPEN DUMPING IS PROHIBITED

2. Pesticide Disposal - PESTICIDE, SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED OR CHEMICALLY PROCESSED, SHOULD BE DISPOSED OF IN A LANDFILI "PROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE IAY FROM WATER SUPPLIES

3. Container Dieposal — LESS THAN 30 GALLONS: TRIPLE RINSE, AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL WARPROVED LANDFILL OR BURY IN A SAFE

30 GALLONS OR LARGER: RESEAL CONTAINER AND FOR AECONDITIONING OR TRIPLE RINSE AND OFFER FOR RECVCLING, RECONDITIONING OR DISPOSAL IN AN APPROVED'L'ANDFILL OR BURY IN A SAFE PLACE 4. Consumer Packing - WRAP CONTAINER AND DISPOSE

.... USE PRECAUTIONS

Do not allow children or pets to contact freated surfaces until spray thes dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Do not allow spray to "contact food, feedstuffs or water supplies. Thoroughly wash disheseand foed handling utensils, if contaminated with this product

prentox[®] DUAL **SYNPY 0.25%** CHLORPYRIFOS

(Contains Dursban®)

For control of cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks. Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants. Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering homes.

ACTIVE INGREDIENTS:

ł٨

Pyrethrins	0.030%
Piperonyl Butoxide Technical*	0.060%
N-octyl bicycloheptene dicarboximide	0.100%
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-	
2-pyridyl) phosphorothicate]	0.025%
Petroleum Distillates	99.769%
VERT INGREDIENTS:	0.016%
TOTAL:	100.00%

*Equivalent to 0.48% (Butylcarbityl)(6-propylpiperonyl) Ether and 0 012% related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

IF SWALLOWED - Contains petroleum distillates Do not induce vomiting. Get medical attention immediately

IF INHALED - Remove victim to fresh air Apply respiration, if indicated.

IF ON SKIN - Wash area immediately with soap and warm water

IF IN EYES — Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRENTOX* — Registered Trademark of Prentiss Drug & Chemical Co.Inc

E.P.A. EST. NO. 655-NJ-1

Office: 363 7th Avenue

New York, M.Y. 10001

DURSBAN* - Registered Trademark of The Dow Chemical Co

E.P.A. Reg. No. 655-574

Drug & Chemical Co., Inc.

NET CONTENTS _ GAL. LOT # . Manufactured by SS Plant: 338 Wilson Avenue pren

DIRECTIONS FOR UCE: (Cont'd)

APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS (Places Other Than Private Residences in Which Food is Held, Processed, Prepared or Served) INCLUDING, BUT NOT LIMITED TO, RESTAURANTS, GROCERY STORES, BAKERIES, BOTTLING PLANTS, CANNERIES & GRAIN MILLS:

Use as a spot treatment to control cockroaches (including strains resistant to certain other insecticides) ants crickets, firebrats silverlish and spiders in and around both food and non-food areas by application as a coarse, low pressure (20 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unneccessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food-contacting surfaces. Areas treated may include dark corners of rooms and closets along and behind baseboards, beneath and behind stoves, refrigeration units and similar food preparation areas and equipment floor drains and around plumbing and other utility installations. For ants apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment k gs and bases or which occur at points between different elements of construction or between equipment and floors. Equipment capable of delivering a pin stream of insecticide should be used. Repeat treatment as needed, but not more often than once every 7 days in restaurants. and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back) may be applied after 2 days from last treatment, but emergency use should be limited to once per month

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS & WI /HIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERICIAL BUILDINGS INC' JOING HOSPITALS. STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY -

Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants clover mites crickets firebrats silverfish and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind, baseboards, beneath and behind sinks, stoves, refrigerators and cabinets around plumbing and other utility installations. For ants apply to ant trails also around doors and windows and whe ever else these pests may find entrance. For clover mites, use a 0.5% spray only NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches

BROWN DOG TICKS -- Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters nearby cracks and crevices along and behind baseboards window and door frames and localized areas of floor and floor coverings, where these pests may be present. Fresh bedding should be placed in animal guarters following treatment. Do not spray pets with this product

FLIES & MOSQUITOES - Use only on outdo aces Sprav outside surfaces - use only one transition areas where these pest may user rading the Dso pray color s & localized resting areas such as under early porches partitions & in garages where these insects may congregate. Flies & mosquitoes coming to jest on treated surfaces will be killed DCT tupn2s 1979 Pes Repeat treament w 8/79

> Under the Federal Insecticide. Fungicide, and Rodenticide Act. as amended, for the pesticide registured under/ 55-574 EPA Reg. No. / 55-574

 \mathcal{O}

Z