

Prentox

PYRIFOS RESIDUAL 25

(Contains Dursban®)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. If swallowed, do not induce vomiting. Call a physician immediately. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. In case of eye contact, flush with plenty of water. Get medical attention if irritation persists. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. Do not smoke while using. Remove all pets and aquariums from area before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN: Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

USE PRECAUTIONS

Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils, if contaminated with this product.

ACTIVE INGREDIENTS:

Pyrethrins	0.030%
Piperonyl Butoxide Technical*	0.060%
N-octyl bicycloheptene dicarboximide	0.100%
Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate)	0.250%
Petroleum Distillates	98.544%
INERT INGREDIENTS:	0.016%
TOTAL:	100.00%

*Equivalent to 0.48% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.012% related compounds.

PRENTOX® — Registered Trademark of Prentiss Drug & Chemical Co. Inc.

DURSBAN® — Registered Trademark of The Dow Chemical Co.

KEEP OUT OF REACH OF CHILDREN CAUTION

If swallowed: Contains petroleum distillates. DO NOT INDUCE VOMITING. Get medical attention immediately.
If inhaled: — Remove victim to fresh air. Apply respiration if indicated.
If on skin: — Wash area immediately with soap and warm water.
If in eyes: — Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

E.P.A. REG. NO. 655-574

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____ GAL. LOT # _____

DIRECTIONS FOR USE: (Cont'd)

APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS (Places Other Than Private Residence in Which Food is Held, Processed, Prepared or Served) INCLUDING, BUT NOT LIMITED TO, RESTAURANTS, GROCERY STORES, BAKERIES, BOTTLING PLANTS, CANNERIES & GRAIN MILLS:

Use as a spot treatment to control cockroaches (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish and spiders in and around both food and non-food areas by application as a coarse, low pressure (20 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food-contacting surfaces. Areas treated may include dark corners of rooms and closets, along and behind baseboards, beneath and behind stoves, refrigeration units and similar food preparation areas and equipment, floor drains, and around plumbing and other utility installations. For ants, apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors. Equipment capable of delivering a pin stream of insecticide should be used. Repeat treatment as needed, but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (wall back) may be applied after 2 days from last treatment but emergency use should be limited to once per month.

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS & WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY —

Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, clover mites, crickets, firebrats, silverfish, and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. For clover mites, use a 0.5% spray only. **NOTE:** A period of 4 to 7 days is normally required for maximum effect on cockroaches.

BROWN DOG TICKS — Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

FLIES & MOSQUITOES — Use only on outdoor surfaces. Spray outside surfaces of windows and door frames & other areas where these pests may enter the home. Also spray corners & localized resting areas such as under eaves, porches, partitions & in garages where these insects may congregate. Flies & mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001